


FIG. 1  
FRONT VIEW  
SCALE: 1/1







SEE PROPRIETARY NOTICE ON SHEET ONE		
DOUBLE SIDED PRINTED WIRING BOARD	DWG SIZE	ISSUE
	C2	1
AT&T TECHNOLOGIES, INC.	ED-50620-30	SHEET B1

ED-50620-30

TABLE R (SEE FIG. 1)			
COMPONENT	LOCATION		NO. REQS
	EDL	TERMINAL NUMBER	
183	018	000-024, 032-056,	100
	034	100-124, 132-156	100
	058		100
	074		100
	106		100
	122		100
	146		100
	162		100
	021	000-024, 032-056	50
	022		50
	061		50
	062		50
	109		50
	110		50
	149		50
	150		50
	026	000-011, 015-024, 032-056,	197
	042	100-124, 132-156,	197
	066	200-224, 232-256,	197
	082	300-324, 332-356	197
114		197	
130		197	
154		197	
170		197	
1814	026	012-014	3
	042		3
	066		3
	082		3
	114		3
	130		3
	154		3
170		3	


TABLE S (SEE FIG. 1)				
COMPONENT	LEVEL	EDL	TERM	ORIENTATION
2218	01	016	004	SK A
		016	008	
		056	004	
		056	008	
		104	004	
		104	008	
		144	004	
401021209	01	037	002	SK B
		04	037	
		037	034	
		07	037	
		01	077	
		04	077	
		07	077	
		01	125	
		04	125	
		07	125	
		01	165	
04	165			
07	165			



VIEW B-B  
SHOWN ROTATED 90° CLOCKWISE  
SCALE: N.T.S.


SEE PROPRIETARY NOTICE ON SHEET ONE		
DOUBLE SIDED PRINTED WIRING BOARD	DWG SIZE	ISSUE
	C2	1
AT&T TECHNOLOGIES, INC.	ED-50620-30	SHEET 62

AM-845229673-01 ISSUE 4



DETAIL 1

AM-845229673-02 ISSUE 4



DETAIL 2

SEE PROPRIETARY NOTICE ON SHEET ONE			
DOUBLE SIDED PRINTED WIRING BOARD		DWG SIZE	ISSUE
		6S	1
AT&T TECHNOLOGIES, INC. ED-50620-30		SHEET	
		6S	

ED-50620-30

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1000	4	1	105179030	AMB45229673-01	PLANE, MULTILAYERED BOARD GROUND DETAIL 1		7	8	
1010	4	1	105179048	AMB45229673-02	PLANE, MULTILAYERED BOARD POWER DETAIL 2		7	8	
1200	A	8	103222683	221B	TERMINAL				
1210	A	16	401021209	KS20863L10	CONNECTOR, COAX				
1250	B	2776	103055984	1B-4	CONTACT, SINGLE PINS				
1260	B	24	103624987	1B-14	CONTACT, SINGLE PINS				
***** END OF STOCKLIST *****									

S T O C K L I S T	MANUFACTURING NOTES	
	X	1.
X	2.	<> INDICATES DESIGNATIONS PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
X	3.	( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
X	4.	CHARACTERS TO BE 1/8 INCH RUBBER STAMPED IN CONTRASTING COLOR PER WL-2151 AND LOCATED APPROXIMATELY AS SHOWN.
X	5.	MATERIAL C10 CLASS EPOXY, FR411, .093 IN. THICK.
X	6.	THE INFORMATION LISTED BELOW SHOWS COMPATIBILITY OF ARTMASTERS TO DETAILS.
		ISSUE DETAIL
		845229673 4 1
		845229673 4 2
X	7.	COMCODES SHOWN FOR (DETAILS) IN STOCKLIST ARE FOR MDS DATA MECHANIZATION PURPOSES ONLY, NOT TO AFFECT IDENTIFICATION OF FINAL PRODUCT.
X	8.	COMCODE 601070097 IS EQUIVALENT TO ED50620-30, G4AB.

ED50620-30

AT&T TECHNOLOGIES, INC. - PROPRIETARY			
7T13		AT&T RATING	
SESS SWITCHING EQUIPMENT SPECIFICATION FOR DOUBLE S-SIDED PRINTED WIRING BOARD POWER & GROUND			
DWG SIZE C2	ISSUE 1		
AT&T TECHNOLOGIES, INC. ED50620-30			SHEET 01 OF 5

PRINTED U.S.A.