


TABLE A-FEATURES											
EQUIPMENT			EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED CABLE ASSEMBLIES (LIDB) FOR ISLU 2			1 THRU 48								
END OF TABLE-A											

ISSUE NOTES				
ORIG ISS: 12/04/90		CHANGE CLASS:		
DRAFT: HZP	ENGR: WJV	SUPV: RJH	CERTIFIED: 12/04/90	ISSUE: 1
IN S/L ITEM 1040 ADDED. DIM CHANGES ON GROUPS 17,21,23,25,29,31- SEE TBL B AND SH B5. CONN 2 OF GROUPS 17-24 TERMINAL STAMPING 045 CHGD TO READ 032.				
ORIG ISS: 12/04/90		CHANGE CLASS: B		
DRAFT: HZP	ENGR: WJV	SUPV:	CERTIFIED: 02/21/91	ISSUE: 2
REDESIGN OF GROUPS 1 THRU 48. S/L ITEMS 1010,1020,1030 & 1040 LINED OUT. ITEMS 1070 & 1080 ADDED. NEW DESIGN INFO ON SHEETS B7,B8,B9,B10 & B11.				
ORIG ISS: 12/04/90		CHANGE CLASS: B		
DRAFT: HZP	ENGR: WJV	SUPV:	CERTIFIED: 10/14/92	ISSUE: 3
ALL DIMENSIONS CHANGED TO BE SHOWN IN CENTIMETERS AND (INCHES). GROUPS 1 THRU 48, CHANGED DIMENSIONS B,C AND X PER REQUEST BY NSI (CABLE DRESS PROBLEMS WHEN ADDING TIP/RING CABLES IN THE FIELD). STOCKLIST ITEM 1080 LINED OUT. ITEM 1090 ADDED FOR SOLID CONDUCTOR RIBBON CABLE. PI 3.1				
ORIG ISS: 12/04/90		CHANGE CLASS: MF		
DRAFT: WJV	ENGR: WJV	SUPV:	CERTIFIED: 08/16/93	ISSUE: 4
POINT ISSUE 4.1 THRU 4.5 APPLIED. SHEET B9, TBL C, DIM B AND C REVISED. SHEETS B7,B8,B9 & B10 STAMPING INFO REVISED. SH B8, SK D SIDE X CHANGED. IN STOCKLIST ITEMS 1010,1020,1030,1040, AND 1080 REMOVED. SL ITEM 1090 REMOVED AND REPLACED WITH NEW ITEMS 1200 THRU 1355.				
ORIG ISS: 12/04/90		CHANGE CLASS: MF		
DRAFT: WJV	ENGR: WJV	SUPV:	CERTIFIED: 08/15/94	ISSUE: 5
SHEET B11, CONN 2 FOR GROUPS 41 THRU 48 CHG'D 45 TO READ 53. (OC PI 5.1)				
ORIG ISS: 12/04/90		CHANGE CLASS: ME		
DRAFT: WJV	ENGR: WJV	SUPV:	CERTIFIED: 10/10/95	ISSUE: 6


SHEET INDEX											
SHT NBR	A1 THRU A1 ISSUE 6										
ISSUE											
SHT NBR	D1 THRU D1 ISSUE 6										
ISSUE											
SHT NBR	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	B11
ISSUE	4	4	4	4	4	4	5	5	5	5	6
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

AT&T - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS	
ISLU 2 LIDB TAPE CABLES	
DWG SIZE C2	ISSUE 6
AT&T	ED5D708-25
SHEET A1 OF 13	


ED5D708-25



982SE CONNECTOR
FIG. 1



982SF CONNECTOR
FIG. 2



● SIGNAL WIRE
○ GROUND WIRE

RIBBON CABLE
VERSION 1 (SEE VERSION 2)

FIG. 3

SEE PROPRIETARY NOTICE ON SHEET ONE		
TAPE CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	4
AT&T	ED5D708-25	SHEET B2

VERSION 1 (SEE VERSION 2)

DATUM FOR ALL DIM





TABLE B					
DET NO.	RIBBON CABLE USED	GROUP	X DIM CM	X DIM INCHES	NO FOLDS REQUIRED
1	KS21458L5	1.33	48.3	[19.0]	
2		2.34	45.2	[17.8]	
3		3.35	38.6	[15.2]	
4		4.36	32.8	[12.9]	
5		5.37	33.0	[13.0]	
6		6.38	38.6	[15.2]	
7		7.39	44.5	[17.5]	
8		8.40	48.7	[19.0]	
9		9.41	30.5	[12.0]	
10		10.42	27.8	[10.9]	
11		11.43	21.1	[8.3]	
12		12.44	15.0	[5.9]	
13		13.45	15.2	[6.0]	
14		14.46	20.8	[8.2]	
15		15.47	26.7	[10.5]	
16		16.48	30.5	[12.0]	

TABLE B (CON'T)					
DET NO.	RIBBON CABLE USED	GROUP	X DIM CM	X DIM INCHES	NO FOLDS REQUIRED
17	KS21458L5	17	60.2	[23.7]	
18		18	52.6	[20.7]	
19		19	47.8	[18.8]	
20		20	46.7	[18.4]	
21		21	54.6	[21.5]	
22		22	47.5	[18.7]	
23		23	53.3	[21.0]	
24		24	60.2	[23.7]	
25		25	77.5	[30.5]	
26		26	69.6	[27.4]	
27		27	65.5	[25.8]	
28		28	64.5	[25.4]	
29		29	71.9	[28.3]	
30		30	65.3	[25.7]	
31		31	70.4	[27.7]	
32		32	77.5	[30.5]	

SEE PROPRIETARY NOTICE ON SHEET ONE		
TAPE CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	4
AT&T	ED50708-25	SHEET B3

GROUP 1 THRU 16
VERSION 1 (SEE VERSION 2)



DETAIL CONNECTING INFORMATION										
DET NO.	CABLE GROUP	CABLE TYPE	CONN NO.	CONN TYPE	SIDE X	TAPE LENGTH		CONN NO.	CONN TYPE	SIDE X
						CM	INCHES			
1	1	KS21458L5	1	982SE	UP	48.3	[19.01]	2	982SF	UP
2	2		1			45.2	[17.81]	2		
3	3		1			38.6	[15.21]	2		
4	4		1			32.8	[12.91]	2		
5	5		1			33.0	[13.01]	2		
6	6		1			38.6	[15.21]	2		
7	7		1			44.5	[17.51]	2		
8	8		1			48.7	[19.01]	2		
9	9		1			30.5	[12.01]	2		
10	10		1			27.8	[10.91]	2		
11	11		1			21.1	[8.31]	2		
12	12		1			15.0	[5.91]	2		
13	13		1			15.2	[6.01]	2		
14	14		1			20.8	[8.21]	2		
15	15		1			26.7	[10.51]	2		
16	16		1			30.5	[12.01]	2		

STAMPING INFORMATION					
GROUP	CONN 1		DET	CONN 2	
	EQL	TERM		EQL	TERM
1	28-067	000	1	11-006	136
2	28-075	000	2	11-030	136
3	28-083	000	3	11-054	136
4	28-091	000	4	11-078	136
5	28-099	000	5	11-104	136
6	28-101	000	6	11-128	136
7	28-109	000	7	11-152	136
8	28-117	000	8	11-176	136
9	28-067	013	9	19-006	136
10	28-075	013	10	19-030	136
11	28-083	013	11	19-054	136
12	28-091	013	12	19-078	136
13	28-099	013	13	19-104	136
14	28-101	013	14	19-128	136
15	28-109	013	15	19-152	136
16	28-117	013	16	19-176	136

SEE PROPRIETARY NOTICE ON SHEET ONE		
TAPE CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	4
AT&T	ED50708-25	SHEET B4

GROUP 17 THRU 32
VERSION 1 (SEE VERSION 2)




FIG. 5
TYPICAL SIDE X VIEW OF CABLE & DETAIL
ASSEMBLY BEFORE FOLDING

DETAIL CONNECTING INFORMATION										
DET NO.	CABLE GROUP	CABLE TYPE	CONN NO.	CONN TYPE	SIDE X	TAPE LENGTH		CONN NO.	CONN TYPE	SIDE X
						CM	INCHES			
17	17	KS21458L5	1	982SE	UP	60.2	[23.71	2	982SF	UP
18	18		1			52.6	[20.71	2		
19	19		1			47.8	[18.81	2		
20	20		1			46.7	[18.41	2		
21	21		1			54.6	[21.51	2		
22	22		1			47.5	[18.71	2		
23	23		1			53.3	[21.01	2		
24	24		1			60.2	[23.71	2		
25	25		1			77.5	[30.51	2		
26	26		1			69.6	[27.41	2		
27	27		1			65.5	[25.81	2		
28	28		1			64.5	[25.41	2		
29	29		1			71.9	[28.31	2		
30	30		1			65.3	[25.71	2		
31	31		1			70.4	[27.71	2		
32	32		1			77.5	[30.51	2		

STAMPING INFORMATION					
GROUP	CONN 1		DET	CONN 2	
	EQL	TERM		EQL	TERM
17	45-006	136	17	28-067	032
18	45-030	136	18	28-075	032
19	45-054	136	19	28-083	032
20	45-078	136	20	28-091	032
21	45-104	136	21	28-099	032
22	45-128	136	22	28-101	032
23	45-152	136	23	28-109	032
24	45-176	136	24	28-117	032
25	53-006	136	25	28-067	045
26	53-030	136	26	28-075	045
27	53-054	136	27	28-083	045
28	53-078	136	28	28-091	045
29	53-104	136	29	28-099	045
30	53-128	136	30	28-101	045
31	53-152	136	31	28-109	045
32	53-176	136	32	28-117	045

SEE PROPRIETARY NOTICE ON SHEET ONE		
TAPE CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	4
AT&T	ED50708-25	SHEET B5

GROUP 33 THRU 48
VERSION 1 (SEE VERSION 2)








FIG. 6
TYPICAL SIDE X VIEW OF CABLE & DETAIL
ASSEMBLY BEFORE FOLDING

DETAIL CONNECTING INFORMATION										
DET NO.	CABLE GROUP	CABLE TYPE	CONN NO.	CONN TYPE	SIDE X	TAPE LENGTH		CONN NO.	CONN TYPE	SIDE X
						CM	INCHES			
1	33	KS21458L5	1	982SE	UP	48.3	[19.0]	2	982SF	UP
2	34		1			45.2	[17.8]	2		
3	35		1			38.6	[15.2]	2		
4	36		1			32.8	[12.9]	2		
5	37		1			33.0	[13.0]	2		
6	38		1			38.6	[15.2]	2		
7	39		1			44.5	[17.5]	2		
8	40		1			48.7	[19.0]	2		
9	41		1			30.5	[12.0]	2		
10	42		1			27.8	[10.9]	2		
11	43		1			21.1	[8.3]	2		
12	44		1			15.0	[5.9]	2		
13	45		1			15.2	[6.0]	2		
14	46		1			20.8	[8.2]	2		
15	47		1			26.7	[10.5]	2		
16	48		1			30.5	[12.0]	2		

STAMPING INFORMATION					
GROUP	CONN 1		DET	CONN 2	
	EQL	TERM		EQL	TERM
33	62-067	000	1	45-006	136
34	62-075	000	2	45-030	136
35	62-083	000	3	45-054	136
36	62-091	000	4	45-078	136
37	62-099	000	5	45-104	136
38	62-101	000	6	45-128	136
39	62-109	000	7	45-152	136
40	62-117	000	8	45-176	136
41	62-067	013	9	53-006	136
42	62-075	013	10	53-030	136
43	62-083	013	11	53-054	136
44	62-091	013	12	53-078	136
45	62-099	013	13	53-104	136
46	62-101	013	14	53-128	136
47	62-109	013	15	53-152	136
48	62-117	013	16	53-176	136

SEE PROPRIETARY NOTICE ON SHEET ONE		
TAPE CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	4
AT&T	ED50708-25	SHEET B6


SHEET NOTE 1:
SIDE X DESIGNATION
FOR INFO ONLY.
DO NOT STAMP.




GROUPS 1 THRU 16 AND 33 THRU 48
[VERSION 2]
FIG. 7

ED5D708-25

SEE PROPRIETARY NOTICE ON SHEET ONE		
ISLU2 RIBBON CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 5	
AT&T	ED5D708-25	SHEET B7



SHEET NOTE 1:
SIDE X DIMENSION
FOR INFO ONLY.
DO NOT STAMP.



GROUPS 17 - 32 [VERSION 2]
FIG. 8

ED50708-25

SEE PROPRIETARY NOTICE ON SHEET ONE		
ISLU2 RIBBON CABLE ASSEMBLIES		
DWG SIZE C2	ISSUE 5	
AT&T	ED50708-25	SHEET B8


VERSION 2

TABLE C


GROUP NO.	A DIM CM INCHES	B DIM CM INCHES	C DIM CM INCHES	X DIM CM INCHES
1	2.5 [1.0]	50.5 [19.9]	52.5 [20.7]	57.5 [22.6]
2	2.5 [1.0]	46.0 [18.0]	48.0 [18.8]	52.5 [20.7]
3	2.5 [1.0]	40.5 [16.0]	42.5 [16.8]	47.5 [18.7]
4	2.5 [1.0]	35.5 [14.0]	37.5 [14.8]	42.5 [16.7]
5	2.5 [1.0]	34.0 [13.5]	36.0 [14.3]	41.0 [16.2]
6	2.5 [1.0]	40.5 [16.0]	42.5 [16.8]	47.5 [18.7]
7	2.5 [1.0]	46.0 [18.0]	48.0 [18.8]	52.5 [20.7]
8	2.5 [1.0]	50.0 [19.7]	52.0 [20.5]	57.0 [22.4]
9	2.5 [1.0]	33.5 [13.2]	35.5 [14.0]	40.5 [15.9]
10	2.5 [1.0]	29.0 [11.3]	31.0 [12.1]	35.5 [14.0]
11	2.5 [1.0]	23.5 [9.3]	25.5 [10.1]	30.5 [12.0]
12	2.5 [1.0]	19.0 [7.5]	21.0 [8.3]	26.0 [10.2]
13	2.5 [1.0]	17.0 [6.6]	19.0 [7.4]	23.5 [9.3]
14	2.5 [1.0]	23.0 [9.1]	25.0 [9.9]	30.0 [11.8]
15	2.5 [1.0]	28.0 [11.1]	30.0 [11.9]	35.0 [13.8]
16	2.5 [1.0]	33.0 [13.1]	35.0 [13.9]	40.0 [15.8]
17	2.5 [1.0]	63.0 [24.9]	65.0 [25.7]	70.0 [27.6]
18	2.5 [1.0]	58.0 [22.7]	60.0 [23.5]	64.5 [25.4]
19	2.5 [1.0]	52.0 [20.5]	54.0 [21.3]	59.0 [23.2]
20	2.5 [1.0]	55.5 [21.9]	58.0 [22.7]	62.5 [24.6]
21	2.5 [1.0]	61.0 [23.9]	63.0 [24.7]	67.5 [26.6]
22	2.5 [1.0]	54.5 [21.5]	56.5 [22.3]	61.5 [24.2]
23	2.5 [1.0]	59.0 [23.3]	61.0 [24.1]	66.0 [26.0]
24	2.5 [1.0]	63.0 [24.7]	65.0 [25.5]	69.5 [27.4]
25	2.5 [1.0]	81.0 [32.0]	83.0 [32.8]	88.0 [34.7]
26	2.5 [1.0]	74.5 [29.4]	77.0 [30.2]	81.5 [32.1]
27	2.5 [1.0]	69.5 [27.4]	71.5 [28.2]	76.5 [30.1]
28	2.5 [1.0]	72.0 [28.4]	74.0 [29.2]	79.0 [31.1]
29	2.5 [1.0]	79.0 [31.0]	81.0 [31.8]	85.5 [33.7]
30	2.5 [1.0]	71.5 [28.2]	73.5 [29.0]	78.5 [30.9]
31	2.5 [1.0]	77.0 [30.4]	79.0 [31.2]	84.0 [33.1]
32	2.5 [1.0]	81.0 [31.9]	83.0 [32.7]	87.5 [34.6]
33	2.5 [1.0]	50.5 [19.9]	52.5 [20.7]	57.5 [22.6]
34	2.5 [1.0]	46.0 [18.0]	48.0 [18.8]	52.5 [20.7]
35	2.5 [1.0]	40.5 [16.0]	42.5 [16.8]	47.5 [18.7]
36	2.5 [1.0]	35.5 [14.0]	37.5 [14.8]	42.5 [16.7]
37	2.5 [1.0]	34.0 [13.5]	36.0 [14.3]	41.0 [16.2]
38	2.5 [1.0]	40.5 [16.0]	42.5 [16.8]	47.5 [18.7]
39	2.5 [1.0]	46.0 [18.0]	48.0 [18.8]	52.5 [20.7]
40	2.5 [1.0]	50.0 [19.7]	52.0 [20.5]	57.0 [22.4]
41	2.5 [1.0]	33.5 [13.2]	35.5 [14.0]	40.5 [15.9]
42	2.5 [1.0]	29.0 [11.3]	31.0 [12.1]	35.5 [14.0]
43	2.5 [1.0]	23.5 [9.3]	25.5 [10.1]	30.5 [12.0]
44	2.5 [1.0]	19.0 [7.5]	21.0 [8.3]	26.0 [10.2]
45	2.5 [1.0]	17.0 [6.6]	19.0 [7.4]	23.5 [9.3]
46	2.5 [1.0]	23.0 [9.1]	25.0 [9.9]	30.0 [11.8]
47	2.5 [1.0]	28.0 [11.1]	30.0 [11.9]	35.0 [13.8]
48	2.5 [1.0]	33.0 [13.1]	35.0 [13.9]	40.0 [15.8]

SEE PROPRIETARY NOTICE ON SHEET ONE		
ISLU2 RIBBON CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	5
AT&T	ED5D708-25	SHEET B9

GROUPS 1-16 & 33-48
[VERSION 2]




CONN POS 1




CONN POS 2

GROUPS 17-32
[VERSION 2]




CONN POS 1




CONN POS 2

SEE PROPRIETARY NOTICE ON SHEET ONE		
ISLU2 RIBBON CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	5
AT&T	E050708-25	SHEET B10



STAMPING INFORMATION					
GROUP	CONN 1			CONN 2	
	EQL	TERM		EQL	TERM
1	28-067	000		11-006	132
2	28-075	000		11-030	132
3	28-083	000		11-054	132
4	28-091	000		11-078	132
5	28-099	000		11-104	132
6	28-101	000		11-128	132
7	28-109	000		11-152	132
8	28-117	000		11-176	132
9	28-067	013		19-006	132
10	28-075	013		19-030	132
11	28-083	013		19-054	132
12	28-091	013		19-078	132
13	28-099	013		19-104	132
14	28-101	013		19-128	132
15	28-109	013		19-152	132
16	28-117	013		19-176	132

STAMPING INFORMATION					
GROUP	CONN 1			CONN 2	
	EQL	TERM		EQL	TERM
17	45-006	132		28-067	032
18	45-030	132		28-075	032
19	45-054	132		28-083	032
20	45-078	132		28-091	032
21	45-104	132		28-099	032
22	45-128	132		28-101	032
23	45-152	132		28-109	032
24	45-176	132		28-117	032
25	53-006	132		28-067	045
26	53-030	132		28-075	045
27	53-054	132		28-083	045
28	53-078	132		28-091	045
29	53-104	132		28-099	045
30	53-128	132		28-101	045
31	53-152	132		28-109	045
32	53-176	132		28-117	045



STAMPING INFORMATION					
GROUP	CONN 1			CONN 2	
	EQL	TERM		EQL	TERM
33	62-067	000		45-006	132
34	62-075	000		45-030	132
35	62-083	000		45-054	132
36	62-091	000		45-078	132
37	62-099	000		45-104	132
38	62-101	000		45-128	132
39	62-109	000		45-152	132
40	62-117	000		45-176	132
41	62-067	013		53-006	132
42	62-075	013		53-030	132
43	62-083	013		53-054	132
44	62-091	013		53-078	132
45	62-099	013		53-104	132
46	62-101	013		53-128	132
47	62-109	013		53-152	132
48	62-117	013		53-176	132

FIG. E

SEE PROPRIETARY NOTICE ON SHEET ONE		
ISLU2 RIBBON CABLE ASSEMBLIES	DWG SIZE	ISSUE
	C2	6
AT&T	ED5D708-25	SHEET B11

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1070	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48	2	404067134	KS23048L15	CONNECTOR			
1200	1,33	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	0	INCH	
1205	2,34	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	0	INCH	
1210	3,35	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	0	INCH	
1215	4,36	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	6	INCHES	
1220	5,37	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	6	INCHES	
1225	6,38	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	0	INCH	
1230	7,39	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	0	INCH	
1235	8,40	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	0	INCH	
1240	9,41	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	6	INCHES	
1245	10,42	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	6	INCHES	
1250	11,43	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	0	INCH	
1255	12,44	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	0	INCH	
1260	13,45	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	0	INCH	
1265	14,46	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	0	INCH	
1270	15,47	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	6	INCHES	
1275	16,48	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 1 FOOT	6	INCHES	
1280	17	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1285	18	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1290	19	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	0	INCH	

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1295	20	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1300	21	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1305	22	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1310	23	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1315	24	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1320	25	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 2 FEET	6	INCHES	
1325	26	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 3 FEET	0	INCH	
1330	27	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 3 FEET	0	INCH	
1335	28	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 3 FEET	0	INCH	
1340	29	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 3 FEET	0	INCH	
1345	30	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 3 FEET	0	INCH	
1350	31	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 3 FEET	0	INCH	
1355	32	A/R	406875021	KS22519L1	CABLE 28GA, 16 CONDUCTOR, SOLID A DIMENSION = 3 FEET	0	INCH	

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
ISLU 2 LIDB TAPE CABLES	
DWG SIZE C2	ISSUE 6
AT&T	ED5D708-25
SHEET D1 OF 13	

ED5D708-25