

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W 353A POWER SUPPLY AND CONNECTED TO A DF (SWC). (CO/NON-CO APPLICATION).			2								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W TWO (2) 1KVA DC TO AC INVERTERS (WP91652,L20) AND CONNECTED TO A DF (SWC). (FOR CO APPLICATION ONLY).			2A								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W ALARM RELAY UNIT (J1P158C,L1 E/W L4) AND CONNECTED TO A DF (SWC). (TO INVERTERS) (FOR CO APPLICATION ONLY).			2C								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W ALARM RELAY UNIT (J1P158C,L1 E/W L4) AND CONNECTED TO A DF (SWC). (TO 5ESS OAU) (OPTIONAL) (CON/NON-CO APPLICATION).			2D								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W 46A2 DATA MTG (E/W 829A DATA SETS) AND CONNECTING TO A DF (SWC). (2BSCCS) OFFICE) (CO/NON-CO APPLICATION). DA EFF:01/24/95 FE/RA:NONE	52	DA	3								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W A 3000 CARRIER E/W 3811 MODEMS AND CONNECTING TO A DF (SWC). (TO ESA SUPPORT AND ALI/DMS). (FOR PRIVATE LINE APPLICATION). (CO/NON-CO APPLICATION). DA EFF:01/24/95 FE/RA:NONE	52	DA	3B								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A 705 SYSTEM CONSOLE TO A COMPACT SERIAL AUTO SWITCH (T SWITCH) (CO/NON-CO APPLICATION).	53		4								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A 615 SYSTEM CONSOLE TO A 577 SLAVE PRINTER. (#577-171N540 CPS) (CO/NON-CO APPLICATION).	53		4A								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A 7B (DIRECT INTELLIGENCE INTERFACE) DII LOCATED IN AN ENHANCED 911 PERIPHERAL CABINET. (CO/NON-CO APPLICATION). DA EFF:05/19/93 FE/RA:NONE		DA	5								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH ALARM RELAY UNIT (J1P158C,L1 E/W L4) LOCATED IN AN ENHANCED 911 PERIPHERAL CABINET. (CO/NON-CO CABINET).			5A								

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A MODEM SPLITTER (WITH A NULL MODEM 303-3) LOCATED IN AN ENHANCED 911 PERIPHERAL CABINET. (CO/NON-CO APPLICATION). DA EFF:05/19/93 FE/RA:NONE		DA	5B								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH COMPACT SERIAL AUTO SWITCH LOCATED IN AN ENHANCED 911 PERIPHERAL CABINET. (CO/NON-CO APPLICATION). DA EFF:05/19/93 FE/RA:NONE		DA	5C								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A 3000 SERIES CARRIER E/W 3811 MODEMS LOCATED IN AN ENHANCED 911 PERIPHERAL CABINET. (FOR PRIVATE LINE AND DIAL UP APPLICATIONS). (CO/NON-CO APPLICATION). DA EFF:05/19/93 FE/RA:NONE		DA	5D								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A 3000 SERIES CARRIER E/W 3811 MODEMS LOCATED IN A ENHANCED 911 PERIPHERAL CABINET. DA EFF:05/19/93 FE/RA:NONE		DA	5E								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A 577 ROP PRINTER. (CO/NON-CO APPLICATION). DA EFF:05/19/93 FE/RA:NONE		DA	5F								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A 705 CRAFT TERMINAL. (CO/NON-CO APPLICATION). DA EFF:05/19/93 FE/RA:NONE		DA	5G								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A 9-TRACK TAPE DRIVE. (CO/NON-CO APPLICATION). DA EFF:05/19/93 FE/RA:NONE		DA	5H								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE	
BT13	
INTERCABINET CABLING FOR ENHANCED 911 PERIPHERAL CABINET IN CENTRAL OFFICE CONFIGURATION OR NON-CENTRAL OFFICE APPLICATION	
DWG SIZE C2	ISSUE 6
LUCENT TECHNOLOGIES INC ED5D729-11	SHEET A2 OF 6

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR A E911 SERVICE ADJUNCT (ESA) PROCESSOR PATCH PANEL TO INTERFACE WITH A 3000 SERIES CARRIER E/W 3811 MODEMS LOCATED IN A ENHANCED 911 PERIPHERAL CABINET. DA EFF:05/19/93 FE/RA:NONE		DA	5J								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W A 3000 SERIES CARRIER E/W 3511 MODEMS AND CONNECTING TO A DF (SWC). (TO V.35 AUDIT LINK) (CO/NON-CO APPLICATION). DA EFF:01/24/95 FE/RA:NONE	56	DA	6								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W 3000 CARRIER E/W 3511 OR 3811 DATA SETS AND CONNECTING TO A DF (SWC). (DIGITAL OR 4-WIRE LEASED LINE APPLICATIONS) (CO/NON-CO APPLICATION).	58		7								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN ENHANCED 911 PERIPHERAL CABINET E/W A 3000 CARRIER E/W 3811 DATA SETS AND CONNECTING TO A DF(SWC), (FOR 2-WIRE DIAL UP APPLICATIONS)	58		7B								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

BT13

INTERCABINET CABLING
FOR
ENHANCED 911 PERIPHERAL
CABINET IN
CENTRAL OFFICE CONFIGURATION
OR
NON-CENTRAL OFFICE APPLICATION

DWG SIZE C2 ISSUE 6

ED5D729-11

LUCENT TECHNOLOGIES INC ED5D729-11

SHEET A3 OF 6

CONNECTORIZED CABLING

ITEM	LIST OR GROUP	NBR RECD	CABLE IDENT	CABLE CODE	B DIM	FROM						TO						ROUTE	SHLD	NOTE	REMARKS	
						FRAME OR UNIT	EQL	TERM	POS	DROP LGTH	WIRING DIAGRAM	FIGURE	FRAME OR UNIT	EQL	TERM	POS	DROP LGTH					WIRING DIAGRAM
100	2	2	KZ1	812A	X-DIM	353A PWR SUPPLY		LN	L/R	SEE NOTE 55	SD5D503-01		DF		SWC			3			FORM PER ED5D621-35 G 137 (6 POS PLUG) (1 CA PER 353A PWR SUPPLY)	
110	2A	2	KZ2	812A	X-DIM	1KVA INVR	TB3	1 2 3 4	L/R	SEE NOTE 55	SD5D503-01		DF		SWC			3			FORM PER ED5D729-35 G 1	
120	2C	1	KZ4	807A	X-DIM	ALM RELAY UNIT	//	J5	L/R	SEE NOTE 55	SD5D503-01		DF		SWC			3			FORM PER ED5D729-35 G 2	
125	2D	1	KZ5	807A	X-DIM	ALM RELAY UNIT	//	J2	L/R	SEE NOTE 55	SD5D503-01		DF		SWC			3			FORM PER ED5D729-35 G 3	
135	3	1	KZ7	A25W	X-DIM	DATA MTG 46A2	//	J9	L/R	SEE NOTE 55	SD5D503-01		DF		SWC			3			FORM PER SEE ENG NOTE 52 G	
145	3B	1	KZ9	A25W	X-DIM	3000 CARRIER E/W 3811 DATA SETS	//		L/R	SEE NOTE 55	SD5D503-01		DF		SWC			3			FORM PER SEE ENG NOTE 52 G	
150	4	1	KZ10	M25B-87	X-DIM	705 SYSTEM CONSOLE	//		L/R	SEE NOTE 55	SD5D503-01		COMPACT SERIAL AUTO	//	L/R	SEE NOTE 55		3			FORM PER SEE ENG NOTE 53 G	
155	4A	1	KZ11	M25B-87	X-DIM	705 SYSTEM CONSOLE	//		L/R	SEE NOTE 55	SD5D503-01		577 SLAVE PRINTER	//	L/R	SEE NOTE 55		3			FORM PER SEE ENG NOTE 53 G	
160	5	1	KZ12	INTCG-SC4-25	25-00	E911 ESA PROCR	EIA232	D/A	L/R	SEE NOTE 55	SD5D503-01		7B DII	RS232C	L/R	SEE NOTE 55		3		54	FORM PER CONNECTORIZED 25' CABLE (406188086) G	
165	5	1	KZ13	INTCG-SC4-25	25-00	E911 ESA PROCR	EIA232	D/B	L/R	SEE NOTE 55	SD5D503-01		7B DII	RS232C	L/R	SEE NOYE 55		3		54	FORM PER CONNECTORIZED 25' CABLE (406188086) G	
170	5A	1	KZ14	INTCG-SC2-25	25-00	E911 ESA PROCR	J1		L/R	SEE NOTE 55	SD5D503-01		ALARM RELAY UNIT	SERIAL PORT A	J3	L/R	SEE NOTE 55		3			FORM PER ED5D729-35 G 7 8 POS PLUG/ 8 POS PLUG
175	5B	1	KZ15	INTCG-SC4-25	25-00	E911 ESA PROCR	MODEM		L/R	SEE NOTE 55	SD5D503-01		MODEM SPLTR	NULL MODEM 303-3	L/R	SEE NOTE 55		3			FORM PER CONNECTORIZED 25' CABLE (406188086) G	
180	5C	1	KZ16	INTCG-SC1-25W	25-00	E911 ESA PROCR	CNSL 0		L/R	SEE NOTE 55	SD5D503-01		AUTO SWITCH	A	L/R	SEE NOTE 55		3			FORM PER CONNECTORIZED 25' CABLE (406199893) G	
185	5E	1	KZ17	INTCG-SC1-25W	25-00	E911 ESA PROCR	CNSL 1		L/R	SEE NOTE 55	SD5D503-01		3000 CARRIER	3811 DATA SET	L/R	SEE NOTE 55		3			FORM PER CONNECTORIZED 25' CABLE (406199893) G	
190	5D	1	KZ18	INTCG-SC4-25	25-00	E911 ESA PROCR	J4		L/R	SEE NOTE 55	SD5D503-01		3000 CARRIER	3811 DATA SET	L/R	SEE NOTE 55		3			FORM PER CONNECTORIZED 25' CABLE (406188359) G	

SEE PROPRIETARY NOTICE ON SHEET ONE

BT13

INTERCABINET CABLING
FOR
ENHANCED 911 PERIPHERAL
CABINET IN
CENTRAL OFFICE CONFIGURATION
OR
NON-CENTRAL OFFICE APPLICATION

DWG SIZE C2 ISSUE 6

ED5D729-11

LUCENT TECHNOLOGIES INC ED5D729-11

SHEET A4 OF 6

CONNECTORIZED CABLING																						
ITEM	LIST OR GROUP	NBR RECD	CABLE IDENT	CABLE CODE	B DIM	FROM						TO						ROUTE	SHLD	NOTE	REMARKS	
						FRAME OR UNIT	EQL	TERM	POS	DROP LGTH	WIRING DIAGRAM	FIGURE	FRAME OR UNIT	EQL	TERM	POS	DROP LGTH					WIRING DIAGRAM
195	5D	1	KZ19	INTCG-SC4-25	25-00	E911 ESA PROCR	J3		L/R	SEE NOTE 55	SD5D503-01		3000 CARRIER	3811 DATA SET		L/R	SEE NOTE 55			3		FORM PER G CONNECTORIZED 25' CABLE (406188359)
200	5D	1	KZ20	INTCG-SC4-25	25-00	E911 ESA PROCR	J2		L/R	SEE NOTE 55	SD5D503-01		3000 CARRIER	3811 DATA SET		L/R	SEE NOTE 55			3		FORM PER G CONNECTORIZED 25' CABLE (406188359)
210	5F	1	KZ22	INTCG-SC3-25	25-00	E911 ESA PROCR	PTR		L/R	SEE NOTE 55	SD5D503-01		577 ROP	RS232C		L/R	SEE NOTE 55			3		FORM PER G CONNECTORIZED 25' CABLE (406188334) (IF 15' CA IS REQ, ORDER COMCODE 406188326
215	5G	1	KZ23	INTCG-SC1-25W	25-00	E911 ESA PROCR	J0		L/R	SEE NOTE 55	SD5D503-01		705 CRAFT TERM	RS232C		L/R	SEE NOTE 55			3		FORM PER G CONNECTORIZED 25' CABLE (406199893)
220	5H	1	KZ24	INTCG-517-050W	50-00	E911 ESA PROCR	SCSI DIFF		L/R	SEE NOTE 55	SD5D503-01		9-TRACK TAPE DRIVE	SCSI DIFF		L/R	SEE NOTE 55			3		FORM PER G CONNECTORIZED 50' CABLE (406187880)
235	5J	1	KZ27	INTCG-SEB-1	8-02	E911 ESA PROCR	MODEM		L/R	SEE NOTE 55	SD5D503-01		3000 CARRIER	3811 DATA SET		L/R	SEE NOTE 55			3		FORM PER G CONNECTORIZED 8'-2" CABLE (406838771)
240	6	1	KZ30	A25BS2	X-DIM	3000 CARRIER E/W 3511 DATA SETS	/ /		L/R	SEE NOTE 55	SD5D503-01		DF			SWC				3		FORM PER G SEE ENG NOTE 56
250	7	1	KZ31	A25B	X-DIM	3000 CARRIER E/W 3811 OR 3511 DATA SETS	/ /		L/R	SEE NOTE 55	SD5D503-01		DF			SWC				3		FORM PER G SEE ENG NOTE 58
260	7B	1	KZ32	A25B	X-DIM	3000 CARRIER E/W 3811 DATA SETS	/ /		L/R	SEE NOTE 55	SD5D503-01		DF			SWC				3		FORM PER G SEE ENG NOTE 58

ED5D729-11

SEE PROPRIETARY NOTICE ON SHEET ONE	
BT13	
INTERCABINET CABLING FOR ENHANCED 911 PERIPHERAL CABINET IN CENTRAL OFFICE CONFIGURATION OR NON-CENTRAL OFFICE APPLICATION	
DWG SIZE C2	ISSUE 6
LUCENT TECHNOLOGIES INC	ED5D729-11
SHEET A5 OF 6	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	2	2	ED5D621-35,G137		CABLE, CONNECTORIZED ASSEMBLY ITEM 100			
1010	2A	2	ED5D729-35,G1		ASSEMBLY, CONNECTORIZED CABLE ITEM 110			
1030	2C	1	ED5D729-35,G2		ASSEMBLY, CONNECTORIZED CABLE ITEM 120			
1040	2D	1	ED5D729-35,G3		ASSEMBLY, CONNECTORIZED CABLE ITEM 125			
1060	3	1	106053846	A25W	CABLE, CONNECTORIZED 25FT, SINGLE ENDED 25 PAIR24GA ITEM 135		X	
1080	3B	1	106053846	A25W	CABLE, CONNECTORIZED 25FT, SINGLE ENDED 25 PAIR24GA ITEM 145		X	
1090	4	1	102986643	M25B-87	CORD 25 FT ITEM 150		X	
2000	4A	1	102986643	M25B-87	CORD 25 FT ITEM 155		X	
2010	5	2	406188086		CABLE, INTERCONNECTING #SC4-25 ASYNC MODEM/SYNC 232D 25 FT TANDEM COMPUTERS ITEM 160, 165		X	
2020	5A	1	ED5D729-35,G7		ASSEMBLY, CONNECTORIZED CABLE ITEM 170 (25FT)			
2030	5B	1	406838771		PACKAGE, CABLE ASSEMBLY #9734-K330-V00125 FT NCR ITEM 175		X	
2040	5C	1	406199893		CABLE, INTERCONNECTING #SC1-25W 25 FT TANDEM COMPUTERS ITEM 180, 185		X	
2045	5E	1	406199893		CABLE, INTERCONNECTING #SC1-25W 25 FT TANDEM COMPUTERS		X	
2050	5D	3	406188359		CABLE, INTERCONNECTING #SC2-25 MODEM RJ45/25PIN 25 FEET TANDEM COMPUTERS ITEM 190, 195, 200		X	
2070	5F	1	406188334		CABLE, INTERCONNECTING #SC3-25 CENTRONICS BTR INTERFACE 25 FT TANDEM COMPUTERS ITEM 210		X	
2080	5G	1	406199893		CABLE, INTERCONNECTING #SC1-25W 25 FT TANDEM COMPUTERS ITEM 215		X	
2090	5H	1	406187880		CABLE, INTERCONNECTING #517-025W TANDEM COMPUTERS ITEM 220		X	
3010	5J	1	406838771		PACKAGE, CABLE ASSEMBLY #9734-K330-V00125 FT NCR ITEM 235, 240		X	
3020	6	1	103918629	A25BS2	CABLE, CONNECTORIZED 50 FT,SINGLE ENDED 25 PAIR 24GA ITEM 240		X	
3030	7	1	100849918	A25B	CABLE, CONNECTORIZED 24GA,50 CONDUCTOR,25FT LG		X	
3040	7B	1	100849918	A25B	CABLE, CONNECTORIZED 24GA,50 CONDUCTOR,25FT LG		X	

***** END OF STOCKLIST *****

S
H
O
P

I
N
S
T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

SEE PROPRIETARY NOTICE ON SHEET ONE

BT13

INTERCABINET CABLING
FOR
ENHANCED 911 PERIPHERAL
CABINET IN
CENTRAL OFFICE CONFIGURATION
OR
NON-CENTRAL OFFICE APPLICATION

DWG SIZE
C2

ISSUE
6

ED5D729-11

LUCENT TECHNOLOGIES INC ED5D729-11

SHEET D1
OF 6