

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY.			1 THRU 82								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:01/31/96 FE/RA:NONE		DA	1A THRU 84A								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY.			1B								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:09/30/99 FE/RA:NONE		DA	83								
WIRING AND APPARATUS FOR A CONNECTORIZED CABLE ASSEMBLY. DA EFF:09/30/99 FE/RA:NONE		DA	84								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

XT13


5ESS SWITCHING EQUIPMENT
CABLE ASSEMBLY
FOR
PERIPHERAL INTERFACE DATA BUS
(PIDB)
FOR SM/SM2000

DWG SIZE C2 ISSUE 12

ED5D734-25

LUCENT TECHNOLOGIES INC ED5D734-25

SHEET A2 OF 11




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.A
 (SEE TABLE S)

GROUP	CABLE CODE	"A" DIM		"A" DIM TOLERANCE		LENGTH FROM CABLE BUTT TO FRONT OF CONN				SK
		CM	FT-IN	CM	IN	"D" DIM		"E" DIM		
						CM	FT-IN	CM	FT-IN	
1B	1051B	22.0	[0-8 1/2]	±2.0	[±1/2]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
1		25.0	[0-10]							
2		36.0	[1-02]							
3		46.0	[1-06]							
4		56.0	[1-10]							
5		66.0	[2-02]							
6		76.0	[2-06]							
7		86.0	[2-10]							
8		97.0	[3-02]							
9		107.0	[3-06]	±2.0	[±1/2]					
10		117.0	[3-10]	±2.0	[±1/2]					
11		127.0	[4-02]	±2.0	[±1]					
12		137.0	[4-06]	±3.0	[±1]					
13		147.0	[4-10]	±3.0	[±1]					
14		157.0	[5-02]	±3.0	[±1]					
15		168.0	[5-06]	±3.0	[±1]					
16		178.0	[5-10]	±3.0	[±1]					
17		188.0	[6-02]	±3.0	[±1 1/2]					
18		198.0	[6-06]	±3.0	[±1 1/2]					
19		208.0	[6-10]	±4.0	[±1 1/2]					
20		218.0	[7-02]	±4.0	[±1 1/2]					
21		229.0	[7-06]	±4.0	[±1 1/2]					

ED5D734-25

TITLE				
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLIES				
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
Lucent Technologies Inc.		ED5D734-25		SHEET C1
				ISSUE 9
				DWG SIZE C2/AIR



THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN. TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.


SK.A
 (SEE TABLE S)

TABLE S (CONT.)

GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				SK
						"D" DIM		"E" DIM		
						CM	FT-IN	CM	FT-IN	
22	1051B	239.0	[7-10]	±4.0	[±1 1/2]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
23		249.0	[8-02]	±4.0	[±1 1/2]					
24		259.0	[8-06]	±4.0	[±1 1/2]					
25		269.0	[8-10]	±5.0	[±1 1/2]					
26		279.0	[9-02]	±4.0	[±1]					
27		290.0	[9-06]	±5.0	[±2]					
28		300.0	[9-10]	±5.0	[±2]					
29		310.0	[10-02]	±5.0	[±2]					
30		320.0	[10-06]	±5.0	[±2]					
31		330.0	[10-10]	±5.0	[±2]					
32		340.0	[11-02]	±6.0	[±2]					
33		351.0	[11-06]	±6.0	[±2]					
34		361.0	[11-10]	±6.0	[±2 1/2]					
35		371.0	[12-02]	±6.0	[±2 1/2]					
36		381.0	[12-06]	±6.0	[±2 1/2]					
37		391.0	[12-10]	±6.0	[±2 1/2]					
38		401.0	[13-02]	±7.0	[±2 1/2]					
39		411.0	[13-06]	±7.0	[±2 1/2]					
40		422.0	[13-10]	±7.0	[±2 1/2]					
41		432.0	[14-02]	±7.0	[±2 1/2]					
42		442.0	[14-06]	±7.0	[±3]					

TITLE				
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLIES				
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
Lucent Technologies Inc.		ED5D734-25		SHEET C2
				ISSUE 9
				DWG SIZE C2/AIR

ED5D734-25




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN. TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.A
 (SEE TABLE S)

GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
43	1051B	452.0	[14-10]	±7.0	[±3]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
44		462.0	[15-02]	±7.0	[±3]					
45		472.0	[15-06]	±8.0	[±3]					
46		483.0	[15-10]	±8.0	[±3]					
47		493.0	[16-02]	±8.0	[±3]					
48		503.0	[16-06]	±8.0	[±3]					
49		513.0	[16-10]	±8.0	[±3]					
50		523.0	[17-02]	±8.0	[±3]					
51		533.0	[17-06]	±8.0	[±3 1/2]					
52		544.0	[17-10]	±9.0	[±3 1/2]					
53		554.0	[18-02]	±9.0	[±3 1/2]					
54		564.0	[18-06]	±9.0	[±3 1/2]					
55		574.0	[18-10]	±9.0	[±3 1/2]					
56		584.0	[19-02]	±9.0	[±3 1/2]					
57		594.0	[19-06]	±9.0	[±3 1/2]					
58		605.0	[19-10]	±10.0	[±3 1/2]					
59		615.0	[20-02]	±10.0	[±4]					
60		625.0	[20-06]	±10.0	[±4]					
61		635.0	[20-10]	±10.0	[±4]					
62		645.0	[21-02]	±10.0	[±4]					
63		655.0	[21-06]	±10.0	[±4]					

ED5D734-25

TITLE										
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLIES										
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED								
Lucent Technologies Inc.		ED5D734-25		<table border="1"> <tr> <td>SHEET</td> <td>ISSUE</td> <td>DWG SIZE</td> </tr> <tr> <td>C3</td> <td>9</td> <td>C2/AIR</td> </tr> </table>	SHEET	ISSUE	DWG SIZE	C3	9	C2/AIR
SHEET	ISSUE	DWG SIZE								
C3	9	C2/AIR								




THE "A" DIM IS THE LENGTH OF SWBD CABLE FRONT OF CONN TO FRONT OF CONN.
 THE "D" AND "E" DIM ARE THE DIM FROM BUTT OF CABLE TO THE FRONT OF CONN.

SK.A
 (SEE TABLE S)

GROUP	CABLE CODE	"A" DIM CM FT-IN		"A" DIM TOLERANCE CM IN		LENGTH FROM CABLE BUTT TO FRONT OF CONN				
						"D" DIM		"E" DIM		SK
						CM	FT-IN	CM	FT-IN	
64	1051B	665.0	[21-10]	±10.0	[±4]	4.0	[0-1 1/2]	4.0	[0-1 1/2]	A
65		676.0	[22-02]	±11.0	[±4]					
66		686.0	[22-06]	±11.0	[±4]					
67		696.0	[22-10]	±11.0	[±4 1/2]					
68		706.0	[23-02]	±11.0	[±4 1/2]					
69		716.0	[23-06]	±11.0	[±4 1/2]					
70		726.0	[23-10]	±11.0	[±4 1/2]					
71		737.0	[24-02]	±11.0	[±4 1/2]					
72		747.0	[24-06]	±11.0	[±4 1/2]					
73		757.0	[24-10]	±12.0	[±4 1/2]					
74		767.0	[25-02]	±12.0	[±4 1/2]					
75		777.0	[25-06]	±12.0	[±5]					
76		787.0	[25-10]	±12.0	[±5]					
77		798.0	[26-02]	±12.0	[±5]					
78		808.0	[26-06]	±13.0	[±5]					
79		818.0	[26-10]	±13.0	[±5]					
80		828.0	[27-02]	±13.0	[±5]					
81		838.0	[27-06]	±13.0	[±5]					
82		848.0	[27-10]	±13.0	[±5]					


TITLE				
SESS SWITCHING EQUIPMENT CABLE ASSEMBLIES				
THIRD ANGLE PROJECTION				
LUCENT TECHNOLOGIES - PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS				
COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED				
Lucent Technologies Inc.	ED5D734-25	SHEET C4	ISSUE 9	DWG SIZE C2/A1R

ED5D734-25



BOC INDICATES BACK OF 963T CONN


TYPICAL METHOD OF ASSEMBLING 963T-8 CONNECTOR (2 X 4) ON TO PREPARED CABLE END
FIG. 1



CONN POS 1, 2			
WIRING SIDE OF 963T-8			
COLOR	TERM	TERM	COLOR
BL/W	AA	BA	W/BL
O/W	AB	BB	W/O
G/W	AC	BC	W/G
BR/W	AD	BD	W/BR

CODED SIDE OF CONN


STAMPING INFORMATION (PREFERRED)



* STAMPING PROVIDED PER JOB SPEC.

FIG. 2

STAMPING INFORMATION (OPTIONAL)




* STAMPING PROVIDED PER JOB SPEC.
(FOR OPTIONAL STAMPING REFER TO MANUFACTURING NOTE 12)

FIG. 3


TITLE				
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLIES				
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
		Lucent Technologies Inc.	ED5D734-25	SHEET C5 ISSUE 9 DWG SIZE C2/AIR

ED5D734-25

GROUP 1 THRU 82, 1B
GROUP 83 AND 84 (DA)




TYPICAL METHOD OF ASSEMBLING 963T-8 CONNECTOR (2 X 4) ON TO PREPARED CABLE END
FIG. 4




TYPICAL METHOD OF ASSEMBLING 963T-8 CONNECTOR T-COVERS ON TO T-CONNECTOR (2x4) BODY.
(SEE ENG NOTE 53)
FIG. 5


*BOC INDICATES BACK OF 963T CONN



ORIENTATION OF T-COVERS TO T-CONNECTOR (2 X 4) BODY.
FIG. 6



963T-8 T-COVER (2X4)



963T-8 T-COVER (RED) (2X4)

TITLE				
SESS SWITCHING EQUIPMEN CABLE ASSEMBLIES				
(P)				
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS COPYRIGHT© 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
Lucent Technologies Inc.		ED5D734-25	SHEET C6	ISSUE 11
			DWG SIZE C2/A1R	

ED5D734-25

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1,1B,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82	2	105772792	963T-8	CONNECTOR			
1020	1,1B,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82	2	106904907	TCOV-NS8G	COVER, PROTECTIVE			
1030	1,1B,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82	2	106904600	NS8R	COVER, PROTECTIVE			
1050	1	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED A DIMENSION = 10.0 INCHES			
1055	1B	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED A DIMENSION = 8 1/2 INCHES			

STOCKLIST CONTINUED ON SHEET D2

ED5D734-25

S H O P T	I N S T	MANUFACTURING NOTES												
				<p>1. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METRICS (CM). EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN BRACKETS.</p> <p>2. DIMENSIONS 12 INCHES AND OVER ARE EXPRESSED IN FEET AND INCHES. ALL OTHER DIMENSIONS ARE IN INCHES.</p> <p>3. RESERVED.</p> <p>4. OVERALL CABLE LENGTH (DESIGNATED AS "A" DIM IN TEL S) IS THE LENGTH OF FINISHED CABLE MEASURED FROM THE FARTHEST TIP OF CONN AT ONE END OF THAT CABLE TO THE FARTHEST TIP OF CONN AT THE OTHER END.</p> <p>5. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS WILL HOLD A LENGTH TOLERANCE AS FOLLOWS:</p> <table border="1"> <thead> <tr> <th>METRIC LENGTH</th> <th>TOLERANCE</th> <th>ENGLISH LENGTH</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>0-1 M</td> <td>+/-1.5 CM</td> <td>{ZERO TO 3' 4"</td> <td>+/-0.5"}</td> </tr> <tr> <td>1 M AND UP</td> <td>+/-1.5%</td> <td>{3' 4" & UP</td> <td>+/-1.5%}</td> </tr> </tbody> </table> <p>ROUNDED UP TO 1 CM OR 0.5".</p> <p>6. A/R=AS REQUIRED.</p> <p>7. AA, AB, BA, BB ETC., ARE TERMINAL REFERENCE ONLY. DO NOT STAMP THESE ON BACKPLANE CONNECTORS.</p> <p>8. BL-W/W-BL ETC., INDICATES PAIRED LEADS. COLOR AT LEFT OF SLASH INDICATES COLOR OF LEAD TO BE CONNECTED. COLOR AT RIGHT OF SLASH IS THE COLOR OF THE OTHER LEAD IN THE PAIR.</p> <p>9. () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.</p> <p>10. EQL (EQUIPMENT LOCATION) SHOWN IN THE STAMPING TABLE IS IDENTIFIED AS FOLLOWS:</p> <p style="text-align: center;">(VERT) (HOR) (TERM) 119 - 042 - 300</p> <p>11. REFER TO LOCAL MANUFACTURING DOCUMENTATION FOR SPECIFICS.</p> <p>12. PREFERRED STAMPING ON JACKET PER FIG. 2, OPTIONAL STAMPING ON CONNECTOR PER FIG. 3 WHEN CAPABILITY FOR JACKET STAMPING IS NOT AVAILABLE.</p> <p>13. IT IS PERMISSIBLE TO PUT STAMPING OVER THE MANUFACTURE'S IDENTIFICATION INK.</p> <p>14. LOOKING AT THE CONNECTOR FROM THE WIRING SIDE, WITH THE CODED SIDE FACING UPWARD, (RED) T-COVER IS POSITIONED ON THE RIGHT SIDE OF THE 963T CONNECTOR, WITH THE REAR TAB FACING WIRING SIDE. SEE FIGURES 4, 5, AND 6 FOR ASSEMBLING INFORMATION.</p>	METRIC LENGTH	TOLERANCE	ENGLISH LENGTH	TOLERANCE	0-1 M	+/-1.5 CM	{ZERO TO 3' 4"	+/-0.5"}	1 M AND UP	+/-1.5%
METRIC LENGTH	TOLERANCE	ENGLISH LENGTH	TOLERANCE											
0-1 M	+/-1.5 CM	{ZERO TO 3' 4"	+/-0.5"}											
1 M AND UP	+/-1.5%	{3' 4" & UP	+/-1.5%}											

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR PERIPHERAL INTERFACE DATA BUS (PIDB) FOR SM/SM2000	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC	ED5D734-25
SHEET OF	D1 11

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1060	2	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 1 FOOT 2.0 INCHES				
1070	3	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 1 FOOT 6.0 INCHES				
1080	4	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 1 FOOT 10.0 INCHES				
1090	5	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 2 FEET 2.0 INCHES				
1100	6	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 2 FEET 6.0 INCHES				
1110	7	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 2 FEET 10.0 INCHES				
1120	8	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 2.0 INCHES				
1130	9	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 6.0 INCHES				
1140	10	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 3 FEET 10.0 INCHES				
1150	11	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 2.0 INCHES				
1160	12	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 6.0 INCHES				
1170	13	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 4 FEET 10.0 INCHES				
1180	14	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 2.0 INCHES				
1190	15	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 6.0 INCHES				
1200	16	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 5 FEET 10.0 INCHES				
1210	17	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 2.0 INCHES				
1220	18	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 6.0 INCHES				
1230	19	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 6 FEET 10.0 INCHES				
1240	20	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 2.0 INCHES				
1250	21	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 6.0 INCHES				
1260	22	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 7 FEET 10.0 INCHES				
1270	23	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 2.0 INCHES				
1280	24	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 6.0 INCHES				

***** STOCKLIST CONTINUED AT RIGHT *****

ED5D734-25

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1290	25	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 8 FEET 10.0 INCHES				
1300	26	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 9 FEET 2.0 INCHES				
1310	27	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 9 FEET 6.0 INCHES				
1320	28	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 9 FEET 10.0 INCHES				
1330	29	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 10 FEET 2.0 INCHES				
1340	30	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 10 FEET 6.0 INCHES				
1350	31	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 10 FEET 10.0 INCHES				
1360	32	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 11 FEET 2.0 INCHES				
1370	33	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 11 FEET 6.0 INCHES				
1380	34	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 11 FEET 10.0 INCHES				
1390	35	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 12 FEET 2.0 INCHES				
1400	36	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 12 FEET 6.0 INCHES				
1410	37	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 12 FEET 10.0 INCHES				
1420	38	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 13 FEET 2.0 INCHES				
1430	39	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 13 FEET 6.0 INCHES				
1440	40	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 13 FEET 10.0 INCHES				
1450	41	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 14 FEET 2.0 INCHES				
1460	42	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 14 FEET 6.0 INCHES				
1470	43	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 14 FEET 10.0 INCHES				

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR PERIPHERAL INTERFACE DATA BUS (PIDB) FOR SM/SM2000	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC ED5D734-25	
SHEET D2 OF 11	

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1480	44	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 15 FEET 2.0 INCHES				
1490	45	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 15 FEET 6.0 INCHES				
1500	46	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 15 FEET 10.0 INCHES				
1510	47	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 16 FEET 2.0 INCHES				
1520	48	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 16 FEET 6.0 INCHES				
1530	49	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 16 FEET 10.0 INCHES				
1540	50	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 17 FEET 2.0 INCHES				
1550	51	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 17 FEET 6.0 INCHES				
1560	52	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 17 FEET 10.0 INCHES				
1570	53	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 18 FEET 2.0 INCHES				
1580	54	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 18 FEET 6.0 INCHES				
1590	55	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 18 FEET 10.0 INCHES				
1600	56	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 19 FEET 2.0 INCHES				
1610	57	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 19 FEET 6.0 INCHES				
1620	58	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 19 FEET 10.0 INCHES				
1630	59	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 20 FEET 2.0 INCHES				
1640	60	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 20 FEET 6.0 INCHES				
1650	61	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 20 FEET 10.0 INCHES				
1660	62	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 21 FEET 2.0 INCHES				
1670	63	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 21 FEET 6.0 INCHES				
1680	64	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 21 FEET 10.0 INCHES				
1690	65	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 22 FEET 2.0 INCHES				
1700	66	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 22 FEET 6.0 INCHES				

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1710	67	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 22 FEET 10.0 INCHES				
1720	68	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 23 FEET 2.0 INCHES				
1730	69	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 23 FEET 6.0 INCHES				
1740	70	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 23 FEET 10.0 INCHES				
1750	71	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 24 FEET 2.0 INCHES				
1760	72	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 24 FEET 6.0 INCHES				
1770	73	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 24 FEET 10.0 INCHES				
1780	74	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 25 FEET 2.0 INCHES				
1790	75	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 25 FEET 6.0 INCHES				
1800	76	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 25 FEET 10.0 INCHES				
1810	77	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 26 FEET 2.0 INCHES				
1820	78	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 26 FEET 6.0 INCHES				
1830	79	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 26 FEET 10.0 INCHES				
1840	80	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 27 FEET 2.0 INCHES				
1850	81	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 27 FEET 6.0 INCHES				
1860	82	1	107717449	#1051B 4/26 RVA	CABLE, NON-CONNECTORIZED R A DIMENSION = 27 FEET 10.0 INCHES				

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE	
XT13	
5ESS SWITCHING EQUIPMENT CABLE ASSEMBLY FOR PERIPHERAL INTERFACE DATA BUS (PIDB) FOR SM/SM2000	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC ED5D734-25	
SHEET D3 OF 11	