

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN INTERNATIONAL, 30 CHANNEL, SM2000 VCDX WHEN CONNECTED TO AN EXTERNAL NETWORK CLOCK (E.G. HP55400A) PROVIDES TWO 120 OHM 2.048 MB/SEC DATA RATE. NON-EMC RATED CLOCK REFERENCE CABLES TO CONNECT THE EXTERNAL CLOCK TO DFI2'S (TN1415'S) LOCATED AT DLTU3 HORIZ EQLS 14 AND 22 (X DIM. 328 FEET/100 METERS MAX)			10								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN INTERNATIONAL, 30 CHANNEL, SM2000 VCDX WHEN CONNECTED TO AN EXTERNAL NETWORK CLOCK (E.G. HP55400A) PROVIDES TWO 120 OHM 2.048 MB/SEC DATA RATE. EMC RATED CLOCK REFERENCE CABLES TO CONNECT THE EXTERNAL CLOCK TO DFI2'S (TN1415'S) LOCATED AT DLTU3 HORIZ EQLS 22 AND 38 (X DIM. 328 FEET/100 METERS MAX)			11								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN INTERNATIONAL, 30 CHANNEL, SM2000 VCDX WHEN CONNECTED TO AN EXTERNAL NETWORK CLOCK (E.G. HP55400A) PROVIDES TWO 120 OHM 2.048 MB/SEC DATA RATE. EMC RATED CLOCK REFERENCE CABLES TO CONNECT THE EXTERNAL CLOCK TO DFI2'S (TN1415'S) LOCATED AT DLTU3 HORIZ EQLS 14 AND 22 (X DIM. 328 FEET/100 METERS MAX)			12								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN INTERNATIONAL, 30 CHANNEL, SM2000 VCDX WHEN CONNECTED TO AN EXTERNAL NETWORK CLOCK (E.G. HP55400A OR TELCOM SOLUTION-DCD523) PROVIDES TWO 120 OHM 2.048 MB/SEC DATA RATE. NON-EMC RATED CLOCK REFERENCE CABLES TO CONNECT THE EXTERNAL CLOCK TO THE TSICOM'S (UM74B'S OR UM74D'S) FOR SIDE 0 AND 1. (X DIM. 328 FEET/100 METERS MAX)			13								
CONNECTORIZED CABLE ASSEMBLY REQUIRED FOR AN INTERNATIONAL, 30 CHANNEL, SM2000 VCDX WHEN CONNECTED TO AN EXTERNAL NETWORK CLOCK (E.G. HP55400A OR TELCOM SOLUTION-DCD523) PROVIDES TWO 120 OHM 2.048 MB/SEC DATA RATE. EMC RATED CLOCK REFERENCE CABLES TO CONNECT THE EXTERNAL CLOCK TO THE TSICOM'S (UM74B'S OR UM74D'S) FOR SIDE 0 AND 1. (X DIM. 328 FEET/100 METERS MAX)			14								
POWER CABLE ASSEMBLY REQUIRED FOR AN EXTERNAL NETWORK CLOCK (E.G. HP55400A) WHEN MOUNTED IN AN SM2000 STYLE CABINET.			15								
CABLE ASSEMBLY REQUIRED TO CONNECT THE (E.G. HP55400A) EXTERNAL NETWORK CLOCK'S ALARM OUTPUTS TO A DF. (ALARM OUTPUTS GET CROSS CONNECTED TO THE MMSU SCANPOINTS) (X DIM.)			16								
CABLE ASSEMBLY REQUIRED TO CONNECT THE (E.G. TELCOM SOLUTION-DCD523) EXTERNAL NETWORK CLOCK'S ALARM OUTPUTS TO A DF. (ALARM OUTPUTS GET CROSS CONNECTED TO THE MMSU SCANPOINTS) (X DIM) (MIN LENGTH 100 FT/30.48 METERS) REPL:NONE	53		17								

TABLE-A CONTINUED

ED5D765-11

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
POWER CABLE ASSEMBLY REQUIRED FOR AN EXTERNAL NETWORK CLOCK (E.G. TELCOM SOLUTION-DCD523) WHEN MOUNTED IN AN SM2000 STYLE CABINET. REPL:NONE			18								
END OF TABLE-A											

COPYRIGHT © 1999 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13

INTERCABINET CABLING
FOR
5ESS-2000 SWITCH ADMINISTRATIVE
WORKSTATION

DWG SIZE C2 ISSUE 5

LUCENT TECHNOLOGIES INC ED5D765-11

SHEET A2 OF 5

PRINTED IN U.S.A.

CONNECTORIZED CABLING

ITEM	LIST OR GROUP	NBR RECD	CABLE IDENT	CABLE CODE	B DIM	FROM						TO						ROUTE	SHLD	NOTE	REMARKS
						FRAME OR UNIT	EQL	TERM	POS	DROP LGTH	WIRING DIAGRAM	FIGURE	FRAME OR UNIT	EQL	TERM	POS	DROP LGTH				
100	1	1	KG	9907	1-01	MCTU2	019-	050	L/R		SD5D519-01		MCTU2	028-	050				FORM PER ED5D765-12 G 1 (ETHERNET CABLE SIDE 0 TO SIDE 1)		
200	1	1	KG100	9907	49-01	MCTU2	028-	150			SD5D519-01		WRKST						FORM PER ED5D765-12 G 4 (ETHERNET CABLE FROM MCTU2 SIDE 1 TO WRKST)		
300	2	1	KG101	812A	9-00	MCTU2	119-122	333			SD5D519-01		CA-RACK	170-					FORM PER ED5D765-17 G 10		
400	3	1	KG102	812A	9-00	MCTU2	128-120	333			SD5D519-01		CA-RACK	170-					FORM PER ED5D765-17 G 11		
500	4	1	KG110	812A	40-00	CA-RACK	170-				SD5D519-01		WKSTA						FORM PER ED5D765-17 G 12		
600	5	1	KG111	812AS	40-00	CA-RACK	170				SD5D519-01		WRKST						FORM PER ED5D765-17 G 13		
700	6	1	KG112	745A	X-DIM	MCTU2	119-124	002			SD5D519-01		DF						FORM PER ED5D765-17 G 2		
800	6	1	KG113	745A	X-DIM	MCTU2	028-124	002			SD5D519-01		DF						FORM PER ED5D765-17 G 3		
900	7	1	KG114	812AS	25-00	CA-RACK	070-				SD5D534-01		WRKST					ED5D764-30	FORM PER ED5D765-17 G 16		
1000	8	1	KG115	812AS	50-00	CA-RACK	070-				SD5D534-01		WRKST					ED5D764-30	FORM PER ED5D765-17 G 17		
1010	9	1	KG120	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-022 ()-038	100 100			3	FORM PER ED5D765-17 G 30 INPUT CLOCK REFERENCE		
1020	9	1	KG121	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-022 ()-038	300 300			3	FORM PER ED5D765-17 G 31 INPUT CLOCK REFERENCE		
1030	10	1	KG122	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-014 ()-022	100 100			3	FORM PER ED5D765-17 G 32 INPUT CLOCK REFERENCE		
1040	10	1	KG123	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-014 ()-022	300 300			3	FORM PER ED5D765-17 G 33 INPUT CLOCK REFERENCE		
1050	11	1	KG124	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-022 ()-038	100 100			3	FORM PER ED5D765-17 G 34 INPUT CLOCK REFERENCE		
1060	11	1	KG125	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-022 ()-038	300 300			3	FORM PER ED5D765-17 G 35 INPUT CLOCK REFERENCE		
1070	12	1	KG126	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-014 ()-022	100 100			3	FORM PER ED5D765-17 G 36 INPUT CLOCK REFERENCE		
1080	12	1	KG127	1249004A	X-DIM	EXT CLOCK					SD5D534-01		DLTU3	()-014 ()-022	300 300			3	FORM PER ED5D765-17 G 37 INPUT CLOCK REFERENCE		
1090	13	1	KG140	1249004A	X-DIM	SM2000 TSIU4 ----- TSIU4-2	(062)- (020) ----- (045)- (017)	353 ----- 353					EXT CLOCK					3	SD5D534-01 FORM PER ED5D765-17 G 38 OUTPUT CLOCK REFERENCE		
1100	13	1	KG141	1249004A	X-DIM	SM2000 TSIU4 ----- TSIU4-2	(062)- (116) ----- (053)- (017)	353 ----- 353					EXT CLOCK					3	SD5D534-01 FORM PER ED5D765-17 G 38 OUTPUT CLOCK REFERENCE		

COPYRIGHT © 1999 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13

INTERCABINET CABLING
FOR
5ESS-2000 SWITCH ADMINISTRATIVE
WORKSTATION

DWG SIZE C2 ISSUE 5

ED5D765-11

LUCENT TECHNOLOGIES INC ED5D765-11

SHEET A3 OF 5

CONNECTORIZED CABLING																							
ITEM	LIST OR GROUP	NBR RECD	CABLE IDENT	CABLE CODE	B DIM	FROM						TO						ROUTE	SHLD	NOTE	REMARKS		
						FRAME OR UNIT	EQL	TERM	POS	DROP LGTH	WIRING DIAGRAM	FIGURE	FRAME OR UNIT	EQL	TERM	POS	DROP LGTH					WIRING DIAGRAM	FIGURE
1110	14	1	KG142	1249004A	X-DIM	SM2000 TSIU4 ----- TSIU4-2	(062)- (020) ----- (045)- (017)	353 ----- 353													3		FORM PER ED5D765-17 G 39 OUTPUT CLOCK REFERENCE
1120	14	1	KG143	1249004A	X-DIM	SM2000 TSIU4 ----- TSIU4-2	(062)- (116) ----- (053)- (017)	353 ----- 353													3		FORM PER ED5D765-17 G 39 OUTPUT CLOCK REFERENCE
1130	15	2	KG	KS13385L1	6-06	EXT CLOCK						SD5D534-01											FORM PER ED5D765-17 G 40 EXTERNAL CLOCK POWER (HP55400A)
1135	18	1	KG	KS13385L1	X-DIM	EXT CLOCK																	FORM PER ED5D765-17 G 40A EXTERNAL CLOCK POWER (TELCOM SOLUTION-DCD523)
1140	16	1	KG150	820A	X-DIM	EXT CLOCK						SD5D534-01									3		FORM PER ED5D765-17 G 50 EXT CLOCK SCAN CABLE (HP55400A)
1145	17	1	KG155	824A	X-DIM	EXT CLOCK															3		FORM PER ED5D765-17 G 55 EXTERNAL CLOCK SCAN CABLE (TELCOM SOLUTION-DCD523)

COPYRIGHT © 1999 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13

INTERCABINET CABLING
FOR
5ESS-2000 SWITCH ADMINISTRATIVE
WORKSTATION

DWG SIZE C2 ISSUE 5

ED5D765-11

LUCENT TECHNOLOGIES INC ED5D765-11

SHEET A4 OF 5

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	ED5D765-12,G1		CABLE, RG58/U			
1010	1	1	ED5D765-12,G4		CABLE, RG58/U			
1020	2	1	ED5D765-17,G10		ASSEMBLY, CABLE			
1050	3	1	ED5D765-17,G11		ASSEMBLY, CABLE			
1080	4	1	ED5D765-17,G12		ASSEMBLY, CABLE			
2000	5	1	ED5D765-17,G13		ASSEMBLY, CABLE			
2010	6	1	ED5D765-17,G2		ASSEMBLY, CABLE			
2020	6	1	ED5D765-17,G3		ASSEMBLY, CABLE			
2040	7	1	ED5D765-17,G16		ASSEMBLY, CABLE			
2060	8	1	ED5D765-17,G17		ASSEMBLY, CABLE			
2070	9	1	ED5D765-17,G30		ASSEMBLY, CABLE			
2075	9	1	ED5D765-17,G31		ASSEMBLY, CABLE			
2080	10	1	ED5D765-17,G32		ASSEMBLY, CABLE			
2085	10	1	ED5D765-17,G33		ASSEMBLY, CABLE			
2090	11	1	ED5D765-17,G34		ASSEMBLY, CABLE			
2095	11	1	ED5D765-17,G35		ASSEMBLY, CABLE			
2110	12	1	ED5D765-17,G36		ASSEMBLY, CABLE			
2115	12	1	ED5D765-17,G37		ASSEMBLY, CABLE			
2120	13	2	ED5D765-17,G38		ASSEMBLY, CABLE			
2125	14	2	ED5D765-17,G39		ASSEMBLY, CABLE			
2130	15	1	ED5D765-17,G40		ASSEMBLY, CABLE			
2132	18	1	ED5D765-17,G40A		ASSEMBLY, CABLE			
2135	16	1	ED5D765-17,G50		ASSEMBLY, CABLE			
2140	17	1	ED5D765-17,G55		ASSEMBLY, CABLE			

***** END OF STOCKLIST *****

COPYRIGHT © 1999 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13

INTERCABINET CABLING
FOR
5ESS-2000 SWITCH ADMINISTRATIVE
WORKSTATION

DWG SIZE C2 ISSUE 5

ED5D765-11

LUCENT TECHNOLOGIES INC ED5D765-11

SHEET D1 OF 5

PRINTED IN U.S.A.