

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
SPECIFICATIONS FOR "AT&T MADE IN XXXX" GLOBAL LABEL. (SEE FIG. 1) REPL:NONE (REPLACED BY GROUP 1A) DA EFF:12/01/96 FE:ED5D795-10,G1A		DA	1								
SPECIFICATIONS FOR "LUCENT TECHNOLOGIES MADE IN XXXX" GLOBAL LABEL. (SEE FIG. 1A)	53		1A								
SPECIFICATIONS FOR COMCODE-SUFFIX GLOBAL LABEL. (SEE FIG. 2) REPL:NONE	54		2								
SPECIFICATIONS FOR 10NC/12NC GLOBAL LABEL. (SEE FIG. 3) REPL:NONE DA EFF:12/01/96 FE/RA:NONE		DA	3								
SPECIFICATIONS FOR COMBI-LABEL EQUIPMENT. (SEE FIG. 4) REPL:ED5D795-10,G1A AND G2.	55		4								
SPECIFICATIONS FOR "LUCENT TECHNOLOGIES MADE IN XXXX" GLOBAL LABEL. (SEE FIG. 5)	56		5								
END OF TABLE-A											

**ENGINEERING NOTES**

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH LUCENT TECHNOLOGIES PRACTICES-NONE.

52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.

53. LABEL MATERIAL PROVIDED PER 847283397.

54. LABEL MATERIAL PROVIDED PER 847146180.

55. COMBI-LABEL PROVIDED PER 847833514. THIS LABEL IS ONLY FOR EMEA MARKETS.

56. LABEL MATERIAL PROVIDED PER 847836665 (COLOURED WHITE) OR LABEL MATERIAL PROVIDED PER 848060455 (COLOURED ORANGE)

ISSUE NOTES				
ORIG ISS: 05/06/94		CHANGE CLASS:		
DRAFT: PEW	ENGR: PEW	SUPV: PK	CERTIFIED: 05/06/94	ISSUE: 1
H8140:NEW				
ORIG ISS: 05/06/94		NDD NBR: NDD5D795NW-1	CHANGE CLASS: NEW	
DRAFT: AH	ENGR: AH	SUPV: WK	CERTIFIED: 11/19/97	ISSUE: 2
TA: DESCRIPTION GROUP 5 CORRECTED. EN NOTES 56 CHANGED. LABEL MATERIAL INFORMATION ON B-SHEETS CANCELLED.				
ORIG ISS: 05/06/94		NDD NBR: NDD5D795NW-4	CHANGE CLASS: ME	
DRAFT: AH	ENGR: AH	SUPV: JR	CERTIFIED: 08/12/99	ISSUE: 3

SHEET INDEX											
SHT NBR	A1 THRU A1 ISSUE 3										
ISSUE											
SHT NBR											
ISSUE											
SHT NBR	B1	B2	B3	B4	B5						
ISSUE	3	3	2	3	3						
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A1
TABLE A	A1
B SECTION GRAPHICS	B1

COPYRIGHT © 1999 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
5ESS SWITCHING EQUIPMENT SPECIFICATIONS FOR GLOBAL IDENTIFICATION LABELING - EQUIPMENT		XT99	
DWG SIZE C2	ISSUE 3		
LUCENT TECHNOLOGIES INC		ED5D795-10	SHEET A1 OF 6

ED5D795-10




FIG. 1  
GROUP 1 DA




FIG. 1A  
GROUP 1A

NOTES:

1. "LUCENT TECHNOLOGIES" CHARACTERS SHALL BE FRUTIGER BOLD "L" IS 1.7MM HEIGHT.
2. "MADE IN HOLLAND" CHARACTERS SHALL BE OF HELVETICA TYPE AND OF 1.5MM HEIGHT.
3. "HOLLAND" IS FOR REFERENCE ONLY AND SHALL BE REPLACED BY THE RELEVANT COUNTRY NAME OF ORIGIN.
4. CODE "39" SYMBOLOGY.
5. "SN96XX9700013" REPRESENTS AN ACTUAL SERIAL NUMBER. CENTER THIS CODE BENEATH THE BAR CODE SYMBOL.
6. DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART.
7. ALL DIMENSIONS ARE IN MILLIMETERS. STANDARD DIMENSIONS ARE ENCLOSED IN SQUARE BRACKETS, "[ ]" DIRECTLY AFTER.
8. CENTER ALL TEXT.

PROJ. AIR. SHEET 2.100.FRM ANG 94

TITLE GLOBAL IDENTIFICATION LABELING EQUIPMENT (P)		<b>Lucent Technologies</b>		
THIRD ANGLE PJTN		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS ALL RIGHTS RESERVED		
SCALE 3:1	ED5D795-10	SHEET B1	ISSUE 3	DWG SIZE AIR

NOTES:

- 1. "XXXXXXXXX XXX" REPRESENTS AN ACTUAL COMCODE-SUFFIX. CENTER THIS CODE BENEATH THE BAR CODE SYMBOL. THE COMCODE (9) AND THE SUFFIX (3) SHOULD BE SEPARATED BY ONE CHARACTER PLACE.
- 2. CODE "INTERLEAVED 2 OF 5" SYMBOLOGY.
- 3. DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART.
- 4. ALL DIMENSIONS ARE IN MM. STANDARD DIMENSIONS ARE ENCLOSED IN SQUARE BRACKETS, "[ ]" DIRECTLY AFTER.
- 5. CENTER ALL TEXT.




FIG. 2  
GROUP 2

TITLE GLOBAL IDENTIFICATION LABELING EQUIPMENT		Lucent Technologies	
THIRD ANGLE PJTN		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS ALL RIGHTS RESERVED	
SCALE 3:1	ED5D795-10	SHEET B2	ISSUE 3
			DWG SIZE AIR

NOTES:

1. "9562 508 999XX" AND "9562 508 99901" REPRESENT ACTUAL 12NC'S. CENTER BOTH CODES.
2. DIMENSIONS AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART.
3. ALL DIMENSIONS ARE IN MM. STANDARD DIMENSIONS ARE ENCLOSED IN SQUARE BRACKETS, "[ ]".
4. CHARACTERS SHALL BE OF HELVETICA TYPE AND OF 2 MM HEIGHT.




FIG. 3  
GROUP 3 DA

TITLE GLOBAL IDENTIFICATION LABELING EQUIPMENT		Lucent Technologies		
THIRD ANGLE PJTN		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS ALL RIGHTS RESERVED		
SCALE 3:1	ED5D795-10	SHEET B3	ISSUE 2	DWG SIZE AIR

ED5D795-10




FIG. 4  
GROUP 4

- MANUFACTURING NOTES
1. FOR TEXT SEE FIG. 1A OF SHEET B1.
  2. FOR TEXT SEE FIG. 2 OF SHEET B2.

TITLE GLOBAL IDENTIFICATION LABELING EQUIPMENT				
THIRD ANGLE PJTN		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS ALL RIGHTS RESERVED		
SCALE 3:1	ED5D795-10	SHEET B4	ISSUE 3	DWG SIZE AIR




FIG. 5  
GROUP 5

NOTES:

1. "LUCENT TECHNOLOGIES" CHARACTERS SHALL BE FRUTIGER BOLD "L" IS 1.7MM HEIGTH.
2. "MADE IN HOLLAND" CHARACTERS SHALL BE OF HELVETICA TYPE AND OF 1.5MM HEIGTH.
3. "HOLLAND" IS FOR REFERENCE ONLY AND SHALL BE REPLACED BY THE RELEVANT COUNTRY NAME OF ORIGIN.
4. CODE "INTERLEAVED 2 OF 5" SYMBOLOGY.
5. "SN96XX09700001" REPRESENTS AN ACTUAL SERIAL NUMBER. CENTER THIS CODE BENEATH THE BAR CODE SYMBOL.
6. DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART.
7. ALL DIMENSIONS ARE IN MILLIMETERS. STANDARD DIMENSIONS ARE ENCLOSED IN SQUARE BRACKETS, "[ ]" DIRECTLY AFTER.
8. HELVETICA 2.5MM HEIGHT IS FOR REFERENCE ONLY. REPRESENTS EQUIPMENT INDENTIFICATION.
9. "XXXXXXXX XXX" REPRESENTS AN ACTUAL COMCODE-SUFFIX. CENTER THIS CODE. THE COMCODE (9) AND THE SUFFIX (3) SHOULD BE SEPARATED BY ONE CHARACTER PLACE.
10. CENTER ALL TEXT.

TITLE GLOBAL IDENTIFICATION LABELING EQUIPMENT				
THIRD ANGLE PJTN	LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS ALL RIGHTS RESERVED			
SCALE 3:1	ED5D795-10	SHEET B5	ISSUE 3	DWG SIZE AIR