


TABLE A-FEATURES											
EQUIPMENT			EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
WIRING AND APPARATUS REQUIRED FOR VCDX OUTLET PANEL (110 VAC, 15 AMP) REPL:NONE			1								
WIRING AND APPARATUS REQUIRED FOR VCDX OUTLET PANEL (220 VAC, 10 AMP) REPL:NONE			2								
END OF TABLE-A											

ISSUE NOTES				
---H09165---				
ORIG ISS: 02/26/01		NDD NBR:		CHANGE CLASS: NEW
DRAFT: REW	ENGR: REW	SUPV: PK	CERTIFIED: 02/26/01	ISSUE: 1

SHEET INDEX											
SHT NBR	A1 THRU A1				ISSUE 1						
ISSUE											
SHT NBR	D1 THRU D1				ISSUE 1						
ISSUE											
SHT NBR	B1	B2	B3	B4							
ISSUE	1	1	1	1							
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

ED5D897-15

LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS			
XT13			
5ESS SWITCHING EQUIPMENT AC OUTLET POWER CABLE ASSEMBLY FOR 110/220 VAC			
DWG SIZE C2		ISSUE 1	
LUCENT TECHNOLOGIES INC		ED5D897-15	
		SHEET A1 OF 6	



GROUP 1 AND 2

ED5D897-15

TITLE				
CABLE ASSEMBLIES				
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS		
Lucent Technologies Inc.	ED5D897-15	SHEET B1	ISSUE I	DWG SIZE C2/AIR

RUNNING LIST

VCDX 120 VAC OUTLET PANEL

LINE	NOTE	ARM	START NAIL	BREAK OUT AT	SEPARATE COLOR	ARM	IN NAIL	OUT NAIL
1				GROUP 1				
2				14GA STRANDED SINGLES				
3				KS22247,L4				
4				ADD W,G-Y,BK				
5								
6		02	002			02	003	003
7						02	004	004
8						02	005	005
9						02	006	006
10						02	007	007
11						02	008	008
12						02	009	009
13						04	001	001
14						04	002	002
15						04	003	003
16						04	004	004
17						04	005	005
18						04	006	006
19						04	007	007
20					W,BK	04	008	DROP
21					G-Y	04	008	008
22						04	009	CUT
23								
24		02	001			02	002	DROP
25				ADD BK				
26		01	003			02	002	DROP
27								
28				GROUP 1				
29				12GA STRANDED SINGLES				
30				KS22247,L4				
31				ADD W,G-Y,BK				
32								
33				ADD BK				
34		01	001			01	002	DROP


VCDX 220 VAC OUTLET PANEL

LINE	NOTE	ARM	START NAIL	BREAK OUT AT	SEPARATE COLOR	ARM	IN NAIL	OUT NAIL
1				GROUP 2				
2				14GA STRANDED SINGLES				
3				KS22247,L4				
4				ADD BL,G-Y,R				
5								
6		02	002			02	003	003
7						02	004	004
8						02	005	005
9						02	006	006
10						02	007	007
11						02	008	008
12						02	009	009
13						04	001	001
14						04	002	002
15						04	003	003
16						04	004	004
17						04	005	005
18						04	006	006
19						04	007	007
20					BL,R	04	008	DROP
21					G-Y	04	008	008
22						04	009	CUT
23								
24		02	001			02	002	DROP
25				ADD R				
26		01	003			02	002	DROP
27								
28				GROUP 2				
29				12GA STRANDED SINGLES				
30				KS22247,L4				
31				ADD BL,G-Y,R				
32								
33				ADD R				
34		01	001			01	002	DROP

TITLE			
CABLE ASSEMBLIES			
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS	
Lucent Technologies Inc.	ED5D897-15	SHEET B2	ISSUE 1
		DWG SIZE C2/AIR	

ED5D897-15

CONNECTING INFORMATION
 GROUP 1
 (VCDX OUTLET PANEL, 110 VAC, 15 AMP)
 WIRING SIDE SHOWN



TO CHASSIS GROUND
 PN14-10R-C

NEUTRAL IN

GRD IN

LINE IN

NEUTRAL OUT

GRD OUT

LINE OUT

ED5D897-15

RB14-250F CONNECTOR

CTK BREAKER
 (REAR VIEW, UPSIDE DOWN,
 WIRING SIDE)

TITLE CABLE ASSEMBLIES				
THIRD ANGLE PROJECTION		LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS		
Lucent Technologies Inc.	ED5D897-15	SHEET B3	ISSUE 1	DWG SIZE C2/AIR

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1000	1	1	403680473	KS22247L4	WIRE 12GA STRANDED BK A DIMENSION = 5 FEET 0 INCH				
1010	1	1	403607609	KS22247L4	WIRE 12GA STRANDED W A DIMENSION = 3 FEET 0 INCH				
1015	1,2	1	405062167	KS22247L4	WIRE 12GA STRANDED G-Y A DIMENSION = 3 FEET 0 INCH				
1020	1	1	403680317	KS22247L4	WIRE 14GA STRANDED W A DIMENSION = 10 FEET 0 INCH				
1030	1	1	403680325	KS22247L4	WIRE 14GA STRANDED BK A DIMENSION = 10 FEET 0 INCH				
1040	1,2	1	405247263	KS22247L4	WIRE,GROUND A DIMENSION = 11 FEET 0 INCH				
1050	1,2	1	406711556		LUG,RING TONGUE #PN14-10R-C PANDUIT				
1060	1	16	408190965		LUG,CRIMP #PN10-10R-L PANDUIT CORP				
1070	1,2	6	408462190		NUT,WIRE CONNECTOR #P74-C PANDUIT				
1080	1	31	405858564		TERMINAL #RC-10-250F THOMAS & BETTS CO.				
1090	1	3	995082252	RB14-250F	CONNECTOR,ELECTRIC				
2000	2	1	403680358	KS22247L4	WIRE 12GA RED STRANDED CHAMPLAIN A DIMENSION = 5 FEET 0 INCH				
2010	2	1	403680333	KS22247L4	WIRE 12GA STRANDED BL A DIMENSION = 5 FEET 0 INCH				
2020	2	1	403698327	KS22247L4	WIRE 14GA BLUE STRANDED A DIMENSION = 10 FEET 0 INCH				
2030	2	1	403607013	KS22247L4	WIRE 14GA STRANDED R A DIMENSION = 10 FEET 0 INCH				
2040	2	4	995082252	RB14-250F	CONNECTOR,ELECTRIC				
2050	2	48	405858564		TERMINAL #RC-10-250F THOMAS & BETTS CO.				
***** END OF STOCKLIST *****									

S H O P X	I N S T	MANUFACTURING NOTES	
		2. SKIN LEADS USING WIRE NUTS 1.2[1/2].	

SEE PROPRIETARY NOTICE ON SHEET ONE			
5ESS SWITCHING EQUIPMENT AC OUTLET POWER CABLE ASSEMBLY FOR 110/220 VAC		XT13	
		DWG SIZE C2	ISSUE 1
LUCENT TECHNOLOGIES INC		ED5D897-15	
		SHEET D1 OF 6	

ED5D897-15