

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
IDENTIFICATION LABEL FOR AIU. USED WITH MARKED TIP/RING TRAY COVER.			1	1							
IDENTIFICATION LABEL FOR BROADBAND ACCESS INTERFACE UNIT (BAIU). REPL:NONE			2	1							
IDENTIFICATION LABEL FOR PSAX100 OR PSAX600 REPL:NONE			3	1							
IDENTIFICATION LABEL FOR OPTICAL INTERFACE UNIT (OIU) REPL:NONE			4	1							
PLTU/OIU LABEL REPL:NONE			5	1							
END OF TABLE-A											


ISSUE NOTES				
NEW DRAWING FOR ACCESS INTERFACE UNIT (AIU) LABELS.				
ORIG ISS: 08/08/96		CHANGE CLASS: NEW		
DRAFT: SMW	ENGR: SMW	SUPV: GEY	CERTIFIED: 08/08/96	ISSUE: 1
(PT1)=MANUFACTURING NOTE 13 & STOCKLIST ITEM 1000 DESCRIPTION, REMOVED REFERENCE TO ED5D795-10 WHICH WERE N/A. SHEET B1, NOTE 5 CHANGED XB423 TO B7544; CHANGED DIMENSIONS: 27.9[2.20] TO 28.4[1.12] AND 14.7[.58] TO 22.3[0.88]; ADDED "AND FRONT OR REAR SIDE [E.G. 23F,57R,ETC.]" TO REF TO JOB ENGINEERED VERTICAL LEVEL.				
ORIG ISS: 08/08/96		CHANGE CLASS: MF		
DRAFT: SMW	ENGR: SMW	SUPV: GEY	CERTIFIED: 03/11/97	ISSUE: 2
(H8405)=GROUP 2 LABEL ADDED FOR BROADBAND AIU (BAIU) USE. SL ITEM 1000 CHGD, LIST/GROUP CODE READ 1. GRAPHIC SHT B1 TEXT SIZE OF NOTES CHGD; SHT B2 ADDED. NOTE 13 REF TO SHT B2 ADDED.				
ORIG ISS: 08/08/96		CHANGE CLASS: B		
DRAFT: SMW	ENGR: SMW	SUPV: GEY	CERTIFIED: 02/09/99	ISSUE: 3
(H8741)IN TABLE A:GROUP 3 ADDED. GROUP 3 ADDED TO STOCKLIST ITEM 1000. SHEET B3 ADDED.				
ORIG ISS: 08/08/96		CHANGE CLASS: B		
DRAFT: MAL	ENGR: MAL	SUPV: GEY	CERTIFIED: 02/28/00	ISSUE: 4
(H8696)=IN TABLE A:GROUP 4 AND 5 ADDED. SHEET B4 AND B5 ADDED. REFERENCE TO GROUP 4 AND 5 ADDED TO STOCKLIST MFG NOTE 13 CHANGED.				
ORIG ISS: 08/08/96		CHANGE CLASS: B		
DRAFT: MAL	ENGR: MAL	SUPV: GEY	CERTIFIED: 03/10/00	ISSUE: 5

SHEET INDEX										
SHT NBR	A1 THRU A1					ISSUE 5				
ISSUE										
SHT NBR	D1 THRU D1					ISSUE 5				
ISSUE										
SHT NBR	B1	B2	B3	B4	B5					
ISSUE	3	3	4	5	5					
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
TABLE A	A1
B SECTION GRAPHICS	B1
MANUFACTURING NOTES	D1
STOCKLIST	D1

COPYRIGHT @ 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
ACCESS INTERFACE UNIT LABEL		BT13	
		DWG SIZE C2	ISSUE 5
LUCENT TECHNOLOGIES INC		ED8G000-10	
		SHEET A1 OF 7	

ED8G000-10



JOB ENGINEERED VERTICAL LEVEL  
AND FRONT OR REAR SIDE,  
(E.G., 23F, 57R, ETC.)

JOB ENGINEERED UNIT IDENTIFICATION

GROUP 1

NOTES:


- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS. EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN [ ]. NONLIMITED DIMENSIONS OTHER THAN THE SIZE OF RAW MATERIAL SHALL BE HELD AS FOLLOWS:  
0.Xmm [ .XX ] = +/- 0.8 mm [ +/- .03 ]  
0.XXmm [ .XXX ] = +/- 0.38 mm [ +/- .015 ]  
AS ANGLES +/- 0 DEG - 30 DEG
- SCALE: NTS
- CHARACTERS SHALL BE BLACK, 9 POINT HELVETICA MEDIUM 65 OR SIMILAR, 2.28 [ .09 ] TALL.
- DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART AND SHALL BE ADJUSTED SO TEXT APPEARS CENTERED ON LABEL AS SHOWN.
- MATERIAL SHALL BE BRADY B7544. COLOR SHALL BE CENTRAL OFFICE WHITE.

PROJ-EOEDFORM.FRM-FEB-96

ED8G000-10

SEE PROPRIETARY NOTICE ON SHEET A1			
ACCESS INTERFACE UNIT LABEL	THIRD ANGLE PROJN		
DWG SIZE C2	ISSUE 3		
LUCENT TECHNOLOGIES	ED8G000-10	SHEET NO. B1	

ED8G000-10G1




GROUP 2

NOTES:

- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS. EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN [ ]. NONLIMITED DIMENSIONS OTHER THAN THE SIZE OF RAW MATERIAL SHALL BE HELD AS FOLLOWS:  
0.Xmm [ .XX] = +/- 0.8 mm [+/- .03]  
0.XXmm [ .XXX] = +/- 0.38 mm [+/- .015]  
AS ANGLES +/- 0 DEG - 30 DEG
- SCALE: NTS
- CHARACTERS SHALL BE BLACK, 9 POINT HELVETICA MEDIUM 65 OR SIMILAR, 2.28 [ .09] TALL.
- DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART AND SHALL BE ADJUSTED SO TEXT APPEARS CENTERED ON LABEL AS SHOWN.
- MATERIAL SHALL BE BRADY B7544. COLOR SHALL BE CENTRAL OFFICE WHITE.

SEE PROPRIETARY NOTICE ON SHEET A1		
ACCESS INTERFACE UNIT LABEL	THIRD ANGLE PROJN	
DWG SIZE	C2	ISSUE
	3	3
LUCENT TECHNOLOGIES	ED8G000-10	SHEET NO. B2



GROUP 3  
FOR 7RE APPLICATIONS

NOTES:

- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS. EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN [ ]. NONLIMITED DIMENSIONS OTHER THAN THE SIZE OF RAW MATERIAL SHALL BE HELD AS FOLLOWS:  
 0.Xmm [ .XX ] = +/- 0.8 mm [ +/- .03 ]  
 0.XXmm [ .XXX ] = +/- 0.38 mm [ +/- .015 ]  
 AS ANGLES +/- 0 DEG - 30 DEG
- SCALE: NTS
- CHARACTERS SHALL BE BLACK, 9 POINT HELVETICA MEDIUM 65 OR SIMILAR, 2.28 [ .09 ] TALL.
- DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART AND SHALL BE ADJUSTED SO TEXT APPEARS CENTERED ON LABEL AS SHOWN.
- MATERIAL SHALL BE BRADY B7544. COLOR SHALL BE CENTRAL OFFICE WHITE.


PROJ-EGEDFORM.FRM-FEB-96

ED8G000-10

ACCESS INTERFACE UNIT LABEL	THIRD ANGLE PROJN	
DWG SIZE C2	ISSUE 4	SHEET NO. B3
	ED8G000-10	

NOTES:

- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS. EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN [ ]. NONLIMITED DIMENSIONS OTHER THAN THE SIZE OF RAW MATERIAL SHALL BE HELD AS FOLLOWS:  
 0.Xmm [ .XX] = +/- 0.8 mm [ +/- .03]  
 0.XXmm [ .XXX] = +/- 0.38 mm [ +/- .015]  
 AS ANGLES +/- 0 DEG - 30 DEG
- SCALE: NTS
- CHARACTERS SHALL BE BLACK, 9 POINT HELVETICA MEDIUM 65 OR SIMILAR, 2.28 [ .09] TALL.
- DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART AND SHALL BE ADJUSTED SO TEXT APPEARS CENTERED ON LABEL AS SHOWN.
- MATERIAL SHALL BE BRADY B7544. COLOR SHALL BE CENTRAL OFFICE WHITE.



GROUP 4  
 FOR OIU APPLICATIONS


PROJ-EGEDFORM.FRM-FEB-96

ED8G000-10

ACCESS INTERFACE UNIT LABEL	THIRD ANGLE PROJ 	
	DWG SIZE C2	ISSUE 5
LUCENT TECHNOLOGIES	ED8G000-10	SHEET NO. B4

NOTES:

- 1. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS. EQUIVALENT INCH DIMENSIONS ARE ENCLOSED IN [ ]. NONLIMITED DIMENSIONS OTHER THAN THE SIZE OF RAW MATERIAL SHALL BE HELD AS FOLLOWS:  
 0.Xmm [ .XX] = +/- 0.8 mm [+/- .03]  
 0.XXmm [ .XXX] = +/- 0.38 mm [+/- .015]  
 AS ANGLES +/- 0 DEG - 30 DEG
- 2. SCALE: NTS
- 3. CHARACTERS SHALL BE BLACK, 9 POINT HELVETICA MEDIUM 65 OR SIMILAR, 2.28 [.09] TALL.
- 4. DIMENSION LINES AND EXTENSION LINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART AND SHALL BE ADJUSTED SO TEXT APPEARS CENTERED ON LABEL AS SHOWN.
- 5. MATERIAL SHALL BE BRADY B7544. COLOR SHALL BE CENTRAL OFFICE WHITE.



GROUP 5  
FOR OIU APPLICATIONS

PROJ-EOEDFORM.FRM-FEB-96

ED8G000-10

ACCESS INTERFACE UNIT LABEL	THIRD ANGLE PROJ 	
	DWG SIZE C2	ISSUE 5
LUCENT TECHNOLOGIES	ED8G000-10	SHEET NO. B5

ED8G000-10G1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1,2,3,4, 5	1 1	847283397		LABEL, IDENTIFICATION			13
***** END OF STOCKLIST *****								

S H O P	I N S T	MANUFACTURING NOTES	
		SYM	NBR
			<p>1. X PARTS REQUIRED FOR INSTALLATION.</p> <p>X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.</p> <p>* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.</p> <p>*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.</p> <p>( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.</p> <p>{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.</p> <p>&lt; &gt; INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.</p> <p>"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.</p> <p>"**" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.</p> <p>"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.</p> <p>A/R AS REQUIRED.</p> <p>"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.</p>
X			<p>13. TEXT TO APPEAR ON THIS LABEL IS SHOWN ON SHEET B1,B2,B3,B4 OR B5 OF THIS DRAWING.</p>

ED8G000-10

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
ACCESS INTERFACE UNIT LABEL		BT13	
		DWG SIZE C2	ISSUE 5
LUCENT TECHNOLOGIES INC		ED8G000-10	SHEET D1 OF 7