

| TABLE A-FEATURES | | | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------|---------------|-----|----------------------|------------|-----|-----|---------------|-----|-----|
| EQUIPMENT | | EQUIPMENT OR CIRCUIT DATA | | | | | | | SD EQUIVALENT | | |
| DESCRIPTION | REF NOTE | RAT-ING | LIST OR GROUP | QTY | EQUIPMENT OR CIRCUIT | L/G OR FIG | WRG | APP | SCHEMATIC | FIG | DPT |
| EQUIPMENT CABINET CONSISTS OF: A. AT&T OFF WHITE VENTED (8 VENT) FRONT DOOR B. PROCESSOR BROWN, VENTED (8 VENT) LOCKING REAR DOOR C. FRONT, REAR & LEFT END GRILLWORK D. PANEL, END ASSEMBLY (LEFT) (BEIGE) E. LOGO PLATE | | | | 1 | | | | | | | |
| EQUIPMENT CABINET CONSISTS OF: A. AT&T OFF WHITE VENTED (8 VENT) FRONT DOOR B. PROCESSOR BROWN, VENTED (8 VENT) LOCKING REAR DOOR C. FRONT & REAR GRILLWORK | | | | 2 | | | | | | | |
| EQUIPMENT CABINET CONSISTS OF: A. AT&T OFF WHITE VENTED (8 VENT) FRONT DOOR B. PROCESSOR BROWN, VENTED (8 VENT) LOCKING REAR DOOR C. FRONT, REAR & RIGHT END GRILLWORK D. PANEL, END ASSEMBLY (RIGHT) (BEIGE) E. RIGHT END GRILLWORK | | | | 3 | | | | | | | |
| EQUIPMENT CABINET CONSISTS OF: A. AT&T OFF WHITE SOLID LOGO FRONT DOOR WITH LOGO PLATE B. PROCESSOR BROWN, VENTED, LOCKING REAR DOOR C. FRONT & REAR GRILLWORK | | | | 4 | | | | | | | |
| EQUIPMENT CABINET CONSISTS OF: A. AT&T OFF WHITE SOLID LOGO FRONT DOOR WITH LOGO PLATE B. PROCESSOR BROWN, VENTED, LOCKING REAR DOOR C. FRONT & REAR GRILLWORK NOTE: SAME AS C-4 EXCEPT WITH CABLE ACCESS HOLES IN SIDE PANELS. | | | | 5 | | | | | | | |
| END OF TABLE-A | | | | | | | | | | | |

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES- NONE.

52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP, IN TABLE A, THE SCHEMATIC, DRAWING, FIGURES AND OPTIONS ARE EQUIVALENT TO THE T* DRAWING, FIGURE, WIRING AND APPARATUS OPTIONS UNLESS OTHERWISE INDICATED. DATA IN () INDICATES WIRING ONLY.

| ISSUE NOTES | | | | |
|-------------------------------------------------------------------------------------------------------|-----------|------------------|---------------------|----------|
| X | | | | |
| ORIG ISS: 11/30/88 | | CHANGE CLASS: | | |
| DRAFT: RAK | ENGR: GHK | SUPV: RAD | CERTIFIED: 11/30/88 | ISSUE: 1 |
| VIEW C-C ADDED TO SHEETS B1 & C1, FIG. E ADDED TO SHEET B1. ITEM 1360 ADDED TO STOCKLIST ON SHEET D2. | | | | |
| ORIG ISS: 11/30/88 | | CHANGE CLASS: M | | |
| DRAFT: RAK | ENGR: GHK | SUPV: RAD | CERTIFIED: 05/24/89 | ISSUE: 2 |
| GROUP 5 & FIG. F ADDED. | | | | |
| ORIG ISS: 11/30/88 | | CHANGE CLASS: ME | | |
| DRAFT: PLM | ENGR: GHK | SUPV: RJS | CERTIFIED: 01/24/92 | ISSUE: 3 |

| SHEET INDEX | | | | | | | | | | |
|-------------|--------------------|----|--|--|--|--|--|--|--|--|
| SHT NBR | A1 THRU A1 ISSUE 3 | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | D1 THRU D2 ISSUE 3 | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | B1 | | | | | | | | | |
| ISSUE | 3 | | | | | | | | | |
| SHT NBR | C1 | C2 | | | | | | | | |
| ISSUE | 3 | 3 | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |
| SHT NBR | | | | | | | | | | |
| ISSUE | | | | | | | | | | |

| TABLE OF CONTENTS | |
|---------------------|-----|
| DESCRIPTION | SHT |
| SHEET INDEX | A1 |
| ISSUE NOTES | A1 |
| ENGINEERING NOTES | A1 |
| TABLE A | B1 |
| B SECTION GRAPHICS | C1 |
| C SECTION GRAPHICS | D1 |
| MANUFACTURING NOTES | D1 |
| STOCKLIST | D1 |

| AT&T - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS | | | |
|------------------------------------------------------------|------------|------------------|--|
| COMMON SYSTEMS SPECIFICATION FOR EQUIPMENT CABINET | | AW99 | |
| DWG. SIZE C2 | ISSUE 3 | | |
| AT&T | ED97603-70 | SHEET A1 OF 8 | |

ED97603-70

ASSEMBLY NOTES
 X B1. SIDES OF LOGO PLATE SHALL BE PARALLEL WITH SIDES OF CABINET DOOR.




FIG. 1

FIG. 2






FIG. E (PARTIAL LEFT INSIDE OF ENCLOSURE)

| | | |
|------------------------------------|-------------|----------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| EQUIPMENT CABINET | | |
| AT&T | ED-97603-70 | SHEET B1 |
| | DWG SIZE C2 | ISSUE 3 |




MOUNTING TOP HINGE
 FOR FRONT DOOR ASSY:
 844659136 G1-G2-G3, 844655803 G4,G5
 FOR REAR DOOR ASSY:
 844654715 G1-G2-G3, 843083122 G4,G5
 (DOOR NOT SHOWN)

FIG. A




MOUNTING BOTTOM HINGE
 FOR FRONT DOOR ASSY:
 844659136 G1-G2-G3, 844655803 G4,G5
 FOR REAR DOOR ASSY:
 844654715 G1-G2-G3, 843083122 G4,G5
 (DOOR NOT SHOWN)

FIG. B




MOUNTING LOCK ON REAR DOOR

FIG. C




LEFT SIDE OF REAR DOOR OPENING
SHOWING ASSEMBLY OF LOCK STRIKER

FIG. D




PARTIAL CROSS-SECTION OF REAR DOOR
ASSEMBLY SHOWING LOCK ASSEMBLY

SECT A-A



SECT B-B



| | | | |
|-------|---------|----|----|
| SHEET | SH. NO. | C1 | C2 |
| INDEX | ISSUE | 3 | 3 |

SEE PROPRIETARY NOTICE ON SHEET A1

| | | |
|-------------------|-------------|----------|
| EQUIPMENT CABINET | DWG. SIZE | ISSUE |
| | C2 | 3 |
| AT&T | ED-97603-70 | SHEET C1 |




FIG. F
ENCLOSURE ASSEMBLY (845584998)
MODIFICATION TO PROVIDE
ADDITIONAL HOLES (05 ONLY)

SEE PROPRIETARY NOTICE ON SHEET A1

| | | |
|-------------------|-------------|----------|
| EQUIPMENT CABINET | DWG SIZE | ISSUE |
| | C2 | 3 |
| AT&T | ED-97603-70 | SHEET C2 |

| STOCKLIST | | | | | | | | |
|-----------|-----------------|--------------|--------------------|------|------------------------------------------------------------------------------------------|--------------------|------|-----|
| ITEM NBR | LIST GROUP CODE | QTY PER CODE | PRODUCT IDENTIFIER | CODE | DESCRIPTION | REFERENCE POSITION | NOTE | |
| | | | | | | | SYM | NBR |
| 1010 | 4,5 | 1 | 843083122 | | ASSEMBLY, REAR DOOR | | | |
| 1030 | 1,2,3,4,5 | 2 2 | 844654749 | | ASSEMBLY, HINGE TOP | | | |
| 1040 | 1,2,3,4,5 | 2 2 | 844654756 | | PIN, HINGE TOP | | | |
| 1050 | 1,2,3,4,5 | 2 2 | 845939339 | | ASSEMBLY, HINGE BOTTOM | | | |
| 1060 | 1,2,3,4,5 | 8 8 | 900625617 | | SCREW, FLAT HEAD MACHINE .216-24 X 5/8 IN. BLACK OXIDE MCMASTER-CARR CO. OR EQUIVALENT | | | |
| 1070 | 1,2,3,4,5 | 1 1 | 843065822 | | ASSEMBLY, GRILL PLATE FRONT | | | |
| 1080 | 1,2,3,4,5 | 1 1 | 843065848 | | GRILL FRONT | | | |
| 1090 | 1,2,3,4,5 | 1 1 | 843065830 | | ASSEMBLY, GRILL PLATE (REAR) | | | |
| 1100 | 1,2,3,4,5 | 1 1 | 843065855 | | GRILL, REAR | | | |
| 1110 | 1,2,3,4,5 | 17 17 | 843069816 | | SCREW, PAN HEAD TAPPING .138-32 X 3/16 TYPE B BLACK OXIDE | | | |
| 1120 | 1,2,3,4,5 | 8 8 | 900495805 | | SCREW, PAN HEAD TAPPING .164-32 X 1/2 TYPE B BLACK OXIDE MCMASTER-CARR CO. OR EQUIVALENT | | | |
| 1130 | 1,2,3,4,5 | 1 1 | 900626334 | | LOCK #N3058A W/O CAM E/W 2K-KA FORT LOCK CORP. | | | |
| 1140 | 1,2,3,4,5 | 1 1 | 843068149 | | CAM, DOOR LOCK | | | |
| 1150 | 1,2,3,4,5 | 1 1 | 844654806 | | CATCH | | | |
| 1160 | 1,2,3,4,5 | 1 1 | 845378280 | | STRIKER, LOCK | | | |
| 1170 | 1,2,3,4,5 | 2 2 | 900637141 | | SCREW, PAN HEAD MACHINE .138-32 X 3/8 IN. TYPE C WINDY CITY FASTENERS 31A NICKEL PLATE | | | |
| 1180 | 1,2,3,4,5 | 2 2 | 840048086 | | SCREW, PAN HEAD SLOTTED TAPPING .138-32 X 1/4 IN. | | | |
| 1190 | 4,5 | 1 | 844655720 | | LOGO, PLATE | | | |
| 1200 | 4,5 | 1 | 844655803 | | ASSEMBLY, FRONT DOOR E/W LOGO | | | |
| 1210 | 1 | 1 | 845800741 | | PLATE LOGO | | | |
| 1220 | 4,5 | 6 | 403661606 | | NUT, STEEL WASHER #2555 PAL TYPE 8-32 AUTO VEHICLE PARTS CO. | | | |
| 1230 | 1,2,3,4,5 | 1 | 845584598 | | ASSEMBLY, ENCLOSURE (MODIFY FOR G-4 & G-5) (SEE VIEW C-C) | | | |
| 1240 | 1,2,3 | 1 | 844659136 | | ASSEMBLY, FRONT DOOR 8 VENT | | | |
| 1250 | 1,2,3 | 1 | 844654715 | | ASSEMBLY, REAR DOOR 8 VENT | | | |
| 1260 | 1 | 1 | 844659169 | | ASSEMBLY, END PANEL LEFT AND RIGHT (BEIGE) (RIGHT) | | | |
| 1270 | 3 | 1 | 844659193 | | ASSEMBLY, END PANEL LEFT AND RIGHT (BEIGE) (LEFT) | | | |
| 1280 | 1 | 1 | 843077678 | | ASSEMBLY, PLATE 30 INCH END GRILL (LEFT) | | | |

STOCKLIST CONTINUED ON SHEET D2

ED97603-70

| SHIPPING | | MANUFACTURING NOTES | |
|----------|--|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | 1. X PARTS REQUIRED FOR INSTALLATION. |
| | | | X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED. |
| | | | * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM. |
| | | | +/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED. |
| | | | () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION. |
| | | | INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED. |
| | | | < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION. |
| | | | "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED. |
| | | | "W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED. |
| | | | "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY. |
| | | | A/R AS REQUIRED. |
| | | | "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS. |
| X X | | | 2. ITEMS 1110, 1120, 1280, 1290, 1300, 1310, & 1320 ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSEMBLED ITEMS (FOR FIELD MOUNTING). ALL THE OTHER ITEMS ARE ASSEMBLED FOR SHIPMENT TO AT&T. |

SEE PROPRIETARY NOTICE ON SHEET ONE

COMMON SYSTEMS
SPECIFICATION FOR
EQUIPMENT CABINET

AN99

DWG SIZE
C2

ISSUE
3

AT&T

ED97603-70

SHEET D1
OF 8

PRINTED IN U.S.A.

STOCKLIST

| ITEM NBR | LIST GROUP CODE | QTY PER CODE | PRODUCT IDENTIFIER | CODE | DESCRIPTION | REFERENCE POSITION | NOTE | |
|----------|-----------------|--------------|--------------------|---------|-------------------------------------------------------------|--------------------|------|-----|
| | | | | | | | SYM | NBR |
| 1290 | 1 | 1 | 843077686 | | ASSEMBLY, GRILL 30 INCH END (LEFT) | | | |
| 1300 | 3 | 1 | 843077660 | | ASSEMBLY, PLATE 30 INCH END (RIGHT) | | | |
| 1310 | 3 | 1 | 843077694 | | ASSEMBLY, GRILL 30 INCH END (RIGHT) | | | |
| 1320 | 1,3 | 4 | 841067010 | | SCREW, PAN HEAD TAPPING .164-18 X 1/2 TYPE AB CLEAR ZINC | | | |
| 1330 | 1,3 | 1 | 843062449 | | PANEL, TOP BRACKET END | | | |
| 1340 | 1,3 | 1 | 843066226 | | PANEL, SIDE BRACKET END | | | |
| 1350 | 1,3 | 5 | 841059843 | | SCREW, PAN HEAD MACHINE .250-20 X 1/2 | | | |
| 1360 | 1,3 | 3 | 814842589 | P480258 | SCREW, PAN HEAD SELF TAPPING .190-16 X 3/8 | | | |

***** END OF STOCKLIST *****

ED97603-70

| | | | |
|----------------------------------------------------------|--|------------|------------------|
| SEE PROPRIETARY NOTICE ON SHEET ONE | | | |
| COMMON SYSTEMS SPECIFICATION FOR EQUIPMENT CABINET | | | AN99 |
| | | | DWG SIZE C2 |
| AT&T | | ED97603-70 | ISSUE 3 |
| | | | SHEET D2 OF 6 |