

BELL SYSTEM PRACTICES
Outside Plant Construction
and Maintenance

SECTION G00.100.1
Issue 7, January, 1959
AT&T Co Standard

ALPHABETICAL INDEX

1. GENERAL

REPLACED

1.01 This section provides an alphabetical index of the active Bell System Practices in the "G" series as of January 1, 1959. Issue 6 is replaced.

1.02 As far as practicable, listings are arranged by kind of plant—Cable, Terminal, Wire, etc. Under these general headings the listings are subindexed where appropriate as **WIRE—BURIED**, **WIRE—DROP AND BLOCK**, etc., and then listed alphabetically in each subgroup. As an example, all practices concerning lead sleeves (preparation, wiping, etc.) will be found under **CABLE—SPLICING—Lead Sleeves**. In order to make full use of the index it will be necessary, therefore, to associate the use of a particular material or a work operation with the kind of plant to which it is applicable.

1.03 Where more than one listing seems desirable, duplicate listings have been provided in the case of individual sections. For example, G50.609.1 is listed under **CABLE—SPLICING** as **Conductors—Defective** and also as **Manufacturing Defects**.

Cross-reference has been made in the case of groups of practices such as **BURIED CABLE** (See **CABLE—BURIED**).

1.04 Sections having general applications as **ABBREVIATIONS—OUTSIDE PLANT, FIRST AID**, etc., are listed alphabetically and are not subindexed under any one kind of plant.

1.05 All tools, test sets, etc., in the G80 series are listed under **TOOLS**. Some items which are essentially "crew" or "group" tools such as pumps, blowers, trailers, etc., are listed under **CONSTRUCTION EQUIPMENT**.

1.06 Space has been left on each page to write in additional listings.

[Faint, mostly illegible text, possibly bleed-through from the reverse side of the page.]

HYDRO-PUMP INDEX

[Faint text at the bottom of the page, possibly bleed-through.]



A

ABBREVIATIONS, OUTSIDE PLANT

Cable, Cable Terminals, and Loading Coil Cases....	G10.330.5
Conduit and Manholes	G10.330.4
General	G10.330.1
"P" Carrier	G10.330.7
Poles, Guys and Anchors	G10.330.2
Pressure Testing	G10.330.6
Wire	G10.330.3

AERIAL CABLE (See **CABLE, AERIAL**)

B

BELL SYSTEM PRACTICES—G SERIES—SCOPE, ARRANGEMENT, NUMBERING, etc.G00.400.1

BLOCK CABLE (See **CABLE, BLOCK**)

BONDING AND GROUNDING CABLE SHEATH.. G10.345.1

BRUSH CONTROL

General	G10.360.1
Materials and Equipment	G10.361.1
Methods of Spraying	
Ammonium Sulfamate	G10.362.1
Basal and Stump	G10.361.3
Foliage	G10.361.2

BURIED CABLE (See **CABLE, BURIED**)

BURIED WIRE (See **WIRE, BURIED**)

C

CABLE

AERIAL

Alpeth and Stalpeth—General	G52.176.1
Bows, Removing	G52.415
Clearances, Separations (See CLEARANCES)	

CABLE (Cont'd)**AERIAL** (Cont'd)**Dancing Prevention**

Double Cable Lines	G52.141.2
General	G52.141.1
Single Cable Lines	
Auxiliary Strand Method	G52.141.6
Damper, B	G52.141.3
Inverted Auxiliary Strand Method	G52.141.5
Spiraling Method	G52.141.4

Distribution, B

General	G52.175.1
Lashed Construction	G52.175.2
Ring Construction	G52.175.3

Grade Clamps	G52.120.1
---------------------------	-----------

Guide, Cable, Corner	G52.115.1
-----------------------------------	-----------

Lashed

General	G52.124.1
Jack, Cable, Corner	G52.127.1
Lashers, Description and Maintenance (See TOOLS)	

Lashers—Use

B	G52.122.2
C	G52.122.4
D	G52.122.5
E	G52.123.4
Spinner, Neale, D	G52.122.3
ZB	G52.122.6

Lashing Cable Past Pole	G52.126.1
-------------------------------	-----------

Methods

Cable Block	G52.124.3
Direct	G52.124.2

Prelashing

General	G52.123.1
Placing Temporary Rollers and Winch Line	G52.123.2
Positioning and Rigging	G52.123.3
Terminating Strand	G52.123.5
Transferring	G52.123.6

Sliding Ring	G52.124.4
--------------------	-----------

Temporary Ring	G52.124.5
----------------------	-----------

Prelashing

Maintenance of Equipment	G52.123.7
--------------------------------	-----------

C

CABLE (Cont'd)

AERIAL (Cont'd)

Lashed (Cont'd)

Removal	G52.506.1
Supports—Arrangement	
Loading and Contact Points	G52.125.7
No Splice	G52.125.4
Splice	G52.125.5
Splice Case and T Type Terminal	G52.125.6
Terminating	
Cable Lashing Clamp	G52.125.2
General	G52.125.1
Tying Lashing Wire	G52.125.3
Two or More Cables, One Strand	G52.128.1
Wire, Lashing, Description	G52.122.1

Lowering for BuryingG56.137.1

Measuring forG52.055.1

OrderingG52.055.1

Painting Metal and Wood SurfacesG52.161.1

Placing

General	G52.105.1
Preparations Along the Line	G52.105.3
Preparing Cable for Pulling.....	G52.105.4
Pulling Cable	G52.105.5
Setting Up Cable Reels	G52.105.2

PrecautionsG10.205.2

Protection

Fire Hazards	G52.145
Mechanical	G52.140.1

Railroad CrossingsG10.310

RemovalG52.505

RingsG51.130

Sags (See **Strand**, **Tensions** and **Sags**)

CABLE (Cont'd)**AERIAL (Cont'd)****Spans**

150 to 250 Feet.....	G52.170
	and Add.
Longer Than 250 Feet	G52.172
	and Add.
Pole to Building	G52.150

Splicing (See CABLE, SPLICING)**Strand****Attachments**

Bridge	G51.160
General	G51.105.1
Typical Construction	G51.105.2
Cable Extension Arms	G51.105.3
Car, Cable, Use	G51.015.1
Corroded Strand—Inspection	G51.305.1
Dead Ending	
False Dead Ending	G51.120.3
General	G51.120.1
Typical Construction	G51.120.2

Placing

General	G51.115.1
Moving Reel	G51.114.1
Precautions	G51.113.1
Pullers—Use	G51.116.1
Replacement	G51.410.1

Selection

General	G51.110.1
Heavy Loading Area	G51.110.2
Light Loading Area	G51.110.4
Medium Loading Area	G51.110.3
Shifters—Use	G51.405.1
Slack Span Construction	G51.140
Strand Connectors	G51.121.1
Strandlink	G51.121.2

Tensioning

Dynamometer—Use	G51.124.2
Precautions	G51.124.1

Tensions and Sags**Aluminum Conductor Cables**

6M Strand	G51.125.6
10M Strand	G51.125.7

C

CABLE (Cont'd)

AERIAL (Cont'd)

Strand (Cont'd)

Copper Conductor Cables

6M Strand	G51.125.2
10M Strand	G51.125.3
16M Strand	G51.125.4
25M Strand	G51.125.5
Stringing—General	G51.125.1
Testing	G51.205.1

Supports

Arrangement	G52.135.2
Installation	G52.135.1
49A Terminal	G52.125.8

BLOCK AND HOUSE

Anchoring Devices, Wall	G53.100.1
--------------------------------------	-----------

Clamping

Buildings

Inside Walls	G53.115.1
Outside Walls	G53.105.1

Floor Distribution	G53.130.1
---------------------------------	-----------

Grounding (See **GROUNDING**)

Mechanical Protection	G53.103.1
------------------------------------	-----------

Ordering Cable and Other Materials	G53.055.1
---	-----------

Precautions	G53.090.1
--------------------------	-----------

Riser Cable

Conduit	G53.125.2
Shafts	G53.125.1

Runs, Locating	G53.070.1
-----------------------------	-----------

Separations	G10.297.1
--------------------------	-----------

Splicing (See **CABLE, SPLICING**)

CABLE (Cont'd)**BLOCK AND HOUSE (Cont'd)****Strand**

Cable on Inside Steel Framework	G53.120.2
Cable on Inside Walls and Ceilings	G53.120.1
Cable on Outside Walls	G53.110.1

BURIED

Aerial Cable, Lowering for Burying	G56.137.1
Backfilling	G56.140
Manholes and Handholes	G56.120
Markers	G56.150.1
Outer Protection, Removing	G56.606.1
Placing	G56.130.1
Precautions	G56.090.1 and G10.205.3
Protective Coverings, Sizes and Reel Lengths	G56.005.1
Right of Way	G56.105
Splicing (See CABLE, SPLICING)	
Terminals, KS-16551	
Terminating	G56.650.4←
Trenching	G56.110
Wrapping	G56.137.2

DESIGNATIONS

Conductors, Sheaths and Protective Coverings	G50.010.1
---	-----------

HOUSE (See CABLE, BLOCK AND HOUSE)**PRESSURE TESTING****Charging Cable**

Freon 12	G73.307.1
Nitrogen	G73.305.1
SF6	G73.306.1

Construction Tests

During Placing	G73.225.2
During Splicing	G73.225.3
General	G73.225.1
Leak Location—Three Section Method	G73.225.4

C

CABLE (Cont'd)

PRESSURE TESTING (Cont'd)

Contactors and Contactor Terminals

Arrangement

Aerial	G73.145.2
Buried	G73.145.4
Manholes	G73.145.3
Description	G73.130.1
Mechanism, Replacing	G73.130.3
Mounting	G73.145.1
Operating Pressure, Checking	G73.130.2
Splice Type	G73.133.1
Superseded Types	G73.140.1

Cylinders

Freon 12	G73.056.3
Nitrogen Gas	G73.056.1
SF6	G73.056.2

Delay Times	G73.310.3
--------------------------	-----------

Flanges and Screw Plugs—Lead Sheath—Sleeves ..	G73.105.2
---	-----------

Flow Indicators, Gas	G73.210
-----------------------------------	---------

Layouts, General	G73.005.2
-------------------------------	-----------

Lead Sheath, Preparing for Fittings	G73.106.1
--	-----------

Leak Location

Computations	G73.415.5
Gradients	
Analyzing	G73.415.4
Plotting	G73.415.3

CABLE (Cont'd)**PRESSURE TESTING** (Cont'd)**Leak Location** (Cont'd)

Method

B Leak Locator

General	G73.430.1
One-Cylinder	G73.418.6
Precision	G73.421.1
Procedure	G73.430.2
Short Circle	G73.418.5
Three-Section	G73.225.4
Time—Pressure Curve	G73.418.3
Two Cable	G73.418.2
Two-Cylinder	G73.418.4
Two-Direction	G73.418.1
Principles	G73.415.1
Procedure	G73.417.1
Reading Necessary	G73.415.2

Lepeth Sheath, Preparing for Valves G73.106.2

Maintaining Pressure

Contactors Operation	G73.310.3
Defective Section	G73.436.1
General	G73.310.1
Routine Tests	G73.310.2
Sheath Opening	G73.310.4

Measurements

Corrections

Altitude

Ordinary	G73.205.4
Precise	G73.205.5
Atmospheric Pressure	G73.205.2
General	G73.205.1
Temperature	G73.205.3

Molds for Lead Pipe and Valves G73.125.1

Plugs

Asphalt

Horizontal

Cables Enter Both Ends	G73.151.1
Cables Enter One End	G73.151.2
Vertical	G73.153.1
Lepeth Sheath	G73.151.3
Material Preparation	G73.150.1

C

CABLE (Cont'd)**PRESSURE TESTING** (Cont'd)

PIC Cable	
Alpeth Sheath	G73.159.2←
B Plug Compound—General	G73.159.1←
Resin—	
General	G73.157.1
Lead Cables Up to 5/8" Diameter	G73.157.2
Sheath Injection—Lead Cables Over 5/8-Inch Diameter	G73.157.3
Sleeve Injection—Alpeth, Stalpeth and PASP Cables	G73.157.5←
Sleeve Injection—Lead Cable Over 5/8-Inch Diameter	G73.157.4
Terminal,	
Asphalt	
Lead Sleeve	G73.155.1
Pressure Gun	G73.156.1
Cold Resin	G73.157.1
Video, 2A	G73.170.1
Wax Filled	G73.152.1
Pneumatic Resistance	G73.016.1
Precautions	G73.090.1
Pressure Sources and Meter Panels	
Gas Meters and Air Rate Indicators	G73.102.1←
Meter Panel Arrangements	G73.103.1←
Tubing and Fittings	G73.101.1←
Records and Maintenance	
Summary—Periodic Charging Systems	G73.320.1
Reservoir Equipment	
General	G73.180.1
Installation	G73.180.2
Sleeve Reinforcement	G73.164.1
Solutions and Accessories	G73.058.1
Systems—Types, General	G73.005.1
Terminals	
Superseded Type	G73.141.1
37 Type	
Description	G73.137.1
Wiring	G73.137.2

CABLE (Cont'd)

PRESSURE TESTING (Cont'd)

Thermometer WellG73.166.1

Tools (See **TOOLS, Pressure Testing**)

Valves

ArrangementG73.110.1

By Pass ArrangementsG73.117.1

By Pass, BG73.115.1

Lead Cables and SleevesG73.105.1

Lepeth SheathG73.106.2

Valves, Flanges, Ells, Alpeth and Stalpeth.....G73.105.5

PROTECTIONG10.340

PROTECTIVE COVERINGS—

ABBREVIATIONSG50.010.1

REELS (See **CABLE, DESIGNATIONS**)

Dimensions and WeightsG50.050.2

Loading EmptyG50.050.3

Removing and Replacing LagsG50.050.1

REPAIR (See **CABLE, SPLICING**)

SIZES AND REEL LENGTHS

AlpethG50.055.2

Aluminum ConductorG50.056.1

LeadG50.055.1

PASP Sheath CablesG50.055.4

PIC Cable

Alpeth—Coded TypesG50.057.2
and Add.

CA-1727 TypeG50.057.4

PAP—Coded TypesG50.057.3
and Add.

StalpethG50.055.3

SPLICE CASES (See **SPLICE CASES and T TYPE TERMINALS**)

CABLE (Cont'd)**SPLICING****Aerial**

Bonding Polyethylene Sheath	G52.650.1
General	G52.601.1
Maintenance of Wrapped Joints	G52.445.1
Preparation and Arrangement	G52.609.1
Repairs	
Alpeth	G52.442.1
General	G74.410
	and Add.
Slit Sheath Method	G52.443.1
Torch Method	G50.440.1
Slack Puller, E	G52.610.1
Splices, Location	G52.125.5
Tension Splicing	G71.530

Alpeth

General	G50.679.1
Setting Up	G50.679.2
Wrapped Joints	
Auxiliary Sleeves	G50.679.3
Continuous Pressure	G50.679.9
Main Sleeves	G50.679.5
Underground Protection	G50.679.8

Block

General	G53.601.1
Preparation and Arrangement	G53.610.1

Bonding and Grounding Sheath G10.345

Bonding Across Temporary Openings G50.610.1

Buried

Above Ground Splicing—Preparing Ends.....	G56.603.3
Bonding Armor to Sheath	G56.608.1
F-51577 and F-51602 Terminals	C56.649.1
F-51755, F-51756 and F-51762 Pedestal Terminals.	G56.649.3
General	G56.601.1
Junction with Other Plant	G56.612.1
KS-16191 Cable Terminal Box	G56.649.2
Loading	G71.170
Outer Protection, Removing	G56.606.1

CABLE (Cont'd)**SPLICING (Cont'd)****Buried (Cont'd)**

Pit Splicing—Preparing Ends	G56.603.1
Repairs	G74.430
Splice Protection	G56.610.1

Cables—Color Codes, Etc. (See Description)**Coaxial**

Description	G50.606.2
General	G50.657.1
Joining	
.270-Inch	G50.657.2
.270-Inch to .375-Inch	G50.657.4
.375-Inch	G50.657.3
Maintenance Precautions	G74.440
Repairs	
Emergency Patching Cords	G50.445.1
.375-Inch	G50.444.2

Capacitors

Capacitance Building Out Paper Insulated	
Exchange Cable	G50.654.1
Spool and Mica	G50.653.3
388A	G50.653.4

Conductor Joints

Sleeve	
Pressed, Aluminum	G50.635.1
Punched, Aluminum	G50.635.2
Punched Copper	G50.635.3
Soldered 13 Gauge	G50.636.3
Twisted	
Bridge	G50.634.2
Bridge—Trimming Out	G50.642.1
Butt	G50.634.3
Soldered	G50.636.1
Straight	G50.634.1

Conductors

Dead, Sleeving	G50.639.1
Defective	
Disposition at Splices	G50.640.1
Identification of Manufacturing Defects	G50.609.1
Pair Report for Exchange Cable	G50.609.2
Pulp Insulated—Preparation	G50.632.1
Temporary Clearing Ends	G50.620.1

CABLE (Cont'd)

SPLICING (Cont'd)

Cutovers, Central Office	G55.625.1
Description—Conductor Arrangement—Color Code	
Carrier Toll Entrance	G50.604.3
Coaxial	G50.606.2
Layer Type	
Exchange	G50.602.2
13 and 16 Gauge	G50.602.1
Multiple Unit	
Mixed Color Units	G50.603.1
Uniform Color Units	G50.602.3
Non-Quadded	
Composite Exchange	G50.602.4
Toll	G50.604.4
PIC Cable—CA-1727 Type	G50.607.4←
Quadded	
Long Pair Twist	G50.604.1
Short Pair Twist	G50.604.2
Service	G50.602.5
Solid PIC Conductors	
Coded	G50.607.2
EVEN	and Add. G50.607.3←
Superseded	G50.607.1
Spiral-Four Disc-Insulated	G50.606.1
Textile Insulated	G50.602.6
Video	G50.602.7
Desiccant—Use	G50.630.2
Discs, Lead, Sizes	G50.625.3
Distribution, B	
Joining Conductors	
C Block Wire	G50.637.3
General	G50.637.2
Paper Insulated	G50.637.4
Straight Splice	G50.637.5
Y Splice	G50.637.6
Materials	G50.637.1
Terminating	G50.637.7

CABLE (Cont'd)**SPLICING (Cont'd)****House**

General	G53.651.1
Preparation and Arrangement	G53.660.1
Taped Splices in Buildings	G53.670.1

Insulating Joints

Condensers, Installing	
Alpeth and Stalpeth Sheath	G50.681.3
Lead Sheath	G50.681.2
General	G50.681.1
13A and 14A Splice Cases	G50.720.6←

Joining Conductors (See Conductor Joints)

K Carrier—Planned Splices at Stations	G71.190
and Add.	

Lead Sleeves—Sizes, Wiping, Etc. (See Sleeves, Lead)**Loading Coils and Cases**Description (See **LOADING COILS AND CASES**)

Installing in Splices

Coaxial	G59.608.2
Exchange	G59.609.1
Submarine	G59.615.1
Toll	G59.608.1
Repair	G59.410.1
Splicing Loading Coils	G50.607.1

Manufacturing Defects	G50.609.1
------------------------------------	-----------

Paraffin and Splicing Oil—Use	G50.630.1
--	-----------

Paraffin Heating in Aluminum Pots	G50.630.3
--	-----------

Polyethylene Insulated Conductor Cable

Filled Sleeves B—Use	G50.699.2
General	G50.699.1
Lead Sleeve Sizes	G50.623.3
Plastic Sleeves B—Use	G50.699.3

Retardation Coil, 307W	G50.653.5
-------------------------------------	-----------

Rules for Making Splice	G50.646.1
--------------------------------------	-----------

Section Replacement

Audible Tone Method	G50.668.2
General	G50.668.1
Inaudible Tone Method	G50.668.3

CABLE (Cont'd)**SPLICING (Cont'd)****Sheath Openings**

Alpeth and Stalpeth	G50.616.3
Cable of Outside Manufacture	G50.699.4
Internal Metallic Shields, Core Protection	G50.618.1
Lead	
Preparation	G50.616.1
Removing	G50.613.1
Lepeth	G50.616.5
Lepeth Stubs	G50.616.6
Polyethylene Jacketed Cable	G50.616.7
Protection	
Cover, Splice, C	G50.669.3
CR Tape	G50.669.2
Miscellaneous Wrappings	G50.669.1
Temporary Clearing of Ends	G50.620.1

Shields, Metallic, Carrying through Splice G50.664.1**Sleeves, Cotton**

Arrangement	G50.644.1
Sizes	G50.633.1

Sleeves, Lead

Clamps and Straps	G50.688.1
Opening for Reuse	G50.685.3
Placing and Beating-In	G50.675.1
Polyethylene Insulated Conductor Cable.....	G50.623.3
Preparation	G50.627.1
Removing	G50.685.1
Sizes	
Auxiliary	G50.622.9
Bridge Splice	
Cable Cut	G50.622.4
Cable Not Cut	G50.622.3
Coaxial	G50.622.8
Duct Splices	G50.622.7
General	G50.622.1
Quadded and Coarse Gauge	G50.622.5
Spiral-Four Disc-Insulated	G50.622.6
Straight Splice Exchange Cable	G50.622.2
Used with Discs	G50.625.3

CABLE (Cont'd)**SPLICING (Cont'd)****Sleeves, Lead (Cont'd)****Soldered Joints**

Acetylene Torch

UnwipingG50.685.2

WipingG50.676.1

Seam, RunningG50.683.1

Splice Supports—B and CG50.675.5

Wiped Joints

AlpethG50.680.3

CapG50.677.5

DiscG50.677.7

End Plate PreparationG50.625.5

GeneralG50.677.1

KnuckleG50.677.6

PlateG50.677.8

Solder, Sealing, C—UseG50.678.1

StalpethG50.680.1

StraightG50.677.2

VerticalG50.677.4

"Y"G50.677.3

Sleeving Dead ConductorsG50.639.1**Solders**G50.601.5**Spiral-Four Disc-Insulated**G71.185
and Add.**Splice Cases (See CASES, SPLICE)**

CABLE (Cont'd)**SPLICING (Cont'd)****Splices—Types**

Exchange	
Bunch	G50.647.3
Random	
13 and 16 Gauge	G50.647.2
19 Gauge and Smaller	G50.647.1
Toll	
Random	G50.650.1
Test	G50.653.1

Stalpeth

General	G50.679.1
Setting Up	G50.679.2
Wrapped Joint	
Auxiliary Sleeve	G50.679.7
Continuous Pressure	G50.679.9
Main Sleeve	G50.679.5
Underground Protection	G50.679.8

Stubs, Building Out G50.653.8**Submarine**

General	G71.705
Loading Coil Cases	G57.630.5
Methods	
Overlap Armor	G71.710
Splice Case	G57.630.1
Welded Wire Armor	G71.720
Repair	G57.410.1

Supplies, Standard G50.601.1**Tags for Sheath Identification** G50.690.1**Terminals**

B and BB	G61.613.1
BD Terminals	G61.613.2
Buildings	G71.137
General	G61.601.1
N1 Carrier	G61.614.1

CABLE (Cont'd)**SPLICING (Cont'd)****Terminals (Cont'd)**

Pedestal Mounted	G61.652.1
Pole Mounted	G61.612.1
Sheath Mounted	G61.611.1
Toll Cable Forms	G71.138
UG16 Terminals in Handholes	G61.651.1

Terminations—M.D.F., Buildings, Etc.(See **CABLE, TERMINATING**)

Test Boards	G50.646.5
--------------------------	-----------

Testing Conductors (See CABLE, TESTING)

Ties at Y Splices	G50.688.3
--------------------------------	-----------

Transfers	G50.666.1
------------------------	-----------

Trimming Out Bridge	G50.642.1
----------------------------------	-----------

Underground

Arrangement in Manholes	G55.607.1
-------------------------------	-----------

Bonding

Alpeth Sheath	G55.610.3
---------------------	-----------

Lead Sheath	G55.610.1
-------------------	-----------

Repair

Alpeth Sheath	G55.442.1
---------------------	-----------

General	G74.420
	and Add.

Setting Up

Cable Bender—Use	G55.603.3
------------------------	-----------

One Man in Hole	G55.603.1
-----------------------	-----------

Pull Through Manholes	G55.606.1
-----------------------------	-----------

Rules, General	G55.601.1
----------------------	-----------

Two Men in Hole	G55.603.2
-----------------------	-----------

Splice Arrangement in Central Office	G55.620.1
--	-----------

Stub Arrangement in Manholes	G55.607.2
------------------------------------	-----------

CABLE (Cont'd)**C****SPLICING (Cont'd)****Video**

Flexible Shielded Pair	G50.659.3
Regular	G50.659.1

Wedges, Lead, Sizes	G50.625.1
----------------------------------	-----------

Wiped Joints (See Sleeves, Lead)

Wrapping Completed Splices	G50.673.1
---	-----------

SUBMARINE

Anchoring Shore Ends	G57.631.1
-----------------------------------	-----------

General	G57.005
----------------------	---------

Loading	G57.630.5
----------------------	-----------

Placing

From a Barge	G57.110
From a Boat	G57.120
General	G57.105
	and Add.

Precautions	G57.090
--------------------------	---------

Pulling Across Waterway	G57.130
--------------------------------------	---------

Splicing (See CABLE, SPLICING)**TERMINALS (See TERMINALS)****TERMINATING**

Buildings	G71.137
------------------------	---------

Central Office

C.D.O.—Installing	G71.134
-------------------------	---------

Forms

Construction	G71.135
Open	G61.175.1
Ordering and Installing	G71.136
	and Add.
Toll Cable	G71.138

CABLE (Cont'd)**TERMINATING (Cont'd)****K Carrier**

General	G71.189
Planned Splices at Stations	G71.190
	and Add.

Marking

Frames

A Type	G61.172
General	G61.170.1←
	and Add.
	G61.170.2

Protectors—Plastic Number Plates	G61.170.2←
198 Type Terminal Strips—Adhesive Strips....	G61.170.5←
444 Type Jacks—Plastic Number Plates.....	G61.170.4←

TESTING**Calling Circuits**

43A Modified Test Set	G50.212.1
76-Type Test Set	G50.212.2

Capacitance Unbalance

Balancing Cable and Adjustable Condensers....	G72.226
	and Add.
Quadded Conductors	G72.225
	and Add.
3A and 4A Test Sets—Use	G72.230
11A Oscillator—Use	G72.235

Central Office Tone Source G50.216.2**Coaxials**

Fault Location	G50.250.1
Precautions	G50.244.3
Procedures	
General	G50.244.1
94A Set—Use	G50.244.7
Use of P2BS Cord	G50.244.8

Crosstalk Measurements—C Carrier G72.227**Crosstalk Poling Tests—Apparatus** G72.231**Crosstalk Reduction—Loaded Layer-Type**

Exchange Cable	G50.235.1
----------------------	-----------

CABLE (Cont'd)**TESTING (Cont'd)****Detecting Defective Pairs**

Balance Test Method	G50.220.3
Battery and Receiver Method	G50.220.2
General	G50.220.1

Detecting Tone with an Amplifier G50.210.2**Electrolysis (See ELECTROLYSIS, Testing)****Fault Locating**

Central Office Tone	G50.216.2
Conductor Resistance	G50.218.2
Loaded Cables	
Exploring Coil	G50.217.1
78A and 95A Test Sets	G50.217.2
99A and 95B Test Sets	G50.217.3
Non-Loaded Cables—Exploring Coil	G50.216.1
Resistance of Loading Coils	G59.020.1
Wheatstone Bridge	G50.218.1
KS-8455 Test Set	G10.400
96A Test Set	G50.218.7

Identification Tone Use—General Rules G50.210.1**Identifying Conductors**

Cableman's Talking Set	G50.213.3
Central Office Tone	G50.216.2
F-50651 (85-Cycle Half Tap)	G50.213.8
Long Cables	G50.214.1
Murphy Cable Tester.....	G50.215.2
One Man Method Using Tracer	G50.215.1
One Man Operation	G50.213.7
Short Dead Cable	G50.214.2
Wet Cable	G50.240.1
43A Test Set	G50.213.1
71- and 72-Type Test Sets	G50.213.5
76-Type Test Set	G50.213.2
79-Type Test Set	G50.213.4
104A (85-Cycle Half-Tap)	G50.213.8
108A and 109A Test Sets	G50.215.3

Insulation

Breakdown	
BO-240457 Test Set	G50.225.1
KS-14103 Test Set	G50.225.2
Resistance Tests	
Paper-Insulated Cable	G50.205.1

CABLE (Cont'd)**TESTING (Cont'd)****K Carrier Operation—Poling Pairs**.....G72.223**Loading Units**G72.228**Locating Underground Pipes and Cables**

High Frequency MethodG50.276.1

Low Frequency MethodG50.275.1

Section Replacement (See CABLE, SPLICING)**Talking Circuits**

Cableman's Talking SetG50.211.4

Establishing—General RulesG50.211.1

43A Modified Test SetG50.211.2

76-Type Test SetG50.211.3

88A Test SetG50.212.4

Test Sets—Description and Maintenance (See TOOLS)**45A Test Set—Use**G72.261**UNDERGROUND****Bonding, Temporary**G50.610.1
and G55.110.5**Creepage Prevention**G55.152.1**Duct Splices, Tagging**G55.110.5**Ducts**

Rodding and CleaningG55.106.1

Sealing

Calking MaterialsG55.150.9

GeneralG55.150.1

Plugs

Rubber, SolidG55.150.3

Rubber, SplitG55.150.5

WoodenG55.150.7

Selection, MeasuringG55.105.1

Feeding and PullingG55.110.3**Manhole Covers, Removing and Replacing**G10.220.1**Manholes**

Gasoline, FluidG10.217.1

CABLE (Cont'd)**UNDERGROUND (Cont'd)****Placing**

Central Offices	G55.140
Precautions	G55.090.1
Pulling Line Attachments	G55.110.2
Subsidiary Ducts	G55.130.1
Tying Ends in Manholes	G55.110.5

Precautions	G10.205.3
--------------------------	-----------

Removal	G55.505
	and Add.

Sealing Ends	G55.110.4
---------------------------	-----------

Setting Up Reel and Apparatus	G55.110.1
--	-----------

CASES, SPLICE (See SPLICE CASES)**CENTRAL OFFICE TERMINATIONS (See CABLE, TERMINATIONS and TERMINALS)****CENTRAL OFFICE VAULTS****Construction**

Unistrut Erection	G55.145.2
Unistrut Material List	G55.145.1

CLAMPS AND STRAPS	G50.105.1
--------------------------------	-----------

CLEARANCES

Aerial Plant, General	G10.301
------------------------------------	---------

Attachments	G10.390.1
--------------------------	-----------

Cable

Heavy Loading Area	G10.303.3
Light Loading Area	G10.303.5
Medium Loading Area	G10.303.4

CLEARANCES (Cont'd)**Drop Wire**

Heavy Loading Area	G10.303.3
Light Loading Area	G10.303.5
Medium Loading Area	G10.303.4

General	G10.303.1
----------------------	-----------

Guys

Heavy Loading Area	G10.303.3
Light Loading Area	G10.303.5
Medium Loading Area	G10.303.4

Joint Use

General	G10.304.1
Illustrations	G10.304.5
Separation—Span and Pole	
Heavy Loading Area	G10.304.2
Light Loading Area	G10.304.4
Medium Loading Area	G10.304.3

Joint Use and Aerial Plant	G10.302
---	---------

Line Wires

Heavy Loading Area	G10.303.3
Light Loading Area	G10.303.5
Medium Loading Area	G10.303.4

Measuring Devices—Use

Height Finder—B	G10.710.3
Clearance Rod—B	G10.710.1
Range Finder	G10.710.2

Poles and Stubs	G10.303.2
------------------------------	-----------

CONCRETE AND MORTAR (See CONDUIT)**CONDUIT****Concrete and Mortar**

Admixtures	G45.130.1
Aggregates	G45.120.1
Cement	G45.110.1
Construction During Low Temperatures	G45.170.1
Design and Control	G45.140.1
Inspection	
Concrete	G45.310.1
Concrete, Reinforced	G45.320.1
Mixing and Placing	G45.150.1
Mortar	G45.160.1

C**CONDUIT (Cont'd)****Concrete and Mortar (Cont'd)**

Ready Mixed	G45.145.1
Reinforced Concrete Details	G45.155.1
Tests	G45.210.1
Waterproofing	G45.180.1

Formations, Standard	G40.070.1
-----------------------------------	------------------

Main

Joints	G41.130
Laying	
B Cement	G41.128.1
B Fibre	G41.126.1
Clay	G41.120
Pine	G41.122
Steel Pipe	G41.124
Reinforcing	G41.150
Repair and Rearrangement	G41.410.1
Special Construction	G41.140
Trench Work	G41.110

Manholes

Brick	G43.130.1
Concrete Forms	
Assembly Diagrams	G43.120.3
Erection	G43.120.5
General	G43.120.1
Removal and Care	G43.120.7
Concrete Walls	G43.124.1
Equipping	G43.140.1
Excavating	G43.118.1
Extension Rings	G43.142.1
Floors	G43.122.1
General	G43.110.1
Identification	G43.160.1
Repairing	G43.410.1
Roofs	G43.126.1

Materials

Delivery and Storage	G40.053.1
Tables	G40.055.1

CONDUIT (Cont'd)

Precautions	G40.090.1
Repair of Broken Clay Ends	G40.057.1
Sealing Ducts (See CABLE, UNDERGROUND)	
Service Connections	
General	G44.110
Placing and Terminating Ducts	G44.130
Placing Boxes	G44.140
Runs, Locating	G44.120
Subsidiary	
Fittings	G42.120.1
Laying	G42.110.1
Repair	G42.410
Terminating	G42.130.1
Types and Uses	G40.060.1

CONSTRUCTION EQUIPMENT**Blowers, Manhole**

Electric, Portable	G96.110.1
Engine Driven, U. S. Motors	G96.120.1
Hose	G96.130.1

Compressors, Air

Chicago Pneumatic	G97.015.3
Davey	G97.015.2
Tools	G97.015.1

Derrick, Gas Cylinder	G92.370.1
------------------------------------	-----------

Derricks, Pole

Earth Boring Machine Type	G92.350.1
FHP-35	
FHP-40	G92.345.1
Frame, PM	G92.360.1
General	G92.300.1
HP-40	
HP-45	G92.335.1
LTF	G92.340.1
Middle Type	G92.320.1
T Type	G92.330.1

Drive, Winch, Hydraulic, Auxiliary	G92.400.2←
---	------------

C

CONSTRUCTION EQUIPMENT (Cont'd)

Earth Boring Machine

B Hydraulic Digger	G94.400.1
HC	G94.100.1
HD	G94.200.1
PE Digger	G94.300.1

Engines, Gasoline, 4-Cycle	G96.010.1
---	-----------

Generator

Electric, Gasoline Engine, Portable	G96.310.1
---	-----------

Guard, Sheave B	G92.100.1
------------------------------	-----------

Heaters, Mopeco Ventilating, Description and Use	G96.140.1
---	-----------

Jack, Pole, 15-Ton	G97.315.1
---------------------------------	-----------

Ladder H-21

Telephone Set, Intercommunication, 6067-A	G97.375.2
--	-----------

Parts, Repair, Ordering	G97.515.1
--------------------------------------	-----------

Pins, Connecting, SL	G97.521.1
-----------------------------------	-----------

Plow, WC and WC24	G95.320.1
--------------------------------	-----------

Puller, Cable, Underground, D	G97.530.1
--	-----------

Pump

Manhole, Gorman-Rupp	G96.510.1
----------------------------	-----------

Reel, Power

CR Collapsible	G97.577.1
----------------------	-----------

RS	G97.580.1
----------	-----------

Rodder, Duct

Flexible Sewer Rod	G97.586.1
--------------------------	-----------

Slings, Cable Reel	G97.616.1
---------------------------------	-----------

Slings, Rope, Wire	G97.617.1
---------------------------------	-----------

Trailers

Brake, Cable Reel, B	G93.225.1
----------------------------	-----------

Brake, Cable Reel, R	G93.220.1
----------------------------	-----------

Cable Reel	G93.200.1
------------------	-----------

E Cable Lasher—Installation	G93.250.1
-----------------------------------	-----------

Guide, Cable, TF	G93.230.1
------------------------	-----------

Hooks, Towing	G93.010.1
---------------------	-----------

Pole Dolly	G93.120.1
------------------	-----------

Pole—Equipment	G93.100.2
----------------------	-----------

Pole—General	G93.100.1
--------------------	-----------

Pole—Loading and Binding	G93.100.3
--------------------------------	-----------

WSC	G93.210.1
-----------	-----------

C

CONSTRUCTION EQUIPMENT (Cont'd)

Trucks

Cask, Water, Insulated	G91.800.1
Chocks, Wheel	G91.850.1
Controls, Cab, Brake Electric	G91.210.1
Controls, Cab, Identification, Operation.....	G91.300.1

Winches—Power

Double Drum	G92.420.1
Earth Boring Machine	G92.430.1
General	G92.400.1
Power Take-Offs	G92.400.1
Single Drum	G92.410.1

D

DISTRIBUTING FRAME CROSS-CONNECTIONS. G71.199

DROP AND BLOCK WIRE (See WIRE)

DYNAMITE

Bore Holes—Locating and Drilling	G10.320.3
Charging—Testing—Firing	G10.320.4
Tools and Materials	G10.320.1
Training Employee	G10.320.2

E

ELECTROLYSIS**Drainage Wire Construction**

General	G63.120.1
Pole Attachments	G63.120.2
Protective Equipment Installation	G63.120.5
Special Construction	G63.120.7
Splicing	G63.120.4
Stringing Wire	G63.120.3
Underground	G63.120.6

Placing

KS-8274 Switch	G50.195.1
KS-14385 Switch	G63.131.1

E**ELECTROLYSIS (Cont'd)****Testing**

Buried Cable	
Routine	G63.262.1
Test Points	G63.261.1
General	G63.201.1
Instruments and Apparatus	G63.205.1
KS-8274 Switch	G50.295.1
KS-14385 Switch	G63.231.1
KS-14416 Test Set	G63.206.2
New Installations	G63.210.1
Tables and Formulas	G63.206.1
Underground	
Measurements and Inspections	G63.252.1
Preparation	G63.251.1

F**FIRST AID**

Instructions, General	G10.207.1
Rescue from Live Wire on Ground	G10.211
Rescue from Manhole	G10.209
Rescue from Pole	G10.210
Skin Irritation from Creosote	G10.208

G

GOGGLESG10.206.1

GROUNDING AND BONDING, CABLE SHEATH..G10.345.1

GROUNDING

General	G53.135
Ground Clamps—Use	G53.150
Ground Strips—General	G53.140
Ground Strips, 5A and 6A	G53.141.1
House and Block Cable—Ground Wire, Running..	G53.145
Portable Electric Tools	G10.205.4

GUYING (See POLE LINES, GUYS)

I

INSULATING JOINTS (See CABLE, SPLICING)

L

LOADING COILS AND CASES**Aerial**

Inspection, Handling, Locating	G59.110.1
Supporting	G59.110.2

Apparatus Cases	G59.010.6
------------------------------	-----------

Cast Iron Cases	G59.010.4
------------------------------	-----------

Cast Iron Cases—Repair	G59.411.1
-------------------------------------	-----------

General	G59.010.1
----------------------	-----------

Lead Sleeve Cases	G59.010.5
--------------------------------	-----------

Placing Underground	G59.120.1
----------------------------------	-----------

Resistance of Coils	G59.020.1
----------------------------------	-----------

Removal, Underground	G59.510.1
-----------------------------------	-----------

Splice Loading Cases

Exchange	G59.015.7
Toll	G59.010.7

Splicing (See CABLE, SPLICING)**Stub Cables—Arrangement and Color Code****Aerial**

Lead Sleeve	G59.625.1
Welded Steel	G59.626.1
Carrier Cases	G59.605.3
Exchange Cases	G59.606.1

Underground

Lead Sleeve	G59.635.1
Welded Steel	G59.636.1
Voice-Frequency Toll Cases	G59.605.1
Voice-Frequency Toll Cases—Superseded	G59.605.2

Welded Steel Cases

Aerial	G59.010.2
Underground and Buried	G59.010.3

137A Case	G59.011.1
------------------------	-----------

POLE LINES (Cont'd)**BRACKETS** (Cont'd)**Straight Section of Line** G22.125.2**Tandem Transposition**

Corners G22.122.3

General G22.122.1

Straight Section of Line G22.122.2

Transpositions G22.125.5**Types** G22.115**CLEARANCES—SEPARATIONS** (See **CLEARANCES**)**CROSSARMS****Description**

Carrier Types

BDE G22.106.5

General G22.106.1

S and W G22.106.2

S6 and W6 G22.106.3

S8 and W8 G22.106.4

Exchange Types

DE G22.105.8

General G22.105.1

Guard Arm G22.105.9

2A G22.105.2

4A G22.105.3

6A and 6B G22.105.4

10A and 10B G22.105.5

10N G22.105.6

16A and 16B G22.105.7

Equipping

General G22.120.1

Wires Not Point Transposed G22.120.2

Wires Point Transposed G22.120.3

Wires R-Transposed G22.120.4

Placing

Corners G22.110.4

Dead Ends G22.110.3

Extension Fixtures G22.110.5

General G22.110.1

Grade Construction G22.110.7

Guys G22.110.8

H Fixture G22.110.6

Short Spacing G22.110.2

Removing

Extension Fixtures G22.112.1

P

POLE LINES (Cont'd)

GUYS

Aerial Cable LinesG23.115

Anchors

Guy Rods, ExtendingG23.136.1

Non-PatentG23.130

PatentG23.125

RockG23.135

SidewalkG23.155.1

DefinitionsG23.105.1

Grounding or Insulating

GeneralG23.140.1

Methods of GroundingG23.140.2

Methods of InsulatingG23.140.3

Guy GripsG23.146.1

Installing

Eye Bolt MethodG23.150

and Add.

Wrap MethodG23.145

and Add.

Insulated WiresG23.120.2

Open Wire LinesG23.120

and Add.

Removal

Anchors and Guy RodsG23.510.2

GuysG23.510.1

SizesG23.110

Sleeves—Strand ServingG23.151.1

StrandwiseG23.144.1

INSULATOR PINS

TypesG22.115

MATERIAL

Ordering and DeliveryG21.055

POLE LINES (Cont'd)**POLES**

Braces	G21.150
Dimensions—Poles, Stubs and Anchor Logs	G21.075.1
Erecting Poles and Stubs	
General	G21.140.1
Gin Pole Method	G21.140.3
Pike Pole Method	G21.140.4
Use of the Pole Derrick	G21.140.2
Water Jet Method	G21.140.5
Facing	G21.135.1
Framing Poles and Stubs	G21.125.1
Grading	G21.120.1
"H" Fixtures	G21.151.1
Inspection	
Chestnut Poles	G21.316
Creosoted Pine	G21.317
Forms and Records	G21.320
General	G21.315
Inspection Rule and Tables—Use	G21.310
Types 36-H to 74-LJ	G21.331
	to G21.386
Lightning Protection	G21.161
Locating Poles and Stubs	G21.115.1←
Marking	
Pole Tag Insignia	G21.160.1←
Reflector Buttons	G21.156.1←
Markings—Poles, Stubs and Anchor Logs	G21.070.1
Moving Frame	
General	G21.416.1
Trucks with Middle Type Derricks	G21.416.3
Trucks with T-Type Derricks	G21.416.2
Pin Socket Poles	G21.170.1
Placing—Pole Holes	G21.130.1

P

POLE LINES (Cont'd)

POLES (Cont'd)

Placing—Removing Near Power WiresG21.141.1

Precautions (See SAFETY)

Preservative TreatmentG21.425.1

Removal

Cutting and Felling Method,
Pulling Over MethodG21.505.4

GeneralG21.505.1

Gin Pole MethodG21.505.3

Pole Derrick MethodG21.505.2

Replacement at Aerial Loading FixturesG21.440

Replacing—Original LocationG21.435.1

Soft SoilG21.145.1

Stepping

Cross-Connecting TerminalsG22.130.3

Distributing TerminalsG22.130.2

GeneralG22.130.1

MiscellaneousG22.130.4

Stub ReinforcementG21.430

Unloading

Moving TrainsG21.010

SidingsG21.105

and Add.

Weights—Poles, Stubs and Anchor LogsG21.071.1

PRECAUTIONS (See SAFETY)

PROTECTION

1530 Type Inductors

DescriptionG38.119.1

PlacingG38.119.2

WiringG38.119.3

P

PROTECTION (Cont'd)

Protectors

83A	
General	G38.110.1
Placing	G38.110.2
87A	G38.115.1
99A—High Voltage Joint Use	G32.132.1
	and G31.180.1
104A	G38.125.1
107 Type	G38.010.2←
108 Type	G38.130.1
116 Type	
General	G38.110.3←
Placing	G38.110.4←
118A—Open Wire, Higher Voltage Joint Use...	G38.112.1
118B—For Higher Voltage Joint Use	G38.112.2←
119A	G38.111.1
Maintenance of Short-Circuiting Relay.....	G38.240.1
Protector Blocks	G38.010.1

Wire

Distribution, Rural, B	G38.120.1
------------------------	-----------

PUBLIC RELATIONSG10.230

S

SAFETY

Body Belts—Climbers—Straps (See TOOLS)

Eye Protection	G10.206.1
----------------	-----------

Gloves, Rubber—Use	Tool Inst. No. 3
--------------------	------------------

Grounding, Portable Electric Tools	G10.205.4
------------------------------------	-----------

Precautions

Aerial	G10.205.2
Block and House Cable	G53.090.1
Buried Cable	G56.090
Buried Wire	G10.205.3
	and G36.090
Coaxial Testing	G50.244.3
Conduit Construction	G40.090.1

S

SAFETY (Cont'd)

Precautions (Cont'd)

General	G10.205.1
Open Wire	
Flip-Ups—Low Poles, Joint Use and Power Crossings	G31.109.1
General	G31.090.1
Joint Use Lines	G31.090.3
Power Crossings	G31.090.2
Poles, Joint Use—Observations and Tests to be Made Before Climbing	G10.306.1
Poles—Safeguards before Climbing	
General	G10.305.1
Temporary Supports	G10.305.3
Testing	G10.305.2
Pressure Testing	G73.090.1
Submarine Cable	G57.090
Underground	G10.205.3

Work Areas—Guarding

Aerial Plant	G10.224.5
Buried Plant	G10.224.4
General	G10.224.1
Job Presurvey	G10.224.3
Underground Plant	G10.224.4
Warning Devices, Description and Use	G10.224.2

SEPARATIONS (See CLEARANCES)

SIGNALS—OUTSIDE PLANT FORCE USE G10.370

SLEEVES, LEAD (See CABLE SPLICING)

SPLICE CASES and T TYPE TERMINALS

Description

General	G50.710.1	
		and Add.
1A, TA and TB (Superseded)	G50.704.1	
1B, 2A, TC, TD, TE and TF	G50.704.2	
3, 4, 7 and 8 Types	G50.711.1	
5 and 6 Type	G50.707.1	
9A, 10A, 11A and 12A	G50.712.1	
13A and 14A	G50.720.1	←
20 and 21 Types	G50.700.3	←

SPLICE CASES and T TYPE TERMINALS (Cont'd)

Enamel Coated	G50.704.5
General	
20 and 21 Types	G50.700.1←
Installation	
B Plastic Splice Closure	G50.714.2←
1A, TA and TB (Superseded)	G50.705.5
1B, 2A, TC, TD, TE and TF	G50.705.6
3, 4, 7 and 8 Types	G50.711.3
5 and 6 Type	G50.707.8
9A, 10A, 11A and 12A	G50.712.3
13A and 14A	G50.720.5←
20 and 21 Types	G50.700.8←
Insulating Joints	
13A and 14A	G50.720.6←
Isolation of Aluminum Shield	
Buried 9A, 10A, 11A, and 12A	G50.725.1←
Buried 20 and 21 Types—Alpeth Sheath	G50.725.2←
Location—Aerial	G50.705.1
5 and 6 Type	G50.707.5
Materials	
20 and 21 Types	G50.700.5←
Opening and Reassembling	
20 and 21 Types	G50.701.1←
Reference Tables	
20 and 21 Types	G50.700.2←
Removing and Replacing—Large Cases	G50.710.3
Sealing Washers	
B and D—Polyethylene	G50.702.5
C and E—Lead	G50.710.2
20 and 21 Types	G50.700.4←
Sheath Preparation	
1 and 2 Types and T Terminals	G50.705.3
3, 4, 7 and 8 Types	G50.711.2
9A, 10A, 11A and 12A	G50.712.2
20 and 21 Types (Lead, Alpeth, and Stalpeth Cables)	G50.700.7←
Splice Case Protection	
20 and 21 Types	G50.701.2←
Splicing—T Type Terminals	G50.705.8
50A Hanger—Aerial Use	G50.715.1

SYMBOLS, OUTSIDE PLANT

T

TERMINALS

BD Type—Placing Balcony and Pole Seat.....	G61.115.3
BD Type—Wiring	G61.115.4

BURIED

Description	
KS-16551	G56.650.1←
Placing	
KS-16551	G56.650.2←
Sheath Preparation	
KS-16551	G56.650.3←
Buried Wire	G61.142.1
Carrier Cabinets	
Refinishing	G61.435.1
Snow Shields—Installation	G61.420.1
Coaxial	
Modification of 30, 31, and 35 Types	G61.153.1
Corrosion Resistant	G61.104.6
Description	
B and BB	G61.613.1
BD Terminals	G61.115.1
BE Terminals	G61.116.1
Inside Cross-Connecting	G61.125
Inside Distributing	G61.121
Inside Protected	G61.129
Inside Protected—Fuseless	G61.132.1←
N Type	G61.104.1
N1 Carrier	G61.614.1
Tie Rods—H—L Terminal Sections	G61.131.1
T Type Terminals	G50.706.1
41-A and 42-A, Coaxial	G61.153.1
49A	G61.025.1
49A1 and 49B1 Terminals	G61.025.2←
53A	G61.133.1←
101A and 101B	G61.010.1
Identification—Multiple Installations	G50.706.4
Installation	
BB on Poles	G61.114.1
BD on Poles and Walls	G61.115.2
BE Terminals	G61.116.2
EA on Poles	G61.114.2

T

BURIED (Cont'd)**Installation (Cont'd)**

Inside Cross-Connecting	G61.126
Inside Cross-Connecting—Unprotected— PIC Cables	G61.124.1←
Inside Distributing	G61.122
Inside Distribution—PIC Cable	G61.124.2←
Inside Protected	G61.130
Inside Protected—Fuseless	G61.132.1←
N Type on Poles	G61.104.4
N Type on Strand	G61.104.3
N Type on Strand—Locating	G61.104.2
N Type on Walls	G61.104.5
N1 Carrier	G61.614.1
N1 Carrier Cabinets, Outdoor	G61.119.1
Outside Distributing on Poles	G61.102
Outside Distributing on Walls	G61.110
Pedestal Type	G61.145.1
Tie Rods—H—L Terminal Sections	G61.131.1
T Type Terminals (See SPLICE CASES)	
UG16	G61.140
Video	G61.150.1
45A Video	G61.150.2
49A	G61.622.1
49 Type Terminals	G61.622.3←
53A	G61.133.1←
P16E156 Tie Rod Kit	G61.622.2

Location

49A	G61.620.1
-----------	-----------

Maintenance

Broken Binding Post, Repair	G61.408.1
C Type—Correcting Face-Plate Leakage	G61.418.1
No. 14 and F Types	G61.406.1
No. 14 Type—Slip Covers	G61.407.1
N Type—Snap-on Covers	G61.409.1
N1 Carrier Cabinets—Moisture Seal	G61.419.1
Replacement Parts	G61.405.1

T

BURIED (Cont'd)

Marking

BD and BE Type	G61.163.1 and Add.←
Binding Post Method	
Inside	G61.127.1←
Outside	G61.163.3←
F Type	G61.166
General	G61.165 and Add.
Main Frames (See CABLE, TERMINATING)	
Materials, Terms, Abbreviations	G61.160
N1 Carrier Terminals	G61.174.1
Sheath Mounted	G61.167.1
T Type	G50.706.3

Placing Caps and Insulators on Binding Posts.... G32.120.1

Sheath Preparation

49A	G61.621.1
-----------	-----------

Splicing (See **CABLE, SPLICING**)

Video

Flexible Shielded Pairs, Connecting	G61.640.1
Installation	G61.150.1

Wiring (See **WIRE, DROP AND BLOCK**)

TOOLS (See Also **CONSTRUCTION EQUIPMENT**)

Adapter, Cord, B	G80.030.1
Axe, 4 lb.	G80.280
Batteries, KS-type Dry	G80.290.1
Belt, Body	
Care and Maintenance	G80.410.3
General	G80.410.1
Inspecting	G80.410.2
Precautions	G80.410.4

TOOLS (Cont'd)

Belt, Body, C	
General	G80.411.1
Inspection and Maintenance	G80.411.2
Belt, Tower Body and Safety Strap	G80.412.1
Bender, Cable, C	G80.420.1
Bits, Auger, Power	G80.441.1
Bits, Wood	G80.440
Blankets, Lineman's	G80.445.1
Blocks, Rope	G85.800
Car, Cable	
Maintenance	G80.640.1
Climbers—Straps, Pads	G80.802
Climbers, A	
Description	G80.801.1
Inspection	G80.801.3
Precautions	G80.801.2
Sharpening Gaffs	G80.801.4
Crimper, Clip, B	G80.830.1
Cutter, Binding Post, B	G80.832.1
Cutter, Wire and Cable	G80.835.1
Drills, Cable, B and C	G85.140.3
Drills, Masonry	G81.190.1
Drills, Wood	G80.440
Driver, Stud and Holder, Drill, Masonry	G86.265.1←
Dynamometer, Strand	G81.270.1
Extractor, Sleeve, B	G81.610.1
Finder Range	G81.671.1
Flasher, Warning	G81.730.1
Furnace	
Kerosene, AR	G81.830.1
Kerosene, B	G81.830.1
Kerosene, C	G81.831.1
Kerosene, HV	G81.831.1
Propane, B	G81.835.1
Gloves, Rubber—Use	G81.840.1
Guides, Cable, Aerial	G82.240.1

T

TOOLS (Cont'd)

Hammers and Hatchets	G82.320.1
Handline, Splicers	G82.380.1
Heater, Tent, Aerial	G82.430.1
Heater	
Propane Tent	G82.431.1
Hoist, Chain	G82.440
Hoists, CM Chain	G82.441.1
Hoists, Coffing (Model SPA-30 W) 1-1/2 Ton	G82.441.2←
Holder, Drill, Masonry	G82.450.1
Holder, Tool, B	G82.451.1
Holder, Torch, Acetylene, B	G82.452.1
Hose, Line	G82.460.1
Indicator, Gas	
Explosimeter	G82.649.1
Suction	G82.650.1
Vapotester	G82.649.2
Injector, Desiccant, B	G82.651.1
Ladders	
Extension	
Description	G83.620.1
Foot, Ladder, B	G83.620.8
Hooks, B	G83.620.7
Inspection, Maintenance	G83.620.6
Length, Footing, Upper Supports	G83.620.2
Precautions	G83.620.5
Raising, Lowering	G83.620.3
Transporting	G83.620.4
Lamp, Head	G83.809.1
Lamp, Splicer's B	G83.811.1
Lamp, Splicer's C	G83.810.1
Lasher, Cable	
B	G83.825.1
C	G83.825.3
D	G83.825.4
E	G83.825.5
Spinner, Neale, D	G83.825.2

T

TOOLS (Cont'd)

Lifter, Cable	G83.827.1
Line, Measuring, Clearance	G83.905
Link, Connecting	G83.910.1
Painting	G88.005
Pick, Needle Point Test	G85.020.1←
Platform, Pole, B	G85.047.1
Platforms, Splicing	
Aerial, B	G85.045.2
Aerial, C	G85.045.3
General	G85.045.1
Ladder	G85.045.4
Plugs, Drift	G85.070.1
Plug, 387B	G85.071.1←
Point, B Test	G85.080.1←
Pots, Solder, Electric	G85.115.1
Power Tools, Blowers, Generators, Etc.	
(See CONSTRUCTION EQUIPMENT)	
Presser, Pneumatic, B	G85.126.2
Presser, Pneumatic, C	G85.126.3
Presser, Pneumatic, B900149	G85.126.1
Presser, Sleeve	
B	G85.125.5
Nicopress	G85.125.1
Nicopress No. 17-2	G85.125.7
Pressure Testing	
Chuck, B	G85.140.5
Cylinder Charging Apparatus	G85.143.1
Drill, Cable, B	G85.140.3
Flow Indicator, B	G82.640.1
Gauges	G85.142.1
Gauge, Pressure, C	G85.142.4←
Gun for Hot Asphalt	G85.144.1
Guns, Pressure, B and C	G85.144.2
Leak Locator, B	
Collector	G85.145.2
Control Unit	G85.145.4

T**TOOLS (Cont'd)****Pressure Testing (Cont'd)****Leak, Locator, B (Cont'd)**

Description	G85.145.1
Detector	G85.145.3
Power Unit	G85.145.5
Test Leak	G85.145.6

Manometers

Mercury Type	G84.125.1
W & T 176021	G85.142.3

Miscellaneous G85.140.1**Regulators**

B Gas	G85.142.2
General	G85.141.1
Shackle, Regulator, Pressure, B	G85.141.1
Wrenches	G85.149.1

Pullers

Slack	G85.208.1
Strand	G85.210.1

Reel Line

Wire, B	G85.650.1
---------------	-----------

Reflector, Lamp, Heat G85.701.1**Regulator Gas, C** G85.705.1**Ring, Support, B** G85.715.1**Rod, Clearance, B** G85.730.1**Rope, Manila**

Blocks	G85.800.5
Knots, Bends and Hitches	G85.800.3
Lashings	G85.800.4
Rope, General	G85.800.1
Serving and Splicing	G85.800.2

Scale, Pole G86.030**Screwdrivers** G86.050**Set, Test**

BO-240457	G86.060.1
D-98961 (SCR)	G86.056.1
F-50651	G86.060.8

T

T

TOOLS (Cont'd)

Set, Test (Cont'd)

KS-14103	G86.060.2
KS-14959 (Portable Wheatstone Bridge)	G86.064.1
Line Locators, Wilkinson	G86.075.1
Lineman's 85A, 86A, 87A and 87B	G86.055.1
Locator, Fisher Pipe	G86.075.2
Megger	
628DS and 648	G86.076.2
7679S	G86.076.1
9679S and 744 Rectifier	G86.076.1
Telephone Sets	G86.054.1
13-A and 13-B Power Units	G86.062.2
20C	G86.061.6
27A Oscillator	G86.061.4
71-Type	G86.060.7
72-Type	G86.060.7
76-Type	G86.060.9
78A	G86.061.3
84A	G86.060.5
88A	G86.063.1
90A	G86.062.1
91A	G86.061.1
93A	G86.066.1←
95A	G86.061.3
95B	G86.061.5
96A	G86.064.3
99A	G86.061.5
99B	G86.061.5
101 and 105-type	G86.061.8
104A	G86.060.8
106A, 107A and 107B	G86.057.1
107A Amplifier	G86.060.3
108A	G86.065.1
108A Amplifier	G86.060.3
109A	G86.065.1
Shackle, Lifting, B	G86.095.1←
Shields, Manhole	G86.100.1
Shifters, Strand	G86.105.1
Sleeve Rolling	G86.520.1
Sling, Cylinder, Gas, B	G86.122.1

T

TOOLS (Cont'd)

Slitter, Sheath, C	G86.143.1
Slitter, Sleeve, Lead, B	G86.145.1
Snap, Tool	G86.123.1
Soldering Copper, KS-14582 List 1	
KS-14768 Heat Units	G80.815.1
Sprayer, Insecticide, B	G86.190.1
Steps, Pole, B	G86.195.1
Strap, Safety	
Fabric	G86.240.3
Leather	G86.240.2
Strippers, Braid	G86.250.1
Support, Ladder, B	G86.261.1
Support, Platform, Manhole	G86.260.1
Tapes, Measuring, Woven	G86.510.1
Tents,	
Aerial, B and C	G86.345.1
Cabinet, Carrier	G86.347.1
Ladder, C	G86.346.1
Test Point, Splicers, B	G85.090.1
Torch, Acetylene	G86.540.1
Voltmeter, KS-14725	G87.130.1
Winch, Electric, Powercrat Cable Puller	G92.450.1
Wrapper, Cable, B	G87.400.1

TREE PRUNING

Methods	G10.327
Public Relations	G10.326
Tools and Materials	G10.325

U

UNDERGROUND PIPES AND CABLES, LOCATING

High Frequency Method	G50.276.1
Low Frequency Method	G50.275.1

WIRE

BURIED

General	G36.005.1
Placing	G36.120
Plow Operations	G36.110
Precautions	G36.090
Shield, Wire, Installing	G36.150.1
Splicing	
B Service Wire	G36.141.1
One-Pair B Underground Wire	G36.140.1
One-Pair C Underground Wire	G36.140.3
Terminals	G61.142.1
Terminating	G36.130.1
Testing	G36.200

DROP AND BLOCK

Attachments

Buildings	
Installing	G32.114.2
Methods	G32.114.1
Clamp, Drop, Wire, E	G32.113.1←
Clearance	G32.126
Low Buildings	G32.156.1
Pole and Guard Arm	G32.116
Removal and Disposal	G32.505
Strand	G32.117.1
Trees	G32.140
Wall	
Heavy Loading Areas	G32.148.1
Medium and Light Loading Areas	G32.147.1

Building Wire Runs

Methods	G32.150.1
Planning	G32.149.1
Typical	G32.155

Clamps, Drop Wire, Installing**Clearances—Separations (See CLEARANCES)****Connectors, Bridging**

G32.135

W

WIRE (Cont'd)

DROP AND BLOCK (Cont'd)

Description

Insulated Wire	G32.101.1
Multiple Drop Wire	G32.138.1

Disposition on Discontinuance of Service

Pole End	G32.175.2
Subscriber End	G32.175.1

Drops from Open Wire	G32.129.1
-----------------------------------	-----------

Lowering

Replacing Drop Wire, Joint Use— Less Than 300 Volts	G32.415.1
Replacing Drop Wire, Joint Use— 300 Volts or More	G32.415.2

Maintenance

Preventive	G32.305
------------------	---------

Placing

Drop Wire, Joint Use—Less Than 300 Volts.....	G32.137.1
Drop Wire, Joint Use—300 Volts or More.....	G32.137.2
Multiple Drop Wire	G32.138.2

Pole to Pole and Pole to Building Runs	G32.125.1
---	-----------

Protecting Unexposed Cable at Exposed Wire

Connections	G32.180 and Add.
-------------------	---------------------

Protection, Mechanical	G32.162.1
-------------------------------------	-----------

Protectors (See PROTECTION)

Repairing	G32.405
------------------------	---------

Rings and Screw Eyes on Buildings, Installing ...	G32.114.3
--	-----------

Rule, Drop Wire, B—Use	G32.144.1
-------------------------------------	-----------

Sags, Stringing

Drop Wire	G32.143.1
Multiple Drop Wire	G32.138.3

Separations	G10.295.1
--------------------------	-----------

W

WIRE (Cont'd)

DROP AND BLOCK (Cont'd)

Service Cables	G32.170
Service Connections Auto-Trailers	G32.157.1
Splices	
Pressed Sleeves	G32.102.1
Twisted Sleeves	G32.101.2
Tags, Pair, B	G32.112.1←
Testing and Fault Locating	
General	G32.205
KS-8455 Test Set	G10.400
Trees	
Interference	G32.160
Tying	G32.110
Wire Guards	G32.161.1
Wire Runs, Block	G32.165 and Add.
Wiring	
Cable Terminals	G32.120
N Type Terminals	
Pole Mounted	G32.122.2
Sheath Mounted	G32.122.1
Wall Mounted	G32.122.3
T Type Terminals	G32.124.1
Wire Terminals 101B	G32.130.1
49A Terminal	G32.127.1

LINE, MULTIPLE

Description	G34.101.1←
Fault Locating in B Rural and B Urban Wire	G31.220.1
Guard, Wire, B	G34.020.1
Rural, B	
Loading	G34.101.5
Placing	G34.101.2
Splicing and Terminating	G34.101.3

W

WIRE (Cont'd)

LINE, MULTIPLE (Cont'd)

Rural, C

Placing	G34.120.2
Splicing and Terminating	G34.120.3
	and Add.
Stringing Sags	G34.120.4

Sags, Stringing

Rural, B	G34.101.4
Urban, B	G34.110.4

Urban, B

Placing	G34.110.2
Splicing and Terminating	G34.110.3

OPEN

Bridling Runs	G31.135.1
Bridling to Line Wire	G31.135.2
Carrier Apparatus on Terminal Poles	G31.155
	and Add.

Carrier O

Filters, 538-Type	G33.123.1
-------------------------	-----------

Carrier Systems

M1-M1A-M1B

Coupling Stations to Power Line	G33.104.2
Coupling Units—Power Lines	G33.104.1
Coupling Units—Telephone Lines	G33.105.1
Description	G33.101.1

O Carrier

Repeater Cabinets—Installation	G33.120.1
Repeater Cabinets—Wiring	G33.120.2

Pole Mounted Cabinet

Heater and Blower Units	G33.102.3
Installation	G33.102.1
Telephone and Power Wiring	G33.102.2
Terminals	G33.103.1

P1

Installation and Wiring of Networks	G33.107.3
---	-----------

WIRE (Cont'd)**OPEN (Cont'd)****P1 (Cont'd)****Pole Mounted Apparatus Cases and
Battery Cabinets**

Installation	G33.107.1
Telephone and Power Wiring	G33.107.2
Testing and Maintenance, Coupling Units.....	G33.201.1

Connectors, BridgingG32.135

Crossarm Pin NumberingG31.010.1

Damper, Vibration, BG31.080.1

Dead-EndingG31.130.1
and Add.

Directional Fault Locating

106A Test SetG31.210.4

GeneralG31.005.1

Grounding Non-Working LinesG31.410.1

Guard, Wire, LG31.166.1

InspectingG31.305

Insulators

GlassG31.105.1←

Shock ResistantG31.106.1

Long Span Construction

CatenaryG31.175

Non-CatenaryG31.170

Precautions

Flip-Ups—Low Poles, Joint Use and Power

CrossingsG31.109.1

GeneralG31.090.1

Joint Use LinesG31.090.3

Power CrossingsG31.090.2

Protectors (See PROTECTION)

RemovalG31.505
and Add.

W

WIRE (Cont'd)

OPEN (Cont'd)

Repairing	G31.405
Restoration, Emergency	G31.425.1
Sags, Stringing	
Copper-Steel Line	G31.116.3
Copper or Steel Line	G31.116.2
General	G31.116.1
Steel Line, E	G31.116.5
Steel Line, H	G31.116.4
Side Lead Terminations	G31.160
Spacer, Wire, B	G31.085.1←
Splicing	
Sleeve Joints	
Installation of Wirelink	G31.121.4
Pressed	G31.121.3
Rolled	G31.121.2
Sleeves	
Bridging, B	G31.136.1
General	G31.121.1 and Add.
Storm Restoration—24A Autotransformer	G31.430
Stringing	G31.110 and Add.
Stringing from Moving Reels	
General	G31.114.1
Joint Use and Power Crossings	G31.114.3
Non-Joint Use	G31.114.2
Stringing Sags (See Sags)	
Suspension Type Construction	G31.113.1
Tensioning	G31.115.1
Test Sets, Lineman's	
107A and 107B Test Sets—Use	G31.210.3

WIRE (Cont'd)

W

OPEN (Cont'd)

Transpositions

Bracket, Transposition, Span, B and Bracket, Spacer—Transposition, B	G31.148.3←
General	G31.145
R Type, General	G31.141.1
R Type, Placing Wire	G31.141.7
R1-5	G31.141.2
R2-5	G31.141.3
R1-6	G31.141.4
R1C-5	G31.141.5
R1C-6	G31.141.6
Span	
Case	G31.148.2
F Tandem	G31.148.1
Working Circuits	G31.150
4-inch Point Brackets	G31.142.1

Tree Wire	G31.165
------------------------	---------

Tying

General	G31.134.1
Position of Wire on Insulator	G31.134.2
Spiral Ties	G31.134.3
Standard and Horseshoe	G31.134.4

Weights	G31.075.1
----------------------	-----------

Wire Reel Brake—Use	G31.111.1
----------------------------------	-----------

PART 2 Added