

FIRST AID

POISONS AND BITES

NOTES CONCERNING THIS ADDENDUM

This addendum supplements Section G10.207.7 to cancel the use of Vanfaire Lotion, as a preventive from, and treatment of, poison oak, ivy, and summac poisoning. It also provides instructions for the use of merthialate, in place of Iodine, for the treatment of certain wounds outlined in this section.

The following paragraphs should be marked, "See Addendum" and treated as indicated.

- Paragraph 2.01(1)(e) - Cancelled
- Paragraph 2.01(3)(c) - Supplemented
- Paragraph 2.01(3)(e) - Supplemented
- Paragraph 2.01(3)(f) - Supplemented
- Paragraph 3.01(2) - Replaced
- Paragraph 3.02(2)(b) - Supplemented

2 POISONS - EXTERNAL

2.01

(1) PREVENTION

(e) Cancel

(3) CARE

- (c) Delete words "or Vanfaire Lotion" -
- (e) Delete "and Vanfaire Lotion"
- (f) Delete words "or Vanfaire Lotion"

3. BITES

3.01 ANIMAL BITES

- (2) CARE - Wash wound to remove saliva. When dry, apply sterile compress. Consult a physician at once. If a physician is not readily available, treat bite as a puncture wound. Always have a physician treat wound as soon as possible.

3.02 SNAKE BITES

(2) CARE

- (b) LANCING AND SUCTION METHOD WITH SNAKE BITE KIT

Paragraph two, sentence one, should read:

"Sterilize a sharp knife or razor blade with match flame, merthialate or alcohol."