

BELL SYSTEM PRACTICES
Outside Plant Construction
and Maintenance

SECTION G82.452.1
Issue 1, February, 1957
AT&TCo Standard


B ACETYLENE TORCH HOLDER

Contents	Page
1. General	1
2. Precautions	2
3. Maintenance	3

1. GENERAL

1.01 This section describes the B Acetylene Torch Holder which is made to carry the Prest-O-Lite MC (10 cubic foot) tank and the E Acetylene Torch.

1.02 The torch, tank and holder, ready for storage, is shown.




B ACETYLENE TORCH HOLDER

2. PRECAUTIONS

2.01 The precautions to be observed in using and storing the MC Tank and the E Acetylene Torch are covered in Section G86.540.1.

2.02 In addition, as the flame of the torch **MUST NOT** be directed against the strand, drop wires, poles, or flammable objects, the holder **MUST** be placed over the suspension strand and cable. It **MUST NOT** be placed over a pole step, ladder rung, etc.

2.03 **Always extinguish the torch** before it is set aside in the holder, as shown below. However, the lighted soldering copper may be set aside in the holder in the same manner without extinguishing the flame.



3. MAINTENANCE

3.01 The latches on the hook and the torch holder and the joints that fasten the bail and hook assembly to the tank holder shall be lightly oiled to keep these parts moving freely.

G82.452.1