

Nortel Networks Limited
200 Athens Way
Nashville TN 37228

www.nortelnetworks.com

Nortel Networks
Electronic Data Delivery

January 2005
Subj: Meridian SL-100 SE07 (Commercial) Standard
Customer Documentation

Dear Nortel Networks Customer,

Enclosed in this collection is the customer information for the Meridian SL-100 SE07 Commercial Standard customer documentation release.

The information is presented in the Adobe portable document format (pdf).

The confidentiality of Nortel Networks' information

The information contained in this release is the property of Nortel Networks and is strictly confidential. Except as expressly authorized in writing by Nortel Networks, the holder shall keep all information contained herein confidential, shall disclose the information only to its employees with a need to know, and shall protect the information, in whole or in part, from disclosure and dissemination to third parties with the same degree of care it uses to protect its own confidential information, but with no less than reasonable care. Except as expressly authorized in writing by Nortel Networks, the holder is granted no rights to use the information contained herein.

All of the information contained in this release originated in Canada and the United States of America.

Copyright notices

Nortel, Nortel Networks, and the globemark design, the Nortel Networks corporate logo, Passport, Preside, and Succession Networks are trademarks of Nortel Networks.

Solaris 8, Sun Netra™ t 1400 Servers, Java, and all Java-based marks are trademarks or registered trademarks of Sun Microsystems Inc.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

ORO, the ORO logo, Original Reusable Objects, Component software for the Internet, and NetComponents are trademarks or registered trademarks of Original Reusable Objects, Inc. in the United States and other countries.

Netscape is a trademark of Netscape Communications Corporation.

ULTRASPARC and ULTRASCSI are trademarks of SPARC International Inc.

OSF DCE is a trademark of Open Software Foundation Inc.

Adobe® Acrobat® Reader™ are trademarks of Adobe Systems Incorporated.

No Nortel Networks liability for certain uses of its products

The information contained in this release relates to certain Nortel Networks products that have been designed by or on behalf of Nortel Networks to conform to applicable Nortel Networks and third party specifications and requirements, including, for example, NEBS compliance. In addition, such Nortel Networks products are designed to be used for its intended purpose as specified in this documentation. In the event, and to the extent, that such Nortel Networks products are used by the user for a purpose other than its intended purpose, or used with third party products that do not conform to any such applicable Nortel Networks and third party specifications and requirements, including, for example, NEBS compliance, Nortel Networks shall have no liability of any kind to the user for any problems which may arise, including, without limitation, any related failure of the Nortel Networks product to perform in accordance with its specification.

What precautionary messages mean

The types of precautionary messages used in Nortel Networks information include attention boxes and danger, warning, and caution messages.

- An attention box identifies information that is necessary for the proper performance of a procedure or task or the correct interpretation of information or data.
- A danger message identifies the possible risk of personal injury
- A warning message identifies the risk of possible equipment damage
- A caution messages identifies the risk of possible service interruption or degradation.

How commands, parameters, and responses are represented

Commands, parameters, and responses in this document conform to the following conventions.

Input prompt (>)

An input prompt (>) indicates that the information that follows is a command:

```
>BSY
```

Commands and fixed parameters

Commands and fixed parameters that are entered at an interface are shown in uppercase letters:

```
>BSY CTRL
```

Variables

The letters or numbers that the variable represents must be entered. Each variable is explained in a list that follows the command string.

Variables are shown in lowercase letters:

```
>BSY CTRL ctrl_no
```

Responses

Responses are shown in the following type style:

```
FP 3 Busy CTRL 0: Command request has been submitted.
```

```
FP 3 Busy CTRL 0: Command passed.
```

If you have any questions regarding the above, please phone your Account Representative or contact Knowledge Services at 1-877-662-5669, option 4, Option 1.