

ISSUE NOTES (CONTINUED)					ISSUE NOTES (CONTINUED)					ISSUE NOTES				
SL ITEM 2016 CHGD. SL ITEM 3135 DELETED PER OCW PT ISSUES 13.2 & 13.3. SHT C1 TBL AA CHGD. ORIG ISS: 11/17/80 CHANGE CLASS: M					FIG. 1 REAR VIEW & DET B1 REAR VIEW CHGD PER OCW PT ISS 6.1 & 7.1. ORIG ISS: 11/17/80 CHANGE CLASS: D					ORIG ISS: 11/17/80 CHANGE CLASS: DRAFT: JRP ENGR: EJH SUPV: JPH VAULT: 11/17/80 ISSUE: 1				
DRAFT: TPS ENGR: TPS SUPV: PCF CERTIFIED: 01/24/91 ISSUE: 15					DRAFT: TPS ENGR: RWR SUPV: CERTIFIED: 04/20/87 ISSUE: 8					ITEMS 1053,2002,2031,2032,2033,2048;ADDED. ITEM 1055 QTY READ '2',ITEM 1060 IDENT & CODE READ '102931458','4D';RESP. ITEMS 2020,2025;RMVD. ITEM 2030 READ '840470231','STUD' ITEM 2010 & 3000 REF TO NOTE READ '54' IN NOTE 13 & 14 REF TO TABLE 'AB',AA;ADDED RESP. FIG.1 REAR VIEW CHGD ACCORD. THIS ISS CONTAINS POINT ISS 1.1,1.2. NOTE 15 ADDED. AT&T CL: NONE ORIG ISS: 11/17/80 WECO CL: D				
LIST E ADDED. ORIG ISS: 11/17/80 NDD NBR: 1C176IH-112 CHANGE CLASS: B					SHT INDEX CORRECTED SHT B1 SHOULD HAVE READ ISS 8. ORIG ISS: 11/17/80 CHANGE CLASS: D					DRAFT: JRP ENGR: EJH SUPV: VAULT: 03/20/81 ISSUE: 2				
DRAFT: JGW ENGR: JGW SUPV: PCF CERTIFIED: 01/23/92 ISSUE: 16					DRAFT: TPS ENGR: RWR SUPV: CERTIFIED: 04/29/87 ISSUE: 9					IN ITEM 2010, 'CLEI CODE'; ITEM 2002 REF TO NOTE '13'; ADDED. ITEM 1320, NOTE 16; ADDED. THIS CHG PER LDI ISS WIA OF SD-4C065-01. THIS ISS ALSO INCLUDES POINT ISS 2.1. AT&T CL: B ORIG ISS: 11/17/80 WECO CL: B				
SL ITEM 2046 ADDED; ITEM 2040 CHGD; ITEM 1015 & 1016 DELETED; ITEM 2045 LINED OUT PER OCW PT. ISSUE 16.1. ORIG ISS: 11/17/80 CHANGE CLASS: M					IN TBL A LIST B ADDED. ORIG ISS: 11/17/80 NDD NBR: 1C188CU-44 CHANGE CLASS: M					DRAFT: JRP ENGR: EJH SUPV: VAULT: 05/29/81 ISSUE: 3				
DRAFT: TPS ENGR: TPS SUPV: PCF CERTIFIED: 04/30/92 ISSUE: 17					DRAFT: TPS ENGR: JRG SUPV: CERTIFIED: 07/22/87 ISSUE: 10					SL ITEMS 1095,2005,2015,2030,2033,3005 RMVD. ITEM 2031,FIG. 1, TBL AA CHGD; ITEMS 2016,3006 ADDED. CN5784IH CN5785IH AT&T CL: A ORIG ISS: 11/17/80 WECO CL: A				
IN GRAPHICS FIG. 1 REAR VIEW CHGD. PER OCW PT. ISSUE 17.1. ORIG ISS: 11/17/80 CHANGE CLASS: M					LIST C ADDED. SL ITEM 2002 LINED OUT. SL ITEMS 3015 & 3020 RMVD. ORIG ISS: 11/17/80 NDD NBR: 1C176CU-54 CHANGE CLASS: B					DRAFT: JRP ENGR: EJH SUPV: VAULT: 01/06/82 ISSUE: 4				
DRAFT: TPS ENGR: TPS SUPV: PCF CERTIFIED: 06/20/94 ISSUE: 18					DRAFT: JLC ENGR: KAG SUPV: CERTIFIED: 10/23/87 ISSUE: 11					LISTS 3,4; ITEMS 1100,1101,1110,1111,1120,1125; DETS A1,B1; ADDED. ITEMS 1053, 2050,3010; CHGD. DRAWING PARTITIONED. AT&T CL: B ORIG ISS: 11/17/80 NDD NBR: 1C129IH-12 WECO CL: B				
IN TBL A LISTS A, B & D RATED "DA". ORIG ISS: 11/17/80 CHANGE CLASS: M					IN TABLE A LIST 1 & C CHANGED. SL ITEM 2033 & 2036 ADDED. SL ITEMS 2031 & 2032 LINED OUT PER OC PT ISS 11.1. ORIG ISS: 11/17/80 CHANGE CLASS: M					DRAFT: JRP ENGR: JRR SUPV: VAULT: 07/21/82 ISSUE: 5				
DRAFT: TPS ENGR: TPS SUPV: CDH CERTIFIED: 07/24/96 ISSUE: 19					DRAFT: JLC ENGR: KAG SUPV: CERTIFIED: 12/18/87 ISSUE: 12					TABLE A LIST A;NOTE 17;SL ITEM 1016,1017 ADDED PER CN5945IH. ITEM 3010 LINED OUT. ITEM 3011 ADDED. ITEM 1120 'LIST' READ 4. ITEM 2016 'QTY' READ 6. ITEMS 1053,1101 & 1120 IDENT READ 103340642. DRAWING RATING READ 'STD'. ORIGINAL SEDBS CERTIFICATION DATE OF THIS ISSUE IS 05/24/84. CN5945IH AT&T CL: A ORIG ISS: 11/17/80 WECO CL: A				
THIS DWG WILL BE RATED "DA" WITH THIS ISSUE. ORIG ISS: 11/17/80 CHANGE CLASS: M					LIST D & SL ITEM 2037,3140 & 3145 ADDED. SL ITEM 1120 READ "LIST 3" & "103679932". SL ITEMS 1055 & 1100 IDENT READ "103340642". SL ITEM 2036 LINED OUT. ORIG ISS: 11/17/80 NDD NBR: 1C173CU-3 CHANGE CLASS: B					DRAFT: GES ENGR: JRG SUPV: CERTIFIED: 09/22/86 ISSUE: 6				
DRAFT: TPS ENGR: TPS SUPV: CDH CERTIFIED: 02/04/00 ISSUE: 20					DRAFT: TPS ENGR: KAG SUPV: CERTIFIED: 06/16/89 ISSUE: 13					NOTE 18 ADDED. ORIG ISS: 11/17/80 CHANGE CLASS: D				
					IN TBL A LISTS 5 & 6 ADDED. IN TBL A LISTS 3 & 4 RATED "DA". ORIG ISS: 11/17/80 NDD NBR: 1C176IH-90 CHANGE CLASS: B					DRAFT: MP ENGR: RWR SUPV: CERTIFIED: 01/14/87 ISSUE: 7				
					DRAFT: DJS ENGR: DJS SUPV: PCF CERTIFIED: 08/14/90 ISSUE: 14									

SHEET INDEX									
SHT NBR	A1 THRU A2		ISSUE 20						
ISSUE	D1 THRU D2		ISSUE 20						
SHT NBR	B1								
ISSUE	18								
SHT NBR	C1	C2	C3						
ISSUE	15	14	13						
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A2
B SECTION GRAPHICS	B1
C SECTION GRAPHICS	C1
MANUFACTURING NOTES	D1
STOCKLIST	D1

COPYRIGHT @ 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
COMMON SYSTEM SPECIFICATION FOR PORT SWITCH UNIT		RN98	
		DWG SIZE C2	ISSUE 20
LUCENT TECHNOLOGIES INC		J1C130BC-1	
		SHEET A1 OF 8	

J1C130BC-1

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE PORT SWITCH UNIT ARRANGED FOR TWO PORT SWITCH COMMUNITIES 0.1 AND ONE SCANNER DISTRIBUTOR SUB UNIT AND EQUIPPED WITH TWO TF3 PORT SWITCH CIRCUIT PACKS IN COMMUNITY 0 POS 040,056. SEE NOTE 53. DA EFF:02/28/00 FE/RA:NONE		DA	1	1 1	T*4C065-11 ED4C265-30	1 G1	X	Z	SD4C065-01	1	Z,X
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE TWO TF3 PORT SWITCH CIRCUIT PACKS IN COMMUNITY 1 POS 092 & 108 FOR DUPLEX DMERT PROCESSORS E/W GENERIC 1. DA EFF:02/28/00 FE/RA:NONE		DA	2	1 1	T*4C065-11 ED4C265-30	2 G2		Z	SD4C065-01	2	Z
APPARATUS REQUIRED IN ADDITION TO LIST 1 FOR DUPLEX DMERT PROCESSORS EQUIPPED WITH GENERIC 2 SOFTWARE. REPLACES TF3 CIRCUIT PACKS WITH TF4.		DA	3	OMIT 1 1	T*4C065-11 T*4C065-11	(1) (1)		Z Y	SD4C065-01 SD4C065-01	(1) (1)	Z Y
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE TWO TF4 PORT SWITCH CIRCUIT PACKS IN COMMUNITY 1 POS 092 & 108 FOR DUPLEX DMERT PROCESSORS E/W GENERIC 2. (SEE NOTE 54).		DA	4	1 1	T*4C065-11 ED4C265-30	2 G2		Y	SD4C065-01	2	Y
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE EXTENDED INPUT VOLTAGE OPERATION. REPLACES TF3 CIRCUIT PACKS WITH TF4B. DA EFF:02/28/00 FE/RA:NONE		DA	5	1					SD4C065-01		
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE TWO TF4B PORT SWITCH CIRCUIT PACKS IN COMMUNITY 1 POS 092 AND 108. DA EFF:02/28/00 FE/RA:NONE	55	DA	6	1 1	ED4C265-30	G2			SD4C065-01		
APPARATUS REQUIRED IN ADDITION TO LIST 1 WHEN UNIT IS USED ON A 3B20D MODEL 3 PROCESSOR CABINET PER J1C187A-1 OR J1C187B-1. DA EFF:07/25/96 FE/RA:NONE		DA	A								
APPARATUS REQUIRED TO PROVIDE APP MTG 127C IN COMMUNITY 2 POSITION 134. DA EFF:07/25/96 FE/RA:NONE		DA	B								
WIRING AND EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1. (PROVIDES FORMED POWER DISTRIBUTION CABLE). DA EFF:02/28/00 FE/RA:NONE		DA	C	1 OMIT 1	T*4C065-11 T*4C065-11	(1) (1)	W X	W	SD4C065-01 SD4C065-01	(1) (1)	W X
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 WHEN UNIT IS USED ON J1C173C-1 PROCESSOR CABINET. DA EFF:07/25/96 FE/RA:NONE		DA	D								
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE FUSE ALARM INDICATION. DA EFF:02/28/00 FE/RA:NONE		DA	E	1	ED4C265-30	WA					
END OF TABLE-A											

J1C130BC-1

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES NONE.
52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.
53. TF3 OR TF4/TF4B PORT SWITCH CIRCUIT PACKS ARE DEDICATED AS FOLLOWS:

CODE	EQL	FUNCTION	COMMUNITY/PORT
TF3	040	VIDEO TERMINAL	00
TF4/TF4B			
TF3	056	READ ONLY PRINTER	01
TF4/TF4B			
TF3	072	SPARE	02
TF3	092	SPARE	10
TF4/TF4B			
TF3	108	SPARE	11
TF4/TF4B			
TF3	124	SPARE	12
54. IN ORDER TO PROVIDE LIST 4, LIST 3 MUST BE FURNISHED.
55. LIST 3 OR 5 MUST BE FURNISHED BEFORE LIST 6 IS PROVIDED.

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

RN98

COMMON SYSTEM
SPECIFICATION FOR
PORT SWITCH UNIT

DWG SIZE
C2


ISSUE
20

LUCENT TECHNOLOGIES INC J1C130BC-1

SHEET A2
OF 8

TABLE AA (SEE NOTE 14)

LIST FURN	APP MTG	LOCATION	LIST FURN	APP MTG	LOCATION
1	127C	02-040-100			
1	127C	02-040-300			
1	127C	02-056-100			
1	127C	02-056-300			
1	127C	02-142-100			
1	127C	02-142-300			
2 OR 6	127C	02-092-100			
2 OR 6	127C	02-092-300			
2 OR 6	127C	02-108-100			
2 OR 6	127C	02-108-300			
B	127C	02-134-100			
B	127C	02-134-300			



DET AA
REAR VIEW
SEE NOTE 14

TABLE AB
SHOWING THE RELATIONSHIP OF 4D CARD GUIDE LOCATION BETWEEN EQUIPMENT POSITION AND APPARATUS MOUNTING SLOTS

114C LOCATION	EOPT LOCATION	APP MTG SLOT	113C LOCATION	EOPT POSITION	APP MTG SLOT
POS 0-56	040T	7T	POS 0-150	134T	2T
	040B	7B		134B	2B
	056T	15T		142T	6T
	056B	15B		142B	6B
	072T	23T		150T	10T
	072B	23B		150B	10B
POS 0-108	092T	7T		158T	14T
	092B	7B		158B	14B
	108T	15T		166T	18T
	108B	15B		166B	18B
	124T	23T			
	124B	23B			

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1990 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

PORT SWITCH UNIT	DWG SIZE C2	ISSUE 15
AT&T	J1C130BC-1	SHEET C1

SHEET INDEX	ISSUE									
	SH NO.									
	ISSUE									
	SH NO.									
	ISSUE	15	14	13						
SH NO.	C1	C2	C3							



FRONT VIEW



REAR VIEW
DET A



FRONT VIEW



REAR VIEW
DET A1



FRONT VIEW



REAR VIEW
DET A2



FRONT VIEW



REAR VIEW
DET B



FRONT VIEW



REAR VIEW
DET B1



FRONT VIEW



REAR VIEW
DET B2



FRONT VIEW



REAR VIEW
DET C

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1990 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED


PORT SWITCH UNIT

DWG SIZE	ISSUE
c2	14

AT&T


J1C130BC-1

SHEET
c2



B40058234
SCREW
B03876663
WASHER
(4 REQD)
SCREW AND WASHER
ARE REVERSED AT BOTTOM

VIEW A-A
METHOD OF FASTENING ADJACENT APP MTGS



SECT. B-B
METHOD OF MOUNTING APP MTG

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1989 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
PORT SWITCH UNIT	DWG SIZE	ISSUE
	C2	13
AT&T	J1C130BC-1	SHEET C3

J1C130BC-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	843058900		PLATE, MOUNTING			
1017	A	2	844656306		BAR, MOUNTING FRAME			
1020	1	1	ED4C265-30,G1		PANEL, PORT SWITCH FUSE			
1025	1	1	402699094		BLOCK, TERMINAL #699-3 KUKLA ELECTRIC CO			
1026	1	1	401127394		JUMPER #601RJS3 KULKA ELECTRONIC CO.			
1030	1	1	ED4C264-30,G1,GA		BACKPLANE, PORT SWITCH			
1035	1	2	ED4C263-30,G1,GA,GB		BACKPLANE, PORT SWITCH			
1040	1	2	103048625	114C	MOUNTING, APPARATUS			
1045	1	1	103048609	113C	MOUNTING, APPARATUS			
1050	1	1	103340634	140E	STRIP, DESIGNATION DET C POS 0-146			
1053	2	1	103679932	140F	STRIP, DESIGNATION STAMPED J1C130BC-1 DET B DET B POS 0-108			
1055	1	1	103679924	140F	STRIP, DESIGNATION STAMPED J1C130BC-1 DET A DET A POS 0-056			
1060	1	22	103315917	4D	GUIDE			13
1065	1	1	103050928	7A	GUIDE			13
1070	1	1	103049862	7B	GUIDE			13
1080	1	2	103049870	7C	GUIDE			13
1085	1	2	103049888	7D	GUIDE			13
1090	1	2	103051165	1A	SPACER			13
1100	3	OMIT 1	103679924	140F	STRIP, DESIGNATION STAMPED J1C130BC-1 DET A DET A POS 0-056			
1101	3	1	103847984	140F	STRIP, DESIGNATION STAMPED J1C130BC-1 DET A1 DET A1 POS 0-056			
1110	3	OMIT 2	103552378	TF3	PACK,CIRCUIT CLEI = SP3Q07BAXX EQPT POS 040,056			
1111	3	2	103757217	TF4	PACK,CIRCUIT CLEI = SP3Q11AAXX EQPT POS 040,056			
1120	4	1	103847992	140F	STRIP, DESIGNATION STAMPED J1C130BC-1 DET B1 DET B1 POS 0-108			
1125	4	2	103757217	TF4	PACK,CIRCUIT CLEI = SP3Q11AAXX EQPT POS 092,108			
1130	5	OMIT 1	103679924	140F	STRIP, DESIGNATION STAMPED J1C130BC-1 DET A DET A POS 0-056			
1135	5	1	103340642	140F	STRIP, DESIGNATION DET A2 POS 0-056			
1140	5	OMIT 2	103552378	TF3	PACK,CIRCUIT CLEI = SP3Q07BAXX EQPT POS 040, 056			
1145	5	2	106228398	TF4B	PACK,CIRCUIT CLEI = SP3Q70HA EQPT POS 040, 056			
1150	6	1	103340642	140F	STRIP, DESIGNATION DET B2 POS 0-108			

STOCKLIST CONTINUED ON SHEET D2

J1C130BC-1

S H O P I N S T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- */ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "**" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
- X 12. UNIT STAMPING PER ED-4C249-10.
- X 13. ASSEMBLED PER ED-4C250-10 AND TABLE AB.
- X 14. THE 127C APP MTGS ARE TO BE MOUNTED AS SHOWN IN TABLE AA AND DETAIL AA AFTER ALL WIRING HAS BEEN COMPLETED.
- X 15. THIS DRAWING CONTAINS BOTH U.S. CUSTOMARY (INCH,ETC) AND SI (METRIC) DIMENSIONS.
- X 16. ASSEMBLED PER D3J1C130BC-1.
- X 17. WHEN LIST A IS FURNISHED, ATTACH MOUNTING BARS TO FRONT SIDE OF UNIT.
- X 18. ALL COMPONENTS AND ALL EQUIVALENT SUBSTITUTES MUST MEET 'UL/CSA' STANDARDS PER ED4C657-10.

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

RN98

COMMON SYSTEM
SPECIFICATION FOR
PORT SWITCH UNIT

DWG SIZE C2 ISSUE 20

LUCENT TECHNOLOGIES INC J1C130BC-1

SHEET D1 OF 8

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1155	6	2	106228398	TF4B	PACK,CIRCUIT CLEI = SP3Q70HA EQPT POS 092, 108				
1160	6	1	ED4C265-30,G2		PANEL, PORT SWITCH FUSE				
1165	6	4	103342119	127C	MOUNTING, APPARATUS				14
2000	1	4	103051173	1B	SPACER				13
2002	1	2	103051215	2B	SPACER				13
2010	1	2	103552378	TF3	PACK,CIRCUIT CLEI = SP3Q07BAXX EQPT POS 040,056				53
2016	1	6	103342119	127C	MOUNTING, APPARATUS				14
2031	1	18	840058267		SCREW, PAN HEAD MACHINE .112-40 X 3/8 STEEL 289A FINISH				13
2032	1	18	842701716		WASHER, BACKPLANE				13
2033	1	18	900821984		SCREW, HEXAGON WASHER HEAD .112-40 X 7/16 IN. TAPTITE SLOTTED SEMS PRODUCTS				13
2035	1	2	840058614		SCREW, PAN HEAD MACHINE .138-32 X 1/2 STEEL 289A FINISH				
2036	1	12	801809740	P180974	SCREW, BINDING HEAD MACHINE .112-40 X 1 3/4 STEEL				
2037	1	12	840058333		SCREW, PAN HEAD MACHINE .112-40 X 1 STEEL 289A FINISH				
2040	A	8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH				*/
2045	1	8	840059042		SCREW, PAN HEAD MACHINE .164-32 X 1/4 STEEL 289A FINISH				
2046	1	8	900820077		SCREW, SLOT HEXAGON WASHER HEAD .164-32 X 5/16				
2048	1	4	840058572		SCREW, PAN HEAD MACHINE .138-32 X 1/4 STEEL 289A FINISH				13
2050	2 4	1 1	ED4C265-30,G2 G2		PANEL, PORT SWITCH FUSE				
3000	2	2	103552378	TF3	PACK,CIRCUIT CLEI = SP3Q07BAXX EQPT POS 092,108				53
3006	2,4	4	103342119	127C	MOUNTING, APPARATUS				14
3010	1	8	401495437		LUG, TERMINAL #BVZ21 STA-KON THOMAS & BETTS CO.				16
3011	1	8	401207873		LUG, TERMINAL #B220 STA-KON THOMAS & BETTS CO. OR EQUIVALENT				16
3030	1	8	401126404		TUBING, HEAT SHRINKABLE #RT876 3/16 IN.DIA.X 3/4 IN.LG. BLACK RAYCHEM CORP. (19.05 MM)				16
3040	1	8	402379721		LUG, TERMINAL #62048-2 FASTON AMP INC.				16
3050	1	8	900570698		TUBING, HEAT SHRINKABLE #RT876 3/8 IN ID X 5/16 IN LONG BLACK RAYCHEM CORP. (7.94 MM)				16
3055	1	8	900565094		TUBING, HEAT SHRINKABLE #RT876 3/16 IN X 5/8 IN LG BK RAYCHEM CORP. OR EQUIVALENT (15.88 MM)				16
3060	B	2	103342119	127C	MOUNTING, APPARATUS				14
3070	C	1	ED4C561-50,G7		ASSEMBLY, CABLE				

***** STOCKLIST CONTINUED AT RIGHT *****

J1C130BC-1

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
3080	C	OMIT 8	401207873		LUG, TERMINAL #B220 STA-KON THOMAS & BETTS CO.				
3090	C	OMIT 8	402379721		LUG, TERMINAL #62048-2 FASTON AMP INC.				
3100	C	OMIT 8	401126404		TUBING, HEAT SHRINKABLE #RT876 3/16 IN.DIA.X 3/4 IN.LG. BLACK RAYCHEM CORP.				
3110	C	OMIT 8	900570698		TUBING, HEAT SHRINKABLE #RT876 3/8 IN ID X 5/16 IN LONG BLACK RAYCHEM CORP.				
3120	C	OMIT 8	900565094		TUBING, HEAT SHRINKABLE #RT876 3/16 IN X 5/8 IN LG BK RAYCHEM CORP.				
3130	D	2	843063249		BRACKET, MOUNTING				
3140	1	4	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL 289A FINISH				
3145	1	4	803876663	P387666	WASHER .112 STEEL 289A FINISH				
3150	E	1	ED4C265-30,GWA		PANEL, PORT SWITCH FUSE				

***** END OF STOCKLIST *****

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

COMMON SYSTEM
SPECIFICATION FOR
PORT SWITCH UNIT

RN98

DWG SIZE C2 ISSUE 20

LUCENT TECHNOLOGIES INC J1C130BC-1

SHEET D2 OF 8

PRINTED IN U.S.A.