

TABLE A-FEATURES										
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG
ASSEMBLY AND EQUIPMENT FOR ONE TEST BUS CONTROL UNIT.			1							
END OF TABLE-A										

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES 801-450-104.

52. THE FOLLOWING PLUG-INS ARE REQUIRED AND SHALL BE ORDERED AS REQUIRED:
 SM499 TEST BUS CONT UNIT
 COMCODE 104021506
 CLEI S9TP1A0AAX
 SM500B TEST BUS CONT UNIT
 COMCODE 108600032
 CLEI S9TPML0AAB

53. FOR INTERCONNECTION REFER TO T-97791-30.

54. IT IS RECOMMENDED THAT A 5 INCH REMOVABLE GUARD RAIL FOR THE FRONT AND A 2 INCH FIXED FOR THE REAR BE ORDERED AS REQUIRED PER ED-97170-50 FOR 9 FT, 10 FT OR 11 FT 6 INCHES BAYS AND ED-97162-52 FOR 7 FT BAYS.

ISSUE NOTES				
DRAWING CONVERTED TO A MECHANIZED FORMAT. DRAWING PARTITIONED.				
ORIG ISS: 03/27/84		CHANGE CLASS: M		
DRAFT: DSL	ENGR: RLB	SUPV:	CERTIFIED: 03/20/89	ISSUE: 6
TABLE E REINSTATED.				
ORIG ISS: 03/27/84		CHANGE CLASS: M		
DRAFT: DSL	ENGR: AJP	SUPV:	CERTIFIED: 06/01/89	ISSUE: 7
IN SL, ITEM 1210 LINED OUT, ITEM 1310 ADDED. NOTE 13 ADDED, SH. B1 CHANGED.				
ORIG ISS: 03/27/84		CHANGE CLASS: M		
DRAFT: PKK	ENGR: RLB	SUPV:	CERTIFIED: 11/22/89	ISSUE: 8
SL ITEM 1040 QTY COL READ 34, ITEM 1265 QTY COL READ 35, CHG'D.				
ORIG ISS: 03/27/84		CHANGE CLASS: MF		
DRAFT: PKK	ENGR: JAT	SUPV:	CERTIFIED: 09/14/90	ISSUE: 9
SH B1, RT SIDE VIEW, HOLE DEPICTIONS RE-LOCATED.				
ORIG ISS: 03/27/84		CHANGE CLASS: MF		
DRAFT: JJK	ENGR: JJK	SUPV:	CERTIFIED: 01/24/95	ISSUE: 10
IN S/L, ITEM 1310 LINED OUT & ITEM 1320 ADDED. SHEET B1 & B2 GRAPHICS CHANGED TO INCLUDE REF TO CC#'S AND "PLACES" CURRENT IN STOCKLIST.				
ORIG ISS: 03/27/84		CHANGE CLASS: MF		
DRAFT: JJK	ENGR: JJK	SUPV:	CERTIFIED: 10/10/95	ISSUE: 11
ENGINEERING NOTE 52 "SM500B TEST BUS" READ "SM500 TEST BUS" COMCODE "108600032" READ "104021571"; CLEI "S9TPML0AAB" READ "S9TP1B0AAX". SHEET B2 FIG A DESIGNATION LABEL CHANGED TO AGREE WITH STOCKLIST. ITEM 1080 LINED OUT; ITEM 1330 ADDED; ITEM 1320 "W*" ADDED.				
THIS IS A J MANAGER DOCUMENT AND GRAPHICS MIGRATED TO PRO ENGINEER. POINT ISSUE 11.1 AND 11.2 APPLIED.				
ORIG ISS: 03/27/84		NDD NBR: S01468	CHANGE CLASS: ME	
DRAFT: DH	ENGR: MKF	SUPV: DML	CERTIFIED: 02/16/01	ISSUE: 12

SHEET INDEX										
SHT NBR	A1 THRU A1		ISSUE 12							
ISSUE	D1 THRU D2		ISSUE 12							
SHT NBR	B1	B2								
ISSUE	12	12								
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A1
TABLE A	A1
B SECTION GRAPHICS	B1
MANUFACTURING NOTES	D1
STOCKLIST	D1
MISCELLANEOUS TABLES	D2


LUCENT TECHNOLOGIES- PROPRIETARY
 THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF
 LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED
 EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS.

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

BN31	
COMMON SYSTEMS SLC-96 SPECIFICATION FOR TEST BUS CONTROL UNIT OCCUPYING A SPACE OF 4-2 INCH X 23 INCH MOUNTING PLATES	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC J1C189A-1	
SHEET A1 OF 5	

J1C189A-1

CONVERSION TABLE	
INCH	MM
6.482	164.643
7.96	202.184
22.31	566.674



FOR LIST 1
UNLESS OTHERWISE SPECIFIED
(SEE SK A FOR PRIOR MTG ARR)
FIG 1

TITLE				
TEST BUS CONTROL UNIT				
(P)				
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC189A-1	SHEET B1	ISSUE 12	DWG SIZE C2/AIR

JIC189A-1




FIG A




FIG B






FIG. C



VIEW A-A



(SAME AS FIG 1 EXCEPT AS SHOWN)
SK A

TITLE				
TEST BUS CONTROL UNIT				
THIRD ANGLE PROJECTION				
SEE PROPRIETARY NOTICE ON SHEET A1				
Lucent Technologies Inc.		J1C189A-1	SHEET B2	ISSUE 12
			DWG SIZE C2/AIR	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	842449803		ASSEMBLY, MOUNTING PLATE			
1020	1	1	843402348		ASSEMBLY, PRINTED WIRING BOARD			
1030	1	2	842924441		PIN, BACKPLANE TARGET			
1040	1	33	842701716		WASHER, BACKPLANE			
1050	1	2	842449811		BAR, MOUNTING FRAME			
1060	1	2	842449829		BRACKET			
1070	1	1	842449837		COVER			
1080	1	1	844202440		LABEL, DESIGNATION			
1090	1	2	844202457		LABEL, DESIGNATION			
1100	1	1	843375569		LABEL, IDENTIFICATION SYSTEM		W*	12
1120	1	3	103180832	130J	STRIP, DESIGNATION BLANK			
1130	1	3	103184313	121F	MOUNTING, APPARATUS			
1140	1	6	103051173	1B	SPACER			
1150	1	8	103051223	3A	SPACER			
1160	1	2	102867561	2C	SPACER			
1170	1	3	103049870	7C	GUIDE			
1180	1	3	103049862	7B	GUIDE			
1190	1	32	103340584	8B	GUIDE			
1200	1	2	402534572		RECEPTACLE #41898 AMP INC.		W*	
1205	1	3	402534572		RECEPTACLE #41898 AMP INC.		W*	
1210	1	1	403960354		RECEPTACLE, CONNECTOR #604/1-2 AMP INC.		*/	
1220	1	1	403966377		LUG, TERMINAL TAB #42095-1 AMP INC.			
1230	1	8	814840054	P-48D005	SCREW, PAN HEAD SELF TAPPING .112-24 X 1/4 STEEL 289A FINISH			
1240	1	24	840058333		SCREW, PAN HEAD MACHINE .112-40 X 1 STEEL 289A FINISH			
1250	1	4	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL 289A FINISH			
1260	1	34	840058275		SCREW, PAN HEAD MACHINE .112-40 X 7/16 STEEL 289A FINISH			
1265	1	34	840058275		SCREW, PAN HEAD MACHINE .112-40 X 7/16 STEEL 289A FINISH			
1270	1	16	840059067		SCREW, PAN HEAD MACHINE .164-32 X 3/8 STEEL 289A FINISH			
1280	1	4	803876663	P-387666	WASHER .112 STEEL 289A FINISH			
1285	1	5	803876663	P-387666	WASHER .112 STEEL 289A FINISH			
1290	1	16	802526061	P-252606	WASHER, LOCK .164 STEEL 289A FINISH			
1300	1	8	801486341	P-148634	SCREW, 12-24X1/4		*/	
1310	1	1	403385826		LUG, TERMINAL BRASS #60851-1 AMP INC.		*/	

STOCKLIST CONTINUED ON SHEET D2

J1C189A-1

S H O P I N S T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- */ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
- X 12. THE SYSTEM IDENTIFICATION LABEL IS TO BE LOCATED ON THE FRONT FLANGE OF THE FRAME ADJACENT TO THE UNIT AND STAMPED WITH SEQUENTIAL NUMBERS BEGINNING WITH ONE.
- X 13. BARCODE LABEL TO BE SHOP GENERATED CONTAINING DATE AND LOCATION OF MANUFACTURE FROM MATERIAL SIMILAR TO KS22914L5. LOCATE APPROX. AS SHOWN.

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

COMMON SYSTEMS
 SLC-96
 SPECIFICATION FOR
 TEST BUS CONTROL UNIT
 OCCUPYING A SPACE OF
 4-2 INCH X 23 INCH
 MOUNTING PLATES

BN31

DWG SIZE C2 ISSUE 12

LUCENT TECHNOLOGIES INC J1C189A-1

SHEET D1 OF 5

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1320	1	1	406552166		LUG, CRIMP TERMINAL 10-12GA .250 RT ANGLE #42563-8 AMP INC.		W*	
1330	1	1	847841004		LABEL, DESIGNATION			

***** END OF STOCKLIST *****

TABLE E

LIST	LEFT POS	CENTER POS	RIGHT POS
1	6,14,18,22	2,6,10,14,18,22	2,6,10,14,18,22

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 2001 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

BN31

COMMON SYSTEMS
 SLC-96
 SPECIFICATION FOR
 TEST BUS CONTROL UNIT
 OCCUPYING A SPACE OF
 4-2 INCH X 23 INCH
 MOUNTING PLATES

DWG SIZE
 C2

ISSUE
 12

J1C189A-1

LUCENT TECHNOLOGIES INC J1C189A-1

SHEET D2
 OF 5