

ISSUE NOTES (CONTINUED)				
SL ITEM 1032 AND NOTE 15 LINED OUT.				
ORIG ISS: 10/31/84		CHANGE CLASS: M		
DRAFT: TPS	ENGR: KAG	SUPV:	CERTIFIED: 08/31/87	ISSUE: 25
LIST Y ADDED. CN0202CU				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-51		CHANGE CLASS: B
DRAFT: TPS	ENGR: DLG	SUPV:	CERTIFIED: 09/02/87	ISSUE: 26
SL ITEMS 1130 & 1135, NOTE 16 ADDED.				
ORIG ISS: 10/31/84		CHANGE CLASS: M		
DRAFT: TPS	ENGR: KAG	SUPV:	CERTIFIED: 10/01/87	ISSUE: 27
IN TABLE A LIST T READ NRTO.				
ORIG ISS: 10/31/84		CHANGE CLASS: M		
DRAFT: JLC	ENGR: JEH	SUPV:	CERTIFIED: 12/08/87	ISSUE: 28
LIST AA ADDED. LISTS G & W RATED 'DA'.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-56		CHANGE CLASS: B
DRAFT: JLC	ENGR: KAG	SUPV:	CERTIFIED: 02/12/88	ISSUE: 29
SL ITEM 4569 ADDED. SL ITEM 4570 IDENT READ ED4C481-30,GA				
ORIG ISS: 10/31/84		CHANGE CLASS: M		
DRAFT: LLP	ENGR: KAG	SUPV:	CERTIFIED: 04/21/88	ISSUE: 30
LIST 4D, 4E & 4F ADDED.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-49		CHANGE CLASS: M
DRAFT: JLC	ENGR: RWR	SUPV:	CERTIFIED: 05/26/88	ISSUE: 31
SL ITEM 3110 READ LIST 5A. SL ITEM 1050 READ LIST 3,3A,3B,3C. CHGD PER OC PT ISS 30.1.				
ORIG ISS: 10/31/84		CHANGE CLASS: M		
DRAFT: GES	ENGR: KAG	SUPV:	CERTIFIED: 07/14/88	ISSUE: 32

ISSUE NOTES (CONTINUED)				
* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. *				
ORIGINAL SEDBS CERTIFICATION DATE OF THIS ISSUE IS 12/02/86 DRAWING RATING READ STD FIG.5 & 5A MODIFIED;SL ITEMS 4300,4310, 4320,4330 & 4340 CHGD.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-41		CHANGE CLASS: B
DRAFT: TPS	ENGR: RWR	SUPV:	CERTIFIED: 01/23/87	ISSUE: 19
LIST T ADDED. CN0178DS				
ORIG ISS: 10/31/84		CHANGE CLASS: AC		
DRAFT: TPS	ENGR: JEH	SUPV:	CERTIFIED: 03/03/87	ISSUE: 20
LIST U ADDED PER CN0177DS. MISC. CHGS MADE.				
ORIG ISS: 10/31/84		CHANGE CLASS: AC		
DRAFT: TPS	ENGR: RWR	SUPV:	CERTIFIED: 03/10/87	ISSUE: 21
LIST V, SL ITEMS 1801,1806 AND 1811 ADDED. SL ITEMS 1800,1805 AND 1810 LINED OUT. SL ITEM 1005 READ LIST 1. REFERENCE TO NOTE 15 ADDED TO SL ITEM 1032.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-48		CHANGE CLASS: B
DRAFT: TPS	ENGR: KAG	SUPV:	CERTIFIED: 05/04/87	ISSUE: 22
LISTS W AND X, SL ITEM 3084, FIG. T AND U ADDED. CN0187CU				
ORIG ISS: 10/31/84		CHANGE CLASS: AC		
DRAFT: TPS	ENGR: KAG	SUPV:	CERTIFIED: 05/07/87	ISSUE: 23
TABLE A LIST T RATING "NRTO" ADDED.				
ORIG ISS: 10/31/84		CHANGE CLASS: M		
DRAFT: TPS	ENGR: KAG	SUPV:	CERTIFIED: 08/05/87	ISSUE: 24

ISSUE NOTES				
LISTS D,E & F ADDED.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-28		CHANGE CLASS: B
DRAFT: GES	ENGR: RWR	SUPV:	VAULT: 09/10/85	ISSUE: 9
LIST G, SL ITEMS 1031,1114, 1140,1150, 1160 ADDED;SL ITEMS 1030 & 1115 LINED OUT.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-26		CHANGE CLASS: B
DRAFT: GES	ENGR: RWR	SUPV:	VAULT: 10/31/85	ISSUE: 10
LISTS D,E & F CHGD.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-28		CHANGE CLASS: B
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 12/24/85	ISSUE: 11
LIST 4B ADDED.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-31		CHANGE CLASS: B
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 02/14/86	ISSUE: 12
SL 1020 LINED OUT;SL 1021 ADDED. CN0117CU				
ORIG ISS: 10/31/84		CHANGE CLASS: W		
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 04/25/86	ISSUE: 13
LIST H ADDED.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-36		CHANGE CLASS: B
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 06/10/86	ISSUE: 14
IN TBL A LIST K ADDED.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-37		CHANGE CLASS: B
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 07/14/86	ISSUE: 15
MISC PT CHG ITEMS ADDED.				
ORIG ISS: 10/31/84		CHANGE CLASS: D		
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 09/08/86	ISSUE: 16
LIST L & NOTE 15 ADDED. CN0146CU				
ORIG ISS: 10/31/84		CHANGE CLASS: AC		
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 10/15/86	ISSUE: 17
LIST 4C,M, N,P & R ADDED.				
ORIG ISS: 10/31/84		NDD NBR: 1C176CU-41		CHANGE CLASS: B
DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 11/19/86	ISSUE: 18

SHEET INDEX											
SHT NBR	A1 THRU A5 ISSUE 44										
ISSUE											
SHT NBR	D1 THRU D6 ISSUE 44										
ISSUE											
SHT NBR	B1	B2	B3	B4	B5	B6	B7	B8	B9		
ISSUE	44	44	44	44	44	44	44	44	44	44	44
SHT NBR	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11
ISSUE	44	44	44	44	44	44	44	44	44	44	44
SHT NBR	C12	C13	C14	C15	C16	C17	C18	C19			
ISSUE	44	44	44	44	44	44	44	44			
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A3
B SECTION GRAPHICS	B1
C SECTION GRAPHICS	C1
MANUFACTURING NOTES	D1
STOCKLIST	D2

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
		BN98	
		COMMON SYSTEMS 3B20D SPECIFICATION FOR TAPE/DISK CABINET FOR 5ESS	
	DWG SIZE C2	ISSUE 44	
LUCENT TECHNOLOGIES INC	J1C192A-1	SHEET OF	A1 39

ENGINEERING NOTES

- 51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH LUCENT TECHNOLOGIES PRACTICES - NONE.
- 52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP. IN TABLE A, THE SCHEMATIC DRAWING, FIGURES, AND OPTIONS ARE EQUIVALENT TO THE T* DRAWING, FIGURE, WIRING AND APPARATUS OPTIONS UNLESS OTHERWISE INDICATED. DATA IN () INDICATES WIRING ONLY.
- 53. DOLLAR SIGNS (\$) IN FRONT OF AND BEHIND WORDS, SENTENCES, PARAGRAPHS AND/OR CHARACTERS INDICATE HORIZONTALLY LINED OUT INFORMATION.
- 54. THE KEYSTONE III TAPE UNIT BEING PROVIDED (CC# 405679994) SHOWS A KS 23113 L102 RECORDER WITH A L7A ENHANCED PERTEC BOARD; THE DESCRIPTION IS INCOMPLETE AND SHOULD REFLECT THE L7 OR L7B BOARDS WHICH ARE COMPATIBLE.

ISSUE NOTES (CONTINUED)

LIST 8, 8A AND AN ADDED. SL ITEMS 1820, 1825, 1840, 1845, 1860, 1865, 1880, 1885, 1900, 1905, 1920 & 1925 DESCRIPTION CHANGED. TABLE A LIST AE, AF & AG DESCRIPTION CHANGED.

 PRODUCT IDENTIFIER CHGD FROM 840026835 TO 840026843 PER OCW COST REDUCTION. OCW PT ISSUES 36.2, 38.1 & 39.1 ADDED.
 ORIG ISS: 10/31/84 NDD NBR: 1C176IH-112 CHANGE CLASS: B

DRAFT: JGW	ENGR: JGW	SUPV: PCF	CERTIFIED: 01/23/92	ISSUE: 41
------------	-----------	-----------	---------------------	-----------

SL ITEMS 1055, 2135, 4620; TBL A LISTS A, B, C; FIG. AV CHGD. SL ITEM 1014 & 1017 DELETED PER OCW POINT ISSUES 41.1 THRU 41.4.
 ORIG ISS: 10/31/84 CHANGE CLASS: M

DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 08/10/94	ISSUE: 42
------------	-----------	-----------	---------------------	-----------

SL ITEM 1055 CHGD. PER OCW PT. ISSUE.
 ORIG ISS: 10/31/84 CHANGE CLASS: M

DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 08/25/94	ISSUE: 43
------------	-----------	-----------	---------------------	-----------

DRAWING RATED "DA". AT&T MARKINGS CHANGED TO LUCENT. DISTRIBUTION CODE AND PROPRIETARY NOTE CHANGED.
 ORIG ISS: 10/31/84 CHANGE CLASS: ME

DRAFT: TPS	ENGR: KAG	SUPV: CDH	CERTIFIED: 05/31/00	ISSUE: 44
------------	-----------	-----------	---------------------	-----------

ISSUE NOTES (CONTINUED)

SL ITEM 3089 ADDED. SL ITEM 3090 LIST COL "2" READ "2,6". CN0310CU
 ORIG ISS: 10/31/84 CHANGE CLASS: A

DRAFT: MSB	ENGR: RWR	SUPV:	CERTIFIED: 12/08/88	ISSUE: 33
------------	-----------	-------	---------------------	-----------

SL ITEM 2500, 2510, 2515, 4400, 4690 & 4700 LINED OUT. SL ITEMS 2501, 2511, 2516, 2520, 4401, 4405, 4691, 4701 & 4705; NOTE 17 AND FIG. V ADDED.
 ORIG ISS: 10/31/84 NDD NBR: 1C176CU-70 CHANGE CLASS: B

DRAFT: MSB	ENGR: JAR	SUPV:	CERTIFIED: 02/02/89	ISSUE: 34
------------	-----------	-------	---------------------	-----------

NOTE 18, SL ITEM 2109 ADDED. SL ITEMS 1007 AND 2110 READ 'LIST 1'. SL ITEM 2140 & 4630 IDENT CHANGED. SL ITEM 4205 IDENT READ '402616122'.
 ORIG ISS: 10/31/84 CHANGE CLASS: M

DRAFT: MSB	ENGR: KAG	SUPV:	CERTIFIED: 06/22/89	ISSUE: 35
------------	-----------	-------	---------------------	-----------

NOTES 19 AND 20 ADDED.
 ORIG ISS: 10/31/84 CHANGE CLASS: ME

DRAFT: DLG	ENGR: DLG	SUPV: PCF	CERTIFIED: 11/07/90	ISSUE: 36
------------	-----------	-----------	---------------------	-----------

IN TBL A LIST H RATED "DA"; LIST AB ADDED. SL ITEMS 4795 & 4800 ADDED.
 ORIG ISS: 10/31/84 NDD NBR: 1C176IH-102 CHANGE CLASS: B

DRAFT: ACW	ENGR: ACW	SUPV: PCF	CERTIFIED: 03/11/91	ISSUE: 37
------------	-----------	-----------	---------------------	-----------

ENG. NOTE 54 ADDED. IN TBL A REF. TO ENG. NOTE 54 ADDED TO LISTS 4D, 4E, 4F & SL ITEMS 4691 & 4701.

 SL ITEMS 1018, 1010, 2113, 2118, 2191 & 4391 ADDED. SL ITEM 1135 & MANUFACTURING NOTE 16 CHGD. SL ITEMS 2112, 2117, 3046, 4390, 4510, 4550, 4680 & 4690 LINED OUT. SL ITEM 3110 DELETED PER OCW PT ISSUE 36.1.
 ORIG ISS: 10/31/84 NDD NBR: 1C176IH-101 CHANGE CLASS: B

DRAFT: CID	ENGR: CID	SUPV: PCF	CERTIFIED: 03/22/91	ISSUE: 38
------------	-----------	-----------	---------------------	-----------

LISTS AC, AD, AE, AF, AG, AH, AJ, AK & AL ADDED. LISTS A, B, C, M, N, P & R REFERENCE TO PBX ONLY ADDED. LIST D & E RATED "DA".
 ORIG ISS: 10/31/84 NDD NBR: 1C176IH-104 CHANGE CLASS: B

DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 06/13/91	ISSUE: 39
------------	-----------	-----------	---------------------	-----------

DWG REISSUED TO CORRECT SHT INDEX, C6 READ 21.
 ORIG ISS: 10/31/84 CHANGE CLASS: M

DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 07/25/91	ISSUE: 40
------------	-----------	-----------	---------------------	-----------

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
 ALL RIGHTS RESERVED

COMMON SYSTEMS
 3B20D
 SPECIFICATION FOR
 TAPE/DISK CABINET
 FOR 5ESS

BN98

DWG SIZE C2	ISSUE 44
----------------	-------------

TABLE A-FEATURES												
EQUIPMENT		REF NOTE	RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	QTY				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
FRAMEWORK, ASSEMBLY, WIRING AND EQUIPMENT FOR A TAPE/DISK CABINET ARRANGED FOR EIGHT 340 MEGABYTE FIXED STORAGE DISK DRIVES (KS-22875,L11) OR ARRANGED FOR ONE TAPE UNIT (KS-22762,L3) AND FOUR 340 MEGABYTE FIXED STORAGE DISK DRIVES. DA EFF:05/26/00 FE/RA:NONE	1	ED5D579-70 ED5D579-72	2\$ 1									
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 6 TO PROVIDE ONE 340 MEGABYTE DISK, POWER SUPPLY AND SWITCH ASSOCIATED WITH THE 1ST DISK MOUNTING UNIT ON A CABINET. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 6 TO PROVIDE ONE 340 MEGABYTE DISK, POWER SUPPLY AND SWITCH ASSOCIATED WITH THE 2ND DISK MOUNTING UNIT ON A CABINET. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
ASSEMBLY WIRE AND EQUIPMENT REQUIRED IN ADDITION TO LIST 6 TO PROVIDE ONE 340 MEGABYTE DISK, POWER SUPPLY AND SWITCH ASSOCIATED WITH THE 3RD DISK MOUNTING UNIT ON A CABINET. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 6 TO PROVIDE ONE 340 MEGABYTE DISK, POWER SUPPLY AND SWITCH ASSOCIATED WITH THE 4TH DISK MOUNTING UNIT ON A CABINET. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 2 TO PROVIDE AN ADDITIONAL 340 MEGABYTE DRIVE, POWER SUPPLY AND SWITCH. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 2A TO PROVIDE AN ADDITIONAL 340 MEGABYTE DRIVE, POWER SUPPLY AND SWITCH. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 2B TO PROVIDE AN ADDITIONAL 340 MEGABYTE DRIVE, POWER SUPPLY AND SWITCH. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 2C TO PROVIDE AN ADDITIONAL 340 MEGABYTE DRIVE, POWER SUPPLY AND SWITCH. DA EFF:05/26/00 FE/RA:NONE	1	KS-22875 KS-22997 ED4C481-30	10 3A 2									
ASSEMBLY, WIRING, AND EQPT REQ'D IN ADDITION TO LIST 7 TO PROVIDE A 60 HZ, 1600 BPI, 25/100 IPS TAPE UNIT.	1	KS-22762	1									
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 7A TO PROVIDE A 60 HZ, 6250 BPI, 25/100 IPS TAPE UNIT WITH UNBUFFERED STANDARD INTERFACE BOARD. DA EFF:05/26/00 FE/RA:NONE	1	KS-23113	14									

TABLE-A CONTINUED

J1C192A-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		REF NOTE	RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	QTY				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
EQUIPMENT REQUIRED IN ADDITION TO LIST 7A TO PROVIDE A 50HZ, 6250 BPI TAPE UNIT E/W UNBUFFERED STANDARD INTERFACE BOARD. (TU0,1,2,4,6,8). DA EFF:05/26/00 FE/RA:NONE	1	KS-23113	15									
EQUIPMENT REQUIRED IN ADDITION TO LIST 7A TO PROVIDE A 50 HZ TAPE UNIT (UNBUFFERED STANDARD INTERFACE) LOCATED IN THE BOTTOM POSITION OF A CABINET ARRANGED FOR TWO TAPE UNITS (TU3,5,7,9). DA EFF:05/26/00 FE/RA:NONE	1	KS-23113	15									
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 7A TO PROVIDE A 60HZ, 6250 BPI KEYSTONE III TAPE UNIT E/W ENHANCED BUFFERED INTERFACE BOARD (TU0, 1). DA EFF:05/26/00 FE/RA:NONE	1	KS-23113	24									
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 7A TO PROVIDE A 50HZ, 6250 BPI KEYSTONE III TAPE UNIT E/W ENHANCED BUFFERED INTERFACE BOARD (TU0,1,2,4,6,8). DA EFF:05/26/00 FE/RA:NONE	1	KS-23113	26									
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 7A TO PROVIDE A 50HZ, 6250 BPI KEYSTONE III TAPE UNIT E/W ENHANCED BUFFERED INTERFACE BOARD LOCATED IN THE BOTTOM POSITION OF A CABINET ARRANGED FOR TWO TAPE UNITS (TU3,5,7,9). DA EFF:05/26/00 FE/RA:NONE	1	KS-23113	26									
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE A POWER DISTRIBUTION UNIT ARRANGED FOR 8-340MB DISK DRIVES. DA EFF:05/26/00 FE/RA:NONE	1	J1C186AB-1	3									
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE A POWER DISTRIBUTION UNIT ARRANGED FOR 4-340MB DISK DRIVES. DA EFF:05/26/00 FE/RA:NONE	1	J1C186AB-1	4									
APPARATUS AND ASSEMBLY REQUIRED IN ADDITION TO LIST 1 TO PROVIDE A 340MB DISK MOUNTING UNIT, (ARRANGED TO MOUNT TWO DISKS, POWER SUPPLIES AND SWITCHES). DA EFF:05/26/00 FE/RA:NONE	2	ED4C485-30	1									

TABLE-A CONTINUED

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BN98

COMMON SYSTEMS
3B20D
SPECIFICATION FOR
TAPE/DISK CABINET
FOR 5ESS

DWG SIZE C2 ISSUE 44

LUCENT TECHNOLOGIES INC J1C192A-1

SHEET A3 OF 39

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS & ASSEMBLY REQUIRED IN ADDITION TO LIST 1 E/W 4 TO PROVIDE MOUNTING HARDWARE FOR A 1600 BPI KEYSTONE II TAPE UNIT.		MD	7									
APPARATUS AND ASSEMBLY REQUIRED IN ADDITION TO LIST 1 E/W 4A,4B, 4C,4D,4E OR 4F TO PROVIDE MOUNTING HARDWARE FOR A 6250 BPI KEYSTONE III TAPE UNIT. DA EFF:05/26/00 FE/RA:NONE		DA	7A									
EQUIPMENT REQUIRED IN ADDITION TO LIST 5 TO PROVIDE A POWER DISTRIBUTION UNIT ARRANGED FOR FUSE ALARM INDICATION. DA EFF:05/26/00 FE/RA:NONE		DA	8	OMIT 1	J1C186AB-1	3						
EQUIPMENT REQUIRED IN ADDITION TO LIST 5A TO PROVIDE A POWER DISTRIBUTION UNIT ARRANGED FOR FUSE ALARM INDICATION. DA EFF:05/26/00 FE/RA:NONE		DA	8A	OMIT 1	J1C186AB-1	4						
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE CABINET BEZEL LABELS FOR T/DC 0. DA EFF:05/26/00 FE/RA:NONE		DA	A									
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE CABINET BEZEL LABELS FOR T/DC 1. DA EFF:05/26/00 FE/RA:NONE		DA	B									
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE CABINET BEZEL LABELS FOR T/DC 2. DA EFF:05/26/00 FE/RA:NONE		DA	C									
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED FRAMEWORK FOR APT APPLICATIONS.		DA	D	1	ED5D579-73	1						
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED FRAMEWORK FOR CENTRAL OFFICE APPLICATIONS.		DA	E	1	ED5D579-73	2						
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED FRAMEWORK FOR PBX APPLICATIONS. DA EFF:05/26/00 FE/RA:NONE		DA	F	1	ED5D579-73	2						
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 FOR T/DC 0,1,2 (PROVIDES DISK WARNING LABEL).		DA	G									
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 2,2A,2B,2C,3, 3A,3B,3C (PROVIDES COST REDUCED POWER SUPPLY).		DA	H	1	KS-22997	L4						
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 2,2A,2B,2C,3, 3A,3B,3C (PROVIDES VANILLA DISK ORDERING). DA EFF:05/26/00 FE/RA:NONE		DA	K	1	KS-22875	18						
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LISTS 2,2A,2B,2C,3, 3A,3B,3C (PROVIDES CIRCUIT BREAKER PROTECTION). DA EFF:05/26/00 FE/RA:NONE		DA	L	1	KS-22875	50						
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE CABINET BEZEL LABELS FOR T/DC 3. (PBX ONLY). DA EFF:05/26/00 FE/RA:NONE		DA	M	1	KS-22875	10						

TABLE-A CONTINUED

J1C192A-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE CABINET BEZEL LABELS FOR T/DC 4. (PBX ONLY). DA EFF:05/26/00 FE/RA:NONE		DA	N									
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE CABINET BEZEL LABELS FOR T/DC 5. (PBX ONLY). DA EFF:05/26/00 FE/RA:NONE		DA	P									
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE CABINET BEZEL LABELS FOR T/DC 6. (PBX ONLY). DA EFF:05/26/00 FE/RA:NONE		DA	R									
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 4B OR 4C FOR A SYSEM ARRANGED FOR MULTIPLE TAPE UNITS DRIVEN ON A SINGLE TAPE CONTROLLER (UNI45 B). DA EFF:05/26/00 FE/RA:NONE		DA	T									
ALWAYS REQUIRED IN ADDITION TO LIST 4B IN A CABINET ARRANGED FOR TWO TAPE UNITS. (OMITS HARDWARE). DA EFF:05/26/00 FE/RA:NONE		DA	U									
APPARATUS ALWAYS REQUIRED IN ADDITION TO LIST 2,2A,2B,2C,3, 3A,3B,3C TO PROVIDE IMPROVED FUSING FOR 340MB DISKS. DA EFF:05/26/00 FE/RA:NONE		DA	V									
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 2,2A,2B,2C, 3,3A,3B,3C. (PROVIDES DISK WARNING LABEL).		DA	W									
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 6 (PROVIDES DISK WARNING LABEL). DA EFF:05/26/00 FE/RA:NONE		DA	X									
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LISTS 2, 2A, 2B, 2C, 2C, 3, 3A, 3B, 3C (PROVIDES ADDITIONAL EMP PROTECTION TO POWER SWITCH). DA EFF:05/26/00 FE/RA:NONE		DA	Y	1	ED4C481-30	2,A						
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 2,2A,2B,2C,3, 3A,3B AND 3C. (PROVIDES IMPROVED DISK WARNING LABEL). DA EFF:05/26/00 FE/RA:NONE		DA	AA	1	ED4C481-30	2						

TABLE-A CONTINUED

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BN98

COMMON SYSTEMS
3B20D
SPECIFICATION FOR
TAPE/DISK CABINET
FOR 5ESS

DWG SIZE C2 ISSUE 44

LUCENT TECHNOLOGIES INC J1C192A-1

SHEET A4 OF 39

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 2, 2A, 2B, 2C, 3, 3A, 3B, & 3C TO PROVIDE EXTENDED INPUT VOLTAGE OPERATION. DA EFF:05/26/00 FE/RA:NONE		DA	AB	OMIT 1	KS-22997	3A					
				1	KS-22997	104					
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE NEW FRAMEWORK ARRANGED FOR NSI APPLICATIONS. DA EFF:05/26/00 FE/RA:NONE		DA	AC	OMIT 1	ED5D579-74	1					
				1	ED5D579-72	1					
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE NEW FRAMEWORK ARRANGED FOR NEW DOOR/BEZEL COMBINATION FOR CENTRAL OFFICE APPLICATIONS. DA EFF:05/26/00 FE/RA:NONE		DA	AD	OMIT 1	ED5D579-74	2					
				1	ED5D694-30	2					
				1	ED5D579-30	1					
APPARATUS REQUIRED IN ADDITION TO LIST AD OR AN TO PROVIDE NEW CABINET BEZEL LABELS FOR T/DC0. DA EFF:05/26/00 FE/RA:NONE		DA	AE	2	ED5D695-10	1373					
APPARATUS REQUIRED IN ADDITION TO LIST AD OR AN TO PROVIDE NEW CABINET BEZEL LABELS FOR T/DC1. DA EFF:05/26/00 FE/RA:NONE		DA	AF	2	ED5C695-10	1374					
APPARATUS REQUIRED IN ADDITION TO LIST AD OR AN TO PROVIDE NEW CABINET BEZEL LABELS FOR T/DC2. DA EFF:05/26/00 FE/RA:NONE		DA	AG	2	ED5C695-10	1375					
APPARATUS REQUIRED IN ADDITION TO LIST AD TO PROVIDE NEW CABINET BEZEL LABELS FOR T/DC3. DA EFF:05/26/00 FE/RA:NONE		DA	AH	2	ED5C695-10	1376					
APPARATUS REQUIRED IN ADDITION TO LIST AD TO PROVIDE NEW CABINET LABELS FOR T/DC4. DA EFF:05/26/00 FE/RA:NONE		DA	AJ	2	ED5D695-10	1377					
APPARATUS REQUIRED IN ADDITION TO LIST AD TO PROVIDE NEW CABINET BEZEL LABELS FOR T/DC5. DA EFF:05/26/00 FE/RA:NONE		DA	AK	2	ED5D695-10	1378					
APPARATUS REQUIRED IN ADDITION TO LIST AD TO PROVIDE NEW CABINET BEZEL LABELS FOR T/DC6. DA EFF:05/26/00 FE/RA:NONE		DA	AL	2	ED5D695-10	1379					
RESERVED.			AM								
ASSEMBLY AND EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE NEW FRAMEWORK AND BEZELS. WITH FRONT BEZELS (ONLY) EQUIPPED WITH FUSE ALARM INDICATOR LED'S. FOR CENTRAL OFFICE APPLICATIONS. DA EFF:05/26/00 FE/RA:NONE		DA	AN	OMIT 1	ED5D579-72	1					
				1	ED5D579-74	2					
				1	ED5D694-30	1					
				1	ED5D694-30	2					

END OF TABLE-A

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BN98

COMMON SYSTEMS
3B20D
SPECIFICATION FOR
TAPE/DISK CABINET
FOR 5ESS


DWG SIZE C2 ISSUE 44

J1C192A-1


LUCENT TECHNOLOGIES INC J1C192A-1

SHEET A5 OF 39


PRINTED IN U.S.A.



LEFT VIEW



REAR VIEW



RIGHT VIEW

FIG. 1
CABLE BRACKETS & SUPPORTS
PER LIST 5

CONVERSION TABLE	
INCH	MM
6 1/2	165.1
13 1/2	342.9
21 1/2	546.1
28 1/2	723.9
36 1/2	927.1
39 1/2	1,003.3
43 1/2	1,104.9
51 1/2	1,308.1
54 1/2	1,384.3
64 1/2	1,638.3
68 1/2	1,739.9
69 1/2	1,765.3

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC192A-1	SHEET B1	ISSUE 44	DWG SIZE C2/AIR

JIC192A-1

CONVERSION TABLE	
INCH	MM
6 1/2	165.1
13 1/2	342.9
21 1/2	546.1
23 1/2	596.9
28 1/2	723.9
36 1/2	927.1
37 1/2	952.5
39 1/2	1,003.3
43 1/2	1,104.9
48 1/2	1,231.9
49	1,244.6
54 1/2	1,384.3
64 1/2	1,638.3
68 1/2	1,739.9
69 1/2	1,765.3




FIG. 2
CABLE BRACKETS & SUPPORTS
PER LIST 5A

TITLE				TAPE/DISK CABINET		
THIRD ANGLE PROJECTION				SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		JIC192A-1		SHEET	ISSUE	DWG SIZE
				B2	44	C2/AIR

JIC192A-1





FIG. 3
 FRONT VIEW
 SHOWING METHOD OF MOUNTING
 340MB DISK POWER SUPPLY AND
 POWER SWITCH TO SHELF

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC192A-1	SHEET B3	ISSUE 44	DWG SIZE C2/AIR


JIC192A-1



P/O FIG. 3
SIDE VIEW

TITLE				TAPE/DISK CABINET		(P)
THIRD ANGLE PROJECTION				SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		J1C192A-1		SHEET	ISSUE	DWG SIZE
				B 4	44	C2/A1R

J1C192A-1



J1C192A-1

SD-4C126-01 J1C192A-1

TITLE				
TAPE/DISK CABINET				
THIRD ANGLE PROJECTION				
SEE PROPRIETARY NOTICE ON SHEET A1				
Lucent Technologies Inc.		J1C192A-1	SHEET B6	ISSUE 44
			DWG SIZE C2/AIR	




FIG. 5
CABLE BRACKETS & SUPPORTS
PER 3RD LIST 4B

TITLE				TAPE/DISK CABINET		
THIRD ANGLE PROJECTION				SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		JIC192A-1		SHEET	ISSUE	DWG SIZE
				B7	44	C2/AIR

JIC192A-1

CONVERSION TABLE	
INCH	MM
11	279.4
37 1/2	495.3
23 1/2	596.9
33 1/2	850.9
35 1/2	901.7
37 1/2	952.5
40	1,016.0
43 1/2	1,104.9
48 1/2	1,231.9
49	1,244.6
49 1/2	1,257.3




FIG. 5A
CABLE BRACKETS & SUPPORTS
PER 3RD LIST 4B, 4C

TITLE			
TAPE/DISK CABINET			
(P)			
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1	
Lucent Technologies Inc.	J1C192A-1	SHEET B8	ISSUE 44 DWG SIZE C2/AIR

J1C192A-1




FIG. 10
 CABINET VIEW
 FOR BEZEL ASSEMBLY
 ASSEMBLY PROCEDURE SAME
 FRONT & REAR
 (LIST AD)

TITLE				
TAPE/DISK CABINET				
THIRD ANGLE PROJECTION				
		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		J1C192A-1	SHEET B9	ISSUE 44
			DWG SIZE C2/A1R	

J1C192A-1





FIG. B (MFR DISC)
REAR VIEW


TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC192A-1	SHEET C1	ISSUE 44	DWG SIZE C2/AIR

JIC192A-1



J1C192A-1

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	J1C192A-1	SHEET C2	ISSUE 44	DWG SIZE C2/AIR



ED-4C561-15
 G91
 G81
 G93
 G83
 G95
 G85
 G97
 G87

ED-4C561-15
 G86
 G96
 G84
 G94
 G82
 G92
 G80
 G90

TIE WIRE
 BRAKEOUTS
 TO EXISTING
 CABLE

TIE WIRE
 BRAKEOUTS
 TO EXISTING
 CABLE

(SIDE VIEW)


(REAR VIEW)

(SIDE VIEW)

FIG. D
 METHOD OF RUNNING POWER
 FEEDERS FOR A MAXIMUM
 OF SIXTEEN DISKS

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC192A-1	SHEET C3	ISSUE 44	DWG SIZE C2/AIR

JIC192A-1



ED-4C508-20,
G16G

ED-4C508-20,
G16C

ED-4C508-20,
G16B

ED-4C508-20,
G16F

ED-4C508-20,
G16B

ED-4C508-20,
G16C

B45186642
CABLE BRACKET

B45186659
CABLE SUPPORT

(SIDE VIEW)

(REAR VIEW)

(SIDE VIEW)

FIG. E
(MFR DISC)
INTRA FRAME
ALARM CABLE

JIC192A-1

TITLE				TAPE/DISK CABINET		
THIRD ANGLE PROJECTION				SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		JIC192A-1		SHEET	ISSUE	DWG SIZE
				C4	44	C2/AIR






FIG. K
REAR VIEW
METHOD OF ASSEMBLING
MOUNTING BRACKET WITH
TAPE UNIT ADAPTER BOARD



SECT. A-A



J1C192A-1

TITLE				
TAPE/DISK CABINET				
THIRD ANGLE PROJECTION				
SEE PROPRIETARY NOTICE ON SHEET A1				
Lucent Technologies Inc.		J1C192A-1	SHEET C5	ISSUE 44
			DWG SIZE C2/AIR	



J1C192A-1

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	J1C192A-1	SHEET C6	ISSUE 44	DWG SIZE C2/AIR




ED-4C50B-40
GROUP 6

ED-4C50B-40
GROUP 5
RUN ON DISK SIDE
GRP 6 TO BE RUN
ON BRACKET SIDE

ED-4C50B-40
GROUP 3

ED-4C50B-40
GROUP 3



SEE FIG.
B & C

FIG. J (MFR DISC)
METHOD OF RUNNING
CONTROL CABLES

J1C192A-1

TITLE					TAPE/DISK CABINET				
THIRD ANGLE PROJECTION					(P)				
					SEE PROPRIETARY NOTICE ON SHEET A1				
Lucent Technologies Inc.		J1C192A-1			SHEET C7	ISSUE 44	DWG SIZE C2/AIR		




FIG. M
 FRONT VIEW
 BEZEL PART OF CABINET
 ASSEMBLY SHOWING
 CABINET DESIGNATION LABELS
 FOR T/DC 0
 (LIST A & F)




FIG. N
 FRONT VIEW
 BEZEL PART OF CABINET
 ASSEMBLY SHOWING
 CABINET DESIGNATION LABELS
 FOR T/DC 1
 (LIST B & F)





FIG. P
 FRONT VIEW
 BEZEL PART OF CABINET
 ASSEMBLY SHOWING
 CABINET DESIGNATION LABELS
 FOR T/DC 2
 (LIST C & F)

J1C192A-1

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	J1C192A-1	SHEET C8	ISSUE 44	DWG SIZE C2/A1R



J1C192A-1

TITLE				TAPE/DISK CABINET		
THIRD ANGLE PROJECTION				SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		J1C192A-1		SHEET	ISSUE	DWG SIZE
				C9	44	C2/AIR




FIG. 5

J1C192A-1

TITLE				TAPE/DISK CABINET		
THIRD ANGLE PROJECTION				SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		J1C192A-1		SHEET	ISSUE	DWG SIZE
				C10	44	C2/AIR




FIG. B1
REAR VIEW

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	J1C192A-1	SHEET C11	ISSUE 44	DWG SIZE C2/AIR

J1C192A-1







FIG. C1
 (SIDE VIEW)
 TYPICAL PROCEDURE FOR COILING AND DRESSING
 DATA AND CONTROL DISK DRIVE CABLES

TITLE			
TAPE/DISK CABINET			
THIRD ANGLE PROJECTION			
			
SEE PROPRIETARY NOTICE ON SHEET A1			
Lucent Technologies Inc.	JIC192A-1	SHEET C12	ISSUE 44 DWG SIZE C2/A1R


JIC192A-1



(SIDE VIEW)



(REAR VIEW)



(SIDE VIEW)

FIG. J1
METHOD OF RUNNING
CONTROL CABLES

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		(P)		
		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	J1C192A-1	SHEET C13	ISSUE 44	DWG SIZE C2/AIR

J1C192A-1




FIG. T
FRONT VIEW
SHOWING DISK WARNING LABEL
(LIST AA)




FIG. U
REAR VIEW
SHOWING DISK WARNING LABEL
(LIST XI)

J1C192A-1

TITLE			TAPE/DISK CABINET			Ⓟ
THIRD ANGLE PROJECTION			SEE PROPRIETARY NOTICE ON SHEET A1			
		Lucent Technologies Inc.		J1C192A-1	SHEET C14	ISSUE 44
					DWG SIZE C2/AIR	




FIG. V

ENLARGED VIEW OF
DISK DRIVE POWER
SUPPLY, SHOWING LOCATION
OF THE VOLTAGE SELECTOR
PLUG.

J1C192A-1

TITLE			
TAPE/DISK CABINET			
THIRD ANGLE PROJECTION			
SEE PROPRIETARY NOTICE ON SHEET A1			
Lucent Technologies Inc.		J1C192A-1	SHEET C15
			ISSUE 44
			DWG SIZE C2/AIR




FIG. AK
(BUS TERMINATING RESISTOR)
(SEE NOTES 19 & 20)

FIG. AP
(REAR VIEW)
SHOWING METHOD OF ASSEMBLING
CONTROL CABLE TO CABLE BRACKETS
NOTES 19 & 20

J1C192A-1

TITLE				TAPE/DISK CABINET		
THIRD ANGLE PROJECTION				SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.		J1C192A-1		SHEET	ISSUE	DWG SIZE
				C16	44	C2/AIR




FIG AR
BEZEL IN MAINTENANCE (OPEN) POSITION

- G1373 (T/DC0)
- G1374 (T/DC1)
- G1375 (T/DC2)
- G1376 (T/DC3) LIST AH
- G1377 (T/DC4) LIST AJ
- G1378 (T/DC5) LIST AK
- G1379 (T/DC6) LIST AL




FIG AS
FRONT VIEW
BEZEL PART OF CABINET
ASSEMBLY SHOWING
CABINET DESIGNATION LABELS
LIST AD

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC192A-1	SHEET C17	ISSUE 44	DWG SIZE C2/AIR

JIC192A-1





FIG. AT
BEZEL IN MAINTENANCE (OPEN) POSITION.

FIG. AU
FRONT VIEW
OF ED5D694-30, G1 (FRONT)
ED5D694-30, G2 (REAR)
BEZEL ASSEMBLY
SHOWING CABINET DESIGNATION LABELS.
LIST AN

ED5D695-10, G1373 (T/DC0) LIST AE
G1374 (T/DC1) LIST AF
G1375 (T/DC2) LIST AG

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC192A-1	SHEET C18	ISSUE 44	DWG SIZE C2/AIR

JIC192A-1



ED3TO-53-80, G4
CABLE ASSEMBLY

JIC147BE-1
PWR DIST UNIT

REAR OF
REAR OF CABINET

JIC192A-1

FIG. AV
ISOMETRIC VIEW
OF CABINET WITH BEZELS
IN MAINTENANCE (OPEN) POSITION
SHOWING ROUTING OF
ED3TO53-80, G4 CABLE.

TITLE		TAPE/DISK CABINET		
THIRD ANGLE PROJECTION		SEE PROPRIETARY NOTICE ON SHEET A1		
Lucent Technologies Inc.	JIC192A-1	SHEET C19	ISSUE 44	DWG SIZE C2/AIR

S
H
O
P

MANUFACTURING NOTES

***** CONTINUED *****

X
X
X

- 4. REPLACE THE COVER ON THE POWER SUPPLY.
- 5. ATTACH THE CAUTION LABELS (COMCODE 845756410) NEXT TO THE POWER CORD RECEPTACLE AND ON THE TAPE UNIT REAR PANEL NEAR THE EQUIPMENT IDENTIFICATION LABEL. SEE FIG.V
- 6. RECONNECT THE POWER CORD TO THE POWER SUPPLY.
- 18. THE TAPE ADAPTER BOARD SHALL BE WIRED PER MOD A AND STAMPED ACCORDINGLY AS SPECIFIED ON ED4C494-30.
- 19. ADD BTR CONNECTOR AND HEADER STRIP TO THE LAST EQUIPPED 340MB DISK ON THE ODD AND EVEN CONTROL CABLE BUSES AS SHOWN IN FIG. AK.
- 20. THE DRAIN WIRE FURNISHED WITH THE BTR MUST BE CONNECTED TO THE E TERMINAL OF THE LAST 340MB DISK ON EACH CONTROL CABLE BUS. IN SOME CASES, THE BTR MAY BE IN DIFFERENT TAPE/DISK CABINETS. A DRAIN WIRE (845323476) CABLE ASSEMBLY FURNISHED ON J1C176B-1 MAY BE REQUIRED FOR THIS FUNCTION; SEE FIG. AK AND AP.

S
H
O
P

MANUFACTURING NOTES

- 1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

X
X
X

- 12. TO ADJUST ED-4C485-30 LOOSEN(4) MOUNTING SCREWS 842058521 AND INSERT ED-4C481-30 POWER SWITCH. SECURE THUMBSCREWS FURNISHED WITH ED-4C481-30 AND TIGHTEN MOUNTING SCREWS. REMOVE AND REINSERT BOARD, READJUST IF NECESSARY.
- 13. ALL UNEQUIPPED POSITIONS SHALL BE PROVIDED WITH 72 TYPE DUMMY FUSES.

- 14. THE INSTALLATION KIT FURNISHED WITH THE TAPE DRIVE SHALL BE USED TO MOUNT THE UNIT PER MANUFACTURING LAYOUT. THE FOLLOWING ITEMS, INCLUDED IN THE KIT, ARE REQUIRED:
 - 4 HEX NUTS 10125301
 - 8 SCREWS 7/8 LONG 10127156
 - 8 LOCKWASHERS 10125806
 - 2 HINGE ASSEMBLIES 7701303
 - 2 HINGES 77021760
 - 2 FLAT WASHERS 93288008
 - 1 PIN 77010091.
 OTHER ITEMS IN THE KIT, SUCH AS STIFFENER BAR, BRACKET, STOPS AND EXTRA SCREWS AND WASHERS ARE NOT REQUIRED AND MAY BE DISCARDED.

- 15. § MODIFY THE CDC CABLE PART NUMBER 93991805 SUPPLIED WITH THE CDC DISK DRIVE PER DRAWING 845585264 OR SUPPLY ED4C489-10 GROUP 1A CABLE. §

- 16. REPLACE THE SCREW AND WASHER PROVIDED BY THE MANUFACTURER AT THE LATCH PIVOT POINT WITH A 802056549 FHM SCREW & 803828250 INTERNAL TOOTH LOCKWASHER.

X
X

- 17. TO CONVERT A GENERIC KS23113, L102 OR L108 KEYSTONE TAPE UNIT FROM 120V OPERATION TO 220/240V OPERATION REQUIRES THAT A PIN CONNECTOR CALLED THE VOLTAGE SELECTOR PLUG BE MOVED FROM THE "120V" RECEPTACLE (J11) TO THE "220/240V" RECEPTACLE (J12) ON THE MAIN POWER SUPPLY PWA. THE CONVERSION IS PERFORMED IN THE FOLLOWING SEQUENCE:
 - 1. DISCONNECT THE POWER CORD FROM THE SUPPLY. REMOVE THE COVER FROM THE POWER SUPPLY. SEE FIG.V
 - 2. DISCONNECT THE VOLTAGE SELECT PLUG FROM J11 ON THE MAIN POWER SUPPLY PWA. SEE FIG.V
 - 3. INSERT THE VOLTAGE SELECT PLUG INTO J12 ON THE MAIN POWER SUPPLY PWA. SEE FIG.V
 ----- CONTINUED TO THE LEFT -----

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BN98

COMMON SYSTEMS
3B20D
SPECIFICATION FOR
TAPE/DISK CABINET
FOR 5ESS

DWG SIZE C2 ISSUE 44

LUCENT TECHNOLOGIES INC J1C192A-1

SHEET D1 OF 39

J1C192A-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	ED5D579-70,G2		ASSEMBLY, CABINET			
1005	5,5A	2	843063231		SUPPORT, WIRE GUIDE			
1007	5,5A	10	845186642		BRACKET, CABLE			
1010	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	403404866	KS22875L10	DRIVE, DISK 340 MEGABYTE			15
1012	1	1	ED5D579-72,G1		ASSEMBLY, CABINET			
1013	1	2	843077900		BEZEL			
1015	1	4	900559121		WASHER, SPRING			
1016	1	4	996096970		SCREW, SHOULDER			
1018	1	5	403445141		HEADER, PINLESS			
1019	1	10	900555707		TUBING			
1020	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	403790611	KS22997L3	SUPPLY, POWER WHITE/BLACK LETTERS 5ESS			
1021	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	405180480	KS22997L3A	SUPPLY, POWER WHITE/BLACK LETTERS 5ESS			
1030	2 2A 2B 2C 3 3A 3B 3C	1 1 1 1 1 1 1 1	ED4C489-10,G1		ASSEMBLY, CONNECTORIZED SWBD CABLE (POWER)			
1031	2 2A 2B 2C 3 3A 3B 3C	1 1 1 1 1 1 1 1	ED4C489-10,G1A		ASSEMBLY, CONNECTORIZED SWBD CABLE (POWER)			15
1032	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	845585264		CABLE, POWER			15
1035	2 2A 2B 2C 3 3A 3B 3C	1 1 1 1 1 1 1 1	ED4C489-10,G2		ASSEMBLY, CONNECTORIZED SWBD CABLE (CONTROL)			
1040	2 2A 2B 2C 3 3A 3B 3C	1 1 1 1 1 1 1 1	ED4C481-30,G2		SWITCH, POWER			
1045	3,3A,3B, 3C	2 2	844655910		BRACKET, RIGHT			*/
1050	2,2A,2B, 2C	2 2	844655928		BRACKET, LEFT			*/
1055	2,2A,2B, 2C,3,3A, 3B,3C	8 8 8	840059042		SCREW, PAN HEAD MACHINE .164-32 X 1/4 STEEL 289A FINISH			*/
1060	2,2A,2B, 2C,3,3A, 3B,3C	5 5 5	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			*/
1065	2,2A,2B, 2C,3,3A, 3B,3C	2 2 2	845186881		BRACKET			*/
1070	2,2A,2B, 2C,3,3A, 3B,3C	9 9 9	814840070	P48D007	SCREW, PAN HEAD SELF TAPPING .164-18 X 1/2			*/

***** STOCKLIST CONTINUED AT RIGHT *****

J1C192A-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1075	2,2A,2B, 2C,3,3A, 3B,3C	2 2 2	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			*/
1080	2,2A,2B, 2C,3,3A, 3B,3C	8 8 8	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
1085	2,2A,2B, 2C	4 4	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
1095	2,2A,2B, 2C	1 1	844655217		CABLE ASSEMBLY (GROUND)			
1100	2,2A,2B, 2C	1 1	844655225		CABLE ASSEMBLY (GROUND)			
1105	3,3A,3B, 3C	1 1	844655266		CABLE ASSEMBLY (GROUND)			
1110	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	844655241		CABLE ASSEMBLY (GROUND)			
1114	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	844655274		CABLE ASSEMBLY (GROUND)			
1115	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	844655233		CABLE ASSEMBLY (GROUND)			
1116	4,4A,4B	2	804236362	P423636	WASHER, EXTERNAL TOOTH LOCK .250 STEEL 289A FINISH			
1117	4,4A,4B	2	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
1118	4,4A,4B	1	844655365		CABLE ASSEMBLY			
1120	3,3A,3B, 3C	1 1	844655258		CABLE ASSEMBLY (GROUND)			
1125	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	804236362	P423636	WASHER, EXTERNAL TOOTH LOCK .250 STEEL 289A FINISH			
1130	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	802056549	P205654	SCREW, FLAT HEAD MACHINE .164-32 X 3/8 STEEL 289A FINISH			16
1135	2,2A,2B, 2C,3,3A, 3B,3C	1 1 1	803828250	P382825	WASHER, INTERNAL LOCK .250 X .478 X .028 STEEL 289A FINISH			16
1140	2 2A	1 1	ED4C508-40,G3A G3A		CABLE, FLEX TAPE (CONTROL)			
1150	2B	1	ED4C508-40,G5A		CABLE, FLEX TAPE (CONTROL)			
1160	2C	1	ED4C508-40,G6A		CABLE, FLEX TAPE (CONTROL)			
1800	5	32	100203421	72A	FUSE, DUMMY			
					POS F1,F1A,F2,F2A, POS F3,F3A,F4,F4A, POS F5,F5A,F6,F6A, POS F7,F7A,F8,F8A, POS F9,F9A,F10,F10A, POS F11,F11A,F12, POS F12A,F13,F13A, POS F14,F14A,F15, POS F15A,F16,F16A			

STOCKLIST CONTINUED ON SHEET D3

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
BN98	
COMMON SYSTEMS 3B20D SPECIFICATION FOR TAPE/DISK CABINET FOR 5ESS	
DWG SIZE C2	ISSUE 44
LUCENT TECHNOLOGIES INC	J1C192A-1
SHEET OF	D2 39

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1801	5	32	103757977	72B	FUSE, DUMMY POS F1,F1A,F2,F2A F3,F3A,F4,F4A F5,F5A,F6,F6A F7,F7A,F8,F8A F9,F9A,F10,F10A F11,F11A,F12,F12A F13,F13A,F14,F14A F15,F15A,F16,F16A			
1805	5A	16	100203421	72A	FUSE, DUMMY POS F1,F1A,F2,F2A, POS F3,F3A,F4,F4A, POS F5,F5A,F6,F6A, POS F7,F7A,F8,F8A			
1806	5A	16	103757977	72B	FUSE, DUMMY POS F1,F1A,F2,F2A, F3,F3A,F4,F4A, F5,F5A,F6,F6A, F7,F7A,F8,F8A			
1810	2,2A,2B, 2C,3,3A, 3B,3C	OMIT 3 OMIT 3 OMIT 3	100203421	72A	FUSE, DUMMY			
1811	2,2A,2B, 2C,3,3A, 3B,3C	OMIT 3 OMIT 3 OMIT 3	103757977	72B	FUSE, DUMMY			
1815	2	2	100203371	70F	FUSE .25 AMP POS F1A,F2A			
1820	2A	2	100203371	70F	FUSE .25 AMP POS F9A,F10A			
1825	2B	2	100203371	70F	FUSE .25 AMP POS F5A,F6A			
1830	2C	2	100203371	70F	FUSE .25 AMP POS F13A,F14A			
1835	3	2	100203371	70F	FUSE .25 AMP POS F3A,F4A			
1840	3A	2	100203371	70F	FUSE .25 AMP POS F11A,F12A			
1845	3B	2	100203371	70F	FUSE .25 AMP POS F7A,F8A			
1850	3C	2	100203371	70F	FUSE .25 AMP POS F15A,F16A			
1855	2	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F1A,F2A			
1860	2A	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F9A,F10A			
1865	2B	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F5A,F6A			
1870	2C	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F13A,F14A			
1875	3	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F3A,F4A			
1880	3A	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F11A,F12A			
1885	3B	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F7A,F8A			
1890	3C	2	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F15A,F16A			
1895	2	1	102630324	74D	FUSE 10 AMP POS F2			
1900	2A	1	102630324	74D	FUSE 10 AMP POS F10			

***** STOCKLIST CONTINUED AT RIGHT *****

J1C192A-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1905	2B	1	102630324	74D	FUSE 10 AMP POS F6			
1910	2C	1	102630324	74D	FUSE 10 AMP POS F14			
1915	3	1	102630324	74D	FUSE 10 AMP POS F4			
1920	3A	1	102630324	74D	FUSE 10 AMP POS F12			
1925	3B	1	102630324	74D	FUSE 10 AMP POS F8			
1930	3C	1	102630324	74D	FUSE 10 AMP POS F16			
2000	5	1	J1C186AB-1,L3		UNIT, POWER DISTRIBUTION			
2005	5 5A	1 1	ED4C561-15,G80 G80		ASSEMBLY, CABLE (POWER UNIT)			
2010	5 5A	1 1	ED4C561-15,G90 G90		ASSEMBLY, CABLE (POWER SWITCH)			
2015	5 5A	1 1	ED4C561-15,G81 G81		ASSEMBLY, CABLE (POWER UNIT)			
2020	5 5A	1 1	ED4C561-15,G91 G91		ASSEMBLY, CABLE (POWER SWITCH)			
2025	5	1	ED4C561-15,G84		ASSEMBLY, CABLE (POWER UNIT)			
2030	5	1	ED4C561-15,G94		ASSEMBLY, CABLE (POWER SWITCH)			
2035	5	1	ED4C561-15,G85		ASSEMBLY, CABLE (POWER UNIT)			
2040	5	1	ED4C561-15,G95		ASSEMBLY, CABLE (POWER SWITCH)			
2045	5 5A	1 1	ED4C561-15,G82 G82		ASSEMBLY, CABLE (POWER UNIT)			
2050	5 5A	1 1	ED4C561-15,G92 G92		ASSEMBLY, CABLE (POWER SWITCH)			
2055	5 5A	1 1	ED4C561-15,G83 G83		ASSEMBLY, CABLE (POWER UNIT)			
2060	5 5A	1 1	ED4C561-15,G93 G93		ASSEMBLY, CABLE (POWER SWITCH)			
2065	5	1	ED4C561-15,G86		ASSEMBLY, CABLE (POWER UNIT)			
2070	5	1	ED4C561-15,G96		ASSEMBLY, CABLE (POWER SWITCH)			
2075	5	1	ED4C561-15,G87		ASSEMBLY, CABLE (POWER UNIT)			
2080	5	1	ED4C561-15,G97		ASSEMBLY, CABLE (POWER SWITCH)			
2085	8	OMIT 1	J1C186AB-1,L3		UNIT, POWER DISTRIBUTION			
2090	8	1	J1C186AB-1,L7		UNIT, POWER DISTRIBUTION			
2105	5A	1	J1C186AB-1,L4		UNIT, POWER DISTRIBUTION			
2107	5A	2	845184258		BRACKET, CABLE			

STOCKLIST CONTINUED ON SHEET D4

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

COMMON SYSTEMS
3B20D
SPECIFICATION FOR
TAPE/DISK CABINET
FOR 5ESS

BN98

DWG SIZE
C2

ISSUE
44

LUCENT TECHNOLOGIES INC J1C192A-1

SHEET D3
OF 39

PRINTED IN U.S.A.

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
3505	7,7A	1	845186808		BRACKET, MOUNTING TAPE (RIGHT)				
3510	7,7A	24	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING				
3515	7,7A	1	845186816		BRACKET, SUPPORT CROSS (TOP)				
3520	7,7A	24	840059067		SCREW, PAN HEAD MACHINE .164-32 X 3/8 STEEL 289A FINISH				
3525	7,7A	1	845186824		BRACKET, SUPPORT CROSS (BOTTOM)				
3526	7,7A	2	845182039		BLOCK				
3530	7	1	844655886		BRACKET, MOUNTING TAPE LEFT (LEFT)				
3540	7,7A	2	900635525		CLAMP, CABLE				
3600	1	2	843084104		PANEL				
3610	1	2	845000025		LABEL				
3620	1	8	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL 289A FINISH				
4100	A	2	845082544		LABEL				
4110	A	2	845081967		LABEL, BLANK				
4120	B	2	845082551		LABEL				
4130	B	2	845081967		LABEL, BLANK				
4140	C	2	845309905		LABEL				
4150	C	2	845081967		LABEL, BLANK				
4155	D	1	ED5D579-73,G1		ASSEMBLY, CABINET				
4160	D,F	OMIT 2	843077900		BEZEL				
4165	D,E,F	OMIT 4	843077942		BRACKET				
4170	D	OMIT 4	900559121		WASHER, SPRING				
4175	D	OMIT 4	996096970		SCREW, SHOULDER				
4180	D,E,F	OMIT 8	840059042		SCREW, PAN HEAD MACHINE .164-32 X 1/4 STEEL 289A FINISH				
4185	E	1	ED5D579-73,G2		ASSEMBLY, CABINET				
4190	F	1	ED5D579-73,G2		ASSEMBLY, CABINET				
4195	F	2	845313220		BEZEL, EMI				
4200	D E F	OMIT 1 OMIT 1 OMIT 1	ED5D579-72,G1 G1 G1		ASSEMBLY, CABINET				
4205	1,D,E,F	2	403813009		LUG, TERMINAL				
4210	1,D,E,F	2	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING				
4215	1,D,E,F	2	845081991		LABEL, ESD				
4250	G	1	845327352		BAR, MOUNTING				
4255	G	1	845327345		LABEL				
4260	G	4	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING				
4265	H	1	403604481	KS22997L4	UNIT, POWER SUPPLY WHITE/BLACK LETTERS 5ESS				
4270	H	OMIT 1	405180480	KS22997L3A	SUPPLY, POWER WHITE/BLACK LETTERS 5ESS				
4275	K	1	405179391	KS22875L18	MEMORY, SINGLE CHANNEL 340 MB E/W NO FRONT PANEL 32 SECTOR FORMAT				

***** STOCKLIST CONTINUED AT RIGHT *****

J1C192A-1

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
4280	K	1	405179417	KS22875L50	MEMORY, PANEL KIT BLACK				
4285	K	OMIT 1	403404866	KS22875L10	DRIVE, DISK 340 MEGABYTE				
4290	L	1	845231380		BREAKER, CIRCUIT, PROTECTOR				15
4300	M	2	845734417		LABEL, DESIGNATION				
4310	N	2	845734425		LABEL, DESIGNATION				
4320	P	2	845734433		LABEL, DESIGNATION				
4330	R	2	845734441		LABEL, DESIGNATION				
4340	M,N,P,R	2	845081967		LABEL, BLANK				
4350	4C	2	804236362	P423636	WASHER, EXTERNAL TOOTH LOCK .250 STEEL 289A FINISH				
4360	4C	2	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING				
4370	4C	1	844655365		CABLE ASSEMBLY				
4380	4C	4	900635525		CLAMP, CABLE				
4390	4C	6	900280264		SCREW, SPECIAL PAN HEAD MACHINE .164-32 X 3/8 STEEL SLOTTED TAPITTE				
4391	4C	6	804229466	P422946	SCREW, PAN HEAD SELF TAPPING .164-32 X 3/8				
4400	4C	1	403716095	KS23113L15	RECORDER, TAPE UNIT 50HZ BLACK				
4401	4C	1	405680026	KS23113L108	RECORDER WITH L3 UNBUFFERED PERTEC INTERFACE, BLACK DECK AND FRONT DOOR				17
4405	4C	2	845756410		LABEL				17
4410	4C	3	841059827		SCREW, PAN HEAD MACHINE .250-20 X 3/8				
4420	4C	3	841059918		SCREW, PAN HEAD MACHINE .250-20 X 1-1/4				
4430	4C	1	ED4C508-40,G104		CABLE, FLEX TAPE				
4440	4C	1	845182054		ASSEMBLY, WIRE GUIDE				
4450	4C	OMIT 1	845186659		SUPPORT, CABLE (EQL 36 1/2)				
4460	4C	1	845182021		BRACKET, CABLE (TAPE UNIT)				
4470	4C	1	845186634		BRACKET, CABLE (TAPE UNIT)				
4480	4C	2	840058572		SCREW, PAN HEAD MACHINE .138-32 X 1/4 STEEL 289A FINISH				
4485	T	4	601162654	ED3T036-30	EQUIPMENT G1,TAPE BTR				
4500	4C	3	845327360		BRACKET, CABLE				
4510	4C	3	900280264		SCREW, SPECIAL PAN HEAD MACHINE .164-32 X 3/8 STEEL SLOTTED TAPITTE				
4511	4C	3	804229466	P422946	SCREW, PAN HEAD SELF TAPPING .164-32 X 3/8				

STOCKLIST CONTINUED ON SHEET D6

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

COMMON SYSTEMS
3B20D
SPECIFICATION FOR
TAPE/DISK CABINET
FOR 5ESS

BN98

DWG SIZE C2 ISSUE 44

LUCENT TECHNOLOGIES INC J1C192A-1

SHEET OF D5 39

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
4520	U	OMIT 1	845186642		BRACKET, CABLE (POS 37 1/2)				
4530	U	OMIT 1	900635525		CLAMP, CABLE				
4540	U	OMIT 1	900280264		SCREW, SPECIAL PAN HEAD MACHINE .164-32 X 3/8 STEEL SLOTTED TAPITE				
4541	U	OMIT 1	804229466	P422946	SCREW, PAN HEAD SELF TAPPING .164-32 X 3/8				
4550	V	1	997964697	KS19780L2	FUSE 10 AMP POS F2,F4,F6,F8, F10,F12,F14,F16				
4555	V	OMIT 1	102630324	74D	FUSE 10 AMP POS F2,F4,F6,F8, F10,F12,F14,F16				
4560	W	1	845756543		LABEL, FRONT				
4565	X	1	845756550		LABEL, REAR				
4569	Y	OMIT 1	ED4C481-30,G2		SWITCH, POWER				
4570	Y	1	ED4C481-30,G2, GA		SWITCH, POWER				
4580	AA	1	845961994		LABEL FRONT				
4590	4D,4E,4F	2	804236362	P423636	WASHER, EXTERNAL TOOTH LOCK .250 STEEL 289A FINISH				
4600	4D,4E,4F	2	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING				
4610	4D,4E,4F	1	844655365		CABLE ASSEMBLY				
4620	4D,4E	1	845965664		BRACKET MOUNTING TAPE CABLE				
4630	4D 4E	1 1	ED4C494-30,G2, GMODA G2,GMODA		BOARD, TAPE ADAPTER CIRCUIT			18	
4640	4D,4E	5	403445141		HEADER, PINLESS				
4650	4D,4E	8	840058598		SCREW, PAN HEAD MACHINE .138-32 X 3/8 STEEL 289A FINISH				
4660	4D,4E	8	801259524	P125952	NUT, HEXAGON .138-32 STEEL 289A FINISH				
4670	4D,4E,4F	4	900635525		CLAMP, CABLE				
4680	4D,4E,4F	6	900280264		SCREW, SPECIAL PAN HEAD MACHINE .164-32 X 3/8 STEEL SLOTTED TAPITE				
4681	4D,4E,4F	6	804229466	P422946	SCREW, PAN HEAD SELF TAPPING .164-32 X 3/8				
4690	4D	1	405514217	KS23113L24	RECORDER, ENHANCED BLACK 60 HZ				
4691	4D	1	405679994	KS23113L102	RECORDER WITH L7 ENHANCED PERTEC INTERFACE, AND BLACK DECK			54 17	
4700	4E,4F	1	405514407	KS23113L26	RECORDER, ENHANCED BLACK 50 HZ				
4701	4E,4F	1	405679994	KS23113L102	RECORDER WITH L7 ENHANCED PERTEC INTERFACE, AND BLACK DECK			54 17	
4705	4E,4F	2	845756410		LABEL				
4710	4D,4E,4F	3	841059827		SCREW, PAN HEAD MACHINE .250-20 X 3/8				
4720	4D,4E,4F	3	841059918		SCREW, PAN HEAD MACHINE .250-20 X 1-1/4				
4730	4D 4E	1 1	ED4C508-40,G101 G101		CABLE, FLEX TAPE (KEYSTONE III)				
4740	4F	1	ED4C508-40,G104		CABLE, FLEX TAPE				
4750	4D,4E,4F	1	845182054		ASSEMBLY, WIRE GUIDE				
4760	4D,4E	OMIT 1	845186659		SUPPORT, CABLE (PRW SW EQL 36 1/2)				

***** STOCKLIST CONTINUED AT RIGHT *****

J1C192A-1

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
4770	4D,4E,4F	1	845182021		BRACKET, CABLE (TAPE UNIT)				
4780	4D,4E,4F	1	845186634		BRACKET, CABLE (TAPE UNIT)				
4790	4D,4E,4F	2	840058572		SCREW, PAN HEAD MACHINE .138-32 X 1/4 STEEL 289A FINISH				
4795	AB	OMIT 1	405180480	KS22997L3A	SUPPLY, POWER WHITE/BLACK LETTERS 5ESS				
4800	AB	1	406515858	KS22997L104	SUPPLY, POWER, CONVERTER CENTRAL OFFICE WHITE PER FINISH 827				
4805	AC,AD,AN	OMIT 2	843077900		BEZEL				
4810	AC,AD,AN	OMIT 4	843077942		BRACKET				
4815	AC	OMIT 4	900559121		WASHER, SPRING				
4820	AC	OMIT 4	996096970		SCREW, SHOULDER				
4825	AC,AD,AN	OMIT 8	840059042		SCREW, PAN HEAD MACHINE .164-32 X 1/4 STEEL 289A FINISH				
4830	AC AD AN	OMIT 1 OMIT 1 OMIT 1	ED5D579-72,G1 G1 G1		ASSEMBLY, CABINET				
4835	AC	1	ED5D579-74,G1		ASSEMBLY, CABINET				
4840	AD AN	1 1	ED5D579-74,G2 G2		ASSEMBLY, CABINET				
4845	AD	2	ED5D694-30,G2		ASSEMBLY, BEZEL COVER				
4850	AC,AD,AN	OMIT 8	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL 289A FINISH				
4855	AC	OMIT 2	845000025		LABEL				
4860	AC,AD,AN	OMIT 2	843084104		PANEL				
4865	AN	1	ED5D694-30,G1		ASSEMBLY, BEZEL COVER				
4867	AN	1	ED5D694-30,G2		ASSEMBLY, BEZEL COVER				
4870	AN	1	ED3T053-80,G4		ASSEMBLY, CABLE				
4875	AE	2	ED5D695-10, G1373		LABEL, CABINET ADDRESS				
4885	AF	2	ED5D695-10, G1374		LABEL, CABINET ADDRESS				
4895	AG	2	ED5D695-10, G1375		LABEL, CABINET ADDRESS				
4900	AH	2	ED5D695-10, G1376		LABEL, CABINET ADDRESS				
4905	AJ	2	ED5D695-10, G1377		LABEL, CABINET ADDRESS				
4910	AK	2	ED5D695-10, G1378		LABEL, CABINET ADDRESS				
4915	AL	2	ED5D695-10, G1379		LABEL, CABINET ADDRESS				

***** END OF STOCKLIST *****

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

COMMON SYSTEMS
3B20D
SPECIFICATION FOR
TAPE/DISK CABINET
FOR 5ESS

BN98

DWG SIZE C2 ISSUE 44

LUCENT TECHNOLOGIES INC J1C192A-1

SHEET D6 OF 39