

ISSUE NOTES (CONTINUED)					ISSUE NOTES (CONTINUED)					ISSUE NOTES								
IN TBL A, LIST Z ADDED. SL ITEM 5370 AND NOTE 54 ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176IH-98 CHANGE CLASS: B					POINT CHANGE CLEAN UP ORIG ISS: 02/08/85 CHANGE CLASS: D					LIST B ADDED. CN0044CU ORIG ISS: 02/08/85 CHANGE CLASS: AC								
DRAFT: DLG	ENGR: DLG	SUPV: PCF	CERTIFIED: 01/18/91	ISSUE: 21	DRAFT: TPS	ENGR: RWR	SUPV:	CERTIFIED: 02/25/87	ISSUE: 13	DRAFT: GES	ENGR: RWR	SUPV:	VAULT: 03/27/85	ISSUE: 5				
IN TBL A LISTS AA,AB & SL ITEMS 5400,5405,5410,5415,5420 & 5425 ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176IH-99 CHANGE CLASS: B					IN TABLE A LIST K AND SL ITEM 1230 CHANGED. ORIG ISS: 02/08/85 CHANGE CLASS: D					LIST C, SL ITEMS 4930,4940, ADDED;FIG.C CHGD. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-15 CHANGE CLASS: B								
DRAFT: ACW	ENGR: ACW	SUPV: PCF	CERTIFIED: 02/25/91	ISSUE: 22	DRAFT: TPS	ENGR: KAG	SUPV:	CERTIFIED: 05/06/87	ISSUE: 14	DRAFT: GES	ENGR: REH	SUPV:	VAULT: 05/08/85	ISSUE: 6				
IN TABLE A LIST Z RATED "DA". ORIG ISS: 02/08/85 NDD NBR: 1C176IH-106 CHANGE CLASS: B					FIG. 1 ED4C561-50 ADDED. ORIG ISS: 02/08/85 CHANGE CLASS: M					LISTS D & E ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-22 CHANGE CLASS: B								
DRAFT: DLG	ENGR: DLG	SUPV: PCF	CERTIFIED: 06/12/91	ISSUE: 23	DRAFT: TPS	ENGR: KAG	SUPV:	CERTIFIED: 06/24/87	ISSUE: 15	DRAFT: GES	ENGR: RWR	SUPV:	VAULT: 07/04/85	ISSUE: 7				
LISTS AC & AD ADDED. LISTS C REFERENCE TO PBX ONLY ADDED. LISTS F & G RATED "DA". ORIG ISS: 02/08/85 NDD NBR: 1C176IH-104 CHANGE CLASS: B					LISTS L AND M ADDED. LISTS D AND E RATED 'DA'. SL ITEMS 4950 AND 4960 LINED OUT. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-53 CHANGE CLASS: B					LISTS F,G & H ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-28 CHANGE CLASS: B								
DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 06/13/91	ISSUE: 24	DRAFT: TPS	ENGR: JEH	SUPV:	CERTIFIED: 09/15/87	ISSUE: 16	DRAFT: GES	ENGR: RWR	SUPV:	VAULT: 09/10/85	ISSUE: 8				
LIST AF ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176IH-109 CHANGE CLASS: ME					SL ITEM 4400 IDENT READ J1C161BC-1, LA. SL ITEMS 4950 & 4960 REINSTATED. ORIG ISS: 02/08/85 CHANGE CLASS: M					LISTS F,G & H CHGD. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-28 CHANGE CLASS: B								
DRAFT: KAG	ENGR: KAG	SUPV: PCF	CERTIFIED: 06/13/91	ISSUE: 25	DRAFT: JLC	ENGR: KAG	SUPV:	CERTIFIED: 10/14/87	ISSUE: 17	DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 12/24/85	ISSUE: 9				
DWG REISSUED TO CORRECT SHEET INDEX, C1-C3 & C5 READ ISSUE 24. ORIG ISS: 02/08/85 CHANGE CLASS: M					LISTS N,P,R,S & T ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-57 CHANGE CLASS: B					MISC PT CHG ITEMS ADDED. ORIG ISS: 02/08/85 CHANGE CLASS: D								
DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 07/25/91	ISSUE: 26	DRAFT: JLC	ENGR: KAG	SUPV:	CERTIFIED: 05/02/88	ISSUE: 18	DRAFT: TPS	ENGR: RWR	SUPV:	VAULT: 09/08/86	ISSUE: 10				
LISTS AG AND AH ADDED. LIST AD RATED "DA". TABLE A LIST R,S,T & W DESCRIPTION CHGD ***** IN TBL A LIST N RATED "DA". LIST P DESCRIPTION CHGD. PRODUCT IDENTIFIER 840026835 CHGD TO 840026843 PER OCW COST REDUCTION OCW PT ISSUE 25.1 ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176IH-112 CHANGE CLASS: B					LISTS U,V AND W ADDED. SL ITEMS 4710 & 5050 IDENT CHANGED. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-76 CHANGE CLASS: B					SL ITEMS 4525 & 4545 ADDED;FIG.1 CHGD. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-40 CHANGE CLASS: B								
DRAFT: JGW	ENGR: JGW	SUPV: PCF	CERTIFIED: 01/23/92	ISSUE: 27	DRAFT: MSB	ENGR: KAG	SUPV:	CERTIFIED: 07/11/89	ISSUE: 19	DRAFT: TPS	ENGR: KAG	SUPV:	VAULT: 11/12/86	ISSUE: 11				
					IN TBL A LISTS J,X & Y ADDED. IN TBL A LIST B RATED "DA". ORIG ISS: 02/08/85 NDD NBR: 1C176IH-90 CHANGE CLASS: B					* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. * ----- ORIGINAL SEDBS CERTIFICATION DATE OF THIS ISSUE IS 12/02/86 DRAWING RATING READ PROV TBL A,LIST K ADDED. ORIG ISS: 02/08/85 NDD NBR: 1C176CU-41 CHANGE CLASS: B								
					DRAFT: DJS					ENGR: DJS	SUPV: PCF	CERTIFIED: 08/14/90	ISSUE: 20	DRAFT: TPS	ENGR: RWR	SUPV:	CERTIFIED: 01/26/87	ISSUE: 12

SHEET INDEX												
SHT NBR	A1 THRU A3											ISSUE 31
ISSUE												
SHT NBR	D1 THRU D4											ISSUE 31
ISSUE												
SHT NBR	B1	B2	B3									
ISSUE	28	28	24									
SHT NBR	C1	C2	C3	C4	C5	C6	C7					
ISSUE	28	25	28	19	27	27	28					
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												
SHT NBR												
ISSUE												

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A2
B SECTION GRAPHICS	B1
C SECTION GRAPHICS	C1
MANUFACTURING NOTES	D1
STOCKLIST	D1

LUCENT TECHNOLOGIES- PROPRIETARY
THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS.

COPYRIGHT © 1999 LUCENT TECHNOLOGIES
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98	
ELECTRONIC SWITCHING SYSTEMS COMMON SPECIFICATION FOR 3B20D MODEL 3 PERIPHERAL INTERFACE CABINET 6 FOOT FOR 5ESS	
DWG SIZE C2	ISSUE 31
LUCENT TECHNOLOGIES INC J1C215A-1	
SHEET A1 OF 17	

J1C215A-1

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED FOR ONE PERIPHERAL INTERFACE CABINET, FOR 3B20D MODEL 3 FOR 5ESS, ARRANGED FOR GROWTH IOP. PROVIDES A POWER DISTRIBUTION UNIT AT LEVEL 66, A COOLING UNIT AT LEVEL 20, AND A BASIC IOP UNIT ARRANGED FOR TWO COMMUNITIES OF FOUR PERIPHERAL CONTROLLERS EACH AT LEVEL 29 PER FIGURE 1. DA EFF:12/10/99 FE/RA:NONE		DA	1	1 ED5D579-72 1 J1C147BE-1 1 ED4C387-30 1 J1C161BB-1 1 ED4C429-30 1 ED4C429-30 1 ED5D579-70 1 J1C161BB-1	1 2,A, C 1 1,WB 200 201 1\$ B						
WIRING AND EQUIPMENT REQ'D IN ADDITION TO LIST 1 TO PROVIDE THE FIRST GROWTH IOP UNIT ARRANGED FOR TWO COMMUNITIES OF FOUR PERIPHERAL CONTROLLERS EACH AT LEVEL 38 PER FIGURE 1. DA EFF:12/10/99 FE/RA:NONE		DA	2	1 J1C161BC-1 1 ED4C429-30 1 ED4C429-30	1,WA 220 221						
WIRING AND EQUIPMENT REQ'D IN ADDITION TO LIST 1 TO PROVIDE A SECOND BASIC IOP UNIT ARRANGED FOR TWO COMMUNITIES OF FOUR PERIPHERAL CONTROLLERS EACH AT LEVEL 47 PER FIGURE 1. DA EFF:12/10/99 FE/RA:NONE		DA	3	1 J1C161BB-1 1 ED4C429-30 1 ED4C429-30 1 J1C161BB-1	1,WB 200 201 B						
WIRING AND EQUIPMENT REQ'D IN ADDITION TO LIST 3 TO PROVIDE A SECOND GROWTH IOP UNIT ARRANGED FOR TWO COMMUNITIES OF FOUR PERIPHERAL CONTROLLERS EACH AT LEVEL 56 PER FIGURE 1. DA EFF:12/10/99 FE/RA:NONE		DA	4	1 J1C161BC-1 1 ED4C429-30 1 ED4C429-30	1,WA 220 221						
EQUIPMENT REQUIRED IN ADDITION TO LIST 3 WHEN LIST 2 IS NOT PROVIDED, LOCATED AT LEVEL 38. DA EFF:12/10/99 FE/RA:NONE		DA	A								
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 OR 3 TO PROVIDE IMPROVED INRUSH PROTECTION.		DA	B	J1C161BB-1	A						
APPARATUS ALWAYS REQUIRED IN ADDITION TO LIST 1 (PROVIDES IMPROVED CABINET BEZEL LABELS FOR PBX ONLY). DA EFF:12/10/99 FE/RA:NONE		DA	C								
APPARATUS ALWAYS REQUIRED IN ADDITION TO LIST 1 OR 3 (PROVIDES COST REDUCED HARDWARE).		DA	D	1 J1C161BB-1	C						
APPARATUS ALWAYS REQUIRED IN ADDITION TO LIST 2 OR 4 (PROVIDES COST REDUCED HARDWARE).		DA	E	1 J1C161BC-1	A						
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED FRAMEWORK FOR APT APPLICATIONS.		DA	F	1 ED5D579-73 OMIT 1 ED5D579-72	G1 G1						
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED FRAMEWORK FOR CENTRAL OFFICE APPLICATION.		DA	G	1 ED5D579-73 OMIT 1 ED5D579-72	G2 G1						
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED FRAMEWORK FOR PBX APPLICATIONS. DA EFF:12/10/99 FE/RA:NONE		DA	H	1 ED5D579-73 OMIT 1 ED5D579-72	G2 G1						
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE EXTENDED INPUT VOLTAGE OPERATION DA EFF:12/10/99 FE/RA:NONE		DA	J	1 J1C161BB-1 1 ED4C387-30	H C						

TABLE-A CONTINUED

J1C215A-1

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH LUCENT TECHNOLOGIES INC.-NONE.

52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP. IN TABLE A, THE SCHEMATIC, DRAWING, FIGURES, AND OPTIONS ARE EQUIVALENT TO THE T* DRAWING, FIGURE, WIRING AND APPARATUS OPTIONS UNLESS OTHERWISE INDICATED. DATA IN () INDICATES WIRING ONLY.

53. DOLLAR SIGNS (\$) IN FRONT OF AND BEHIND WORDS, SENTENCES, PARAGRAPHS AND/OR CHARACTERS INDICATE HORIZONTALLY LINED OUT INFORMATION.

54. AT THE START OF ACCEPTANCE TESTING, THE #45PPI AIR FILTER, EQUIPPED ON THE ED4C387-30 FAN UNIT, MUST BE REPLACED. THE AIR FILTER IS ORDERED IN THE FAN UNIT STOCK LIST.

ISSUE NOTES (CONTINUED)				
SL ITEMS 4330 & 4420 CHGD. ***** SL ITEMS 4505,5575 & 5580 ADDED. FIG. M, LIST AD, SL ITEMS 1050, 1190,1200,3060,3070,4480,5110,5155,5195,5220,5250 & 5520 CHGD. SL ITEMS 1013,1016,5435 & 5450 DELETED PER OCW PT. ISSUES 27.1 THRU 27.6.				
ORIG ISS: 02/08/85		CHANGE CLASS: M		
DRAFT: TPS	ENGR: TPS	SUPV: PCF	CERTIFIED: 01/07/94	ISSUE: 28
LIST AA RATED "DA".				
ORIG ISS: 02/08/85		CHANGE CLASS: M		
DRAFT: TPS	ENGR: TPS	SUPV: CDH	CERTIFIED: 03/31/98	ISSUE: 29
DWG REISSUED TO CHANGE PROP. CODE TO READ LUCENT.				
ORIG ISS: 02/08/85		CHANGE CLASS: M		
DRAFT: TPS	ENGR: TPS	SUPV: CDH	CERTIFIED: 04/02/98	ISSUE: 30
(A6073) NOTE 51 "LUCENT TECHNOLOGIES INC." READ "AT&T". PLEASE BE ADVISED THAT REFERENCE TO COPYRIGHTS FORMERLY IN THE NAME OF "AT&T INC"., HAVE SINCE BEEN ASSIGNED TO AND ARE NOW THE PROPERTY OF LUCENT TECHNOLOGIES INC. LISTS 1,2,3,4,A,C,H,J,K, L,M,P,R,S,T,U,V,W,X,Y,AB,AC,AF,AG & AH RATED 'DA'.				
ORIG ISS: 02/08/85		NDD NBR: 1C176NW-150	CHANGE CLASS: B	
DRAFT: TPS	ENGR: JES	SUPV: CDH	CERTIFIED: 12/03/99	ISSUE: 31

SEE PROPRIETARY NOTICE ON SHEET ONE

COPYRIGHT © 1999 LUCENT TECHNOLOGIES
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

ELECTRONIC SWITCHING SYSTEMS
COMMON
SPECIFICATION FOR
3B20D MODEL 3
PERIPHERAL INTERFACE CABINET
6 FOOT FOR 5ESS

DWG SIZE C2	ISSUE 31
----------------	-------------

LUCENT TECHNOLOGIES INC J1C215A-1

SHEET A2
OF 17

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		REF NOTE	RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	QTY				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
EQUIPMENT REQUIRED IN ADDITION TO LIST 2 OR 3 FOR A DOUBLE TAPE FRAME APPLICATION. DA EFF:12/10/99 FE/RA:NONE			DA	K								
APPARATUS ALWAYS REQUIRED IN ADDITION TO LIST 1 OR 3 (PROVIDES UNIVERSAL CARD GUIDES) DA EFF:12/10/99 FE/RA:NONE	1	J1C161BB-1			D							
APPARATUS ALWAYS REQUIRED IN ADDITION TO LIST 2 OR 4 (PROVIDES UNIVERSAL CARD GUIDES). DA EFF:12/10/99 FE/RA:NONE	1	J1C161BC-1			B							
ASSEMBLY AND EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 & F. (PROVIDES HDWE FOR FRONT MTD UNITS.) (REPLACED BY LIST AC)	1 1 1 1	J1C161BB-1 ED4C387-30 ED5D579-73 ED5D579-73			G B 3 1							
ASSEMBLY AND EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 & G OR 1 & H. (PROVIDES HDWE FOR FRONT MTD UNITS.) FOR PBX APPLICATIONS DA EFF:12/10/99 FE/RA:NONE	1 1 1 1	J1C161BB-1 ED4C387-30 ED5D579-73 ED5D579-73			G B 4 2							
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 2 & N OR 2 & P OR 2 AND AH. DA EFF:12/10/99 FE/RA:NONE	1	J1C161BC-1			E							
EQUIPMENT ALWAYS REQUIRE IN ADDITION TO LIST 3 & N OR 3 & P OR 3 AND AH. DA EFF:12/10/99 FE/RA:NONE	1	J1C161BB-1			G							
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 4 & N OR 4 & P OR 4 AND AH. DA EFF:12/10/99 FE/RA:NONE	1	J1C161BC-1			E							
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 OR 3. (PROVIDES CIRCUIT PACK KEYING.) DA EFF:12/10/99 FE/RA:NONE	1	J1C161BB-1			E							
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 2 OR 4. (PROVIDES CIRCUIT PACK KEYING.) DA EFF:12/10/99 FE/RA:NONE	1	J1C161BC-1			C							
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST A AND N OR LIST A AND P OR LIST A AND AH. DA EFF:12/10/99 FE/RA:NONE												
APPARATUS ALWAYS REQUIRED IN ADDITION TO LIST 2 OR 4 TO PROVIDE EXTENDED INPUT VOLTAGE OPERATION. DA EFF:12/10/99 FE/RA:NONE												
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE EXTENDED INPUT VOLTAGE OPERATION DA EFF:12/10/99 FE/RA:NONE	1	J1C161BB-1			H							
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 (PROVIDES #45PPI FILTER). SEE NOTE 54.	1	ED4C387-30			D							

TABLE-A CONTINUED

J1C215A-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		REF NOTE	RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	QTY				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE EXTENDED INPUT VOLTAGE OPERATION. DA EFF:04/30/98 FE/RA:NONE	1 1	J1C147BE-1 J1C147BE-1			C L							
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE EXTENDED INPUT VOLTAGE OPERATION. DA EFF:12/10/99 FE/RA:NONE												
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE NEW FRAMEWORK ARRANGED FOR NSI APPLICATIONS. DA EFF:12/10/99 FE/RA:NONE	1 1 1 1	ED5D579-74 ED5D579-72 J1C161BB-1 ED4C387-30			3 1 G B							
REQUIRED IN ADDITION TO LIST 1 TO PROVIDE NEW FRAMEWORK ARRANGED FOR NEW DOOR/BEZEL COMBINATION FOR CENTRAL OFFICE APPLICATIONS. (REPLACED BY LIST AH)	1 1 2 1 1	ED5D579-74 ED5D579-72 ED5D694-30 J1C161BB-1 ED4C387-30			4 1 2 G B							
RESERVED												
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 1 OR 3 TO PROVIDE BUS INTERFACE CONTROLLER (TN70C). DA EFF:12/10/99 FE/RA:NONE	1	J1C161BB-1			J							
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO ARRANGE CABINET FOR FUSE/FAN ALARM INDICATION. DA EFF:12/10/99 FE/RA:NONE	1	J1C147BE-1			V							
ASSEMBLY AND EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE NEW FRAMEWORK AND BEZELS. WITH FRONT BEZELS (ONLY) EQUIPPED WITH FUSE/FAN ALARM INDICATOR LED'S. FOR CENTRAL OFFICE APPLICATIONS. DA EFF:12/10/99 FE/RA:NONE	1 1 1 1 2 1 1 1	ED5D579-72 ED5D579-74 ED5D694-30 ED5D694-30 ED5D695-10 ED4C387-30 J1C161BB-1			1 4 1 2 1448 B G							

END OF TABLE-A

SEE PROPRIETARY NOTICE ON SHEET ONE
COPYRIGHT © 1999 LUCENT TECHNOLOGIES
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

ELECTRONIC SWITCHING SYSTEMS
COMMON
SPECIFICATION FOR
3B20D MODEL 3
PERIPHERAL INTERFACE CABINET
6 FOOT FOR 5ESS

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J1C215A-1

SHEET A3 OF 17




FIG. 1

CONVERSION TABLE	
INCH	MM
1"	25.4
9"	203.2
2'-2"	660.4
30"	752.0

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1994 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

PERIPHERAL INTERFACE CABINET	DWG SIZE	ISSUE
	C2	28
AT&T	JIC215A-1	SHEET B1

SHEET INDEX	ISSUE								
	SH NO.								
	ISSUE								
	SH NO.								
	ISSUE	28	28	24					
SH NO.	B1	B2	B3						

JIC215A-1




FIG. 2
DA
CABINET ASSEMBLY
ED5D184-72, 61




FIG. 2A
CABINET ASSEMBLY
ED5D184-73, 62
(FOR LIST H ONLY)

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1994 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
PERIPHERAL INTERFACE CABINET	DWG SIZE C2	ISSUE 28
	AT&T	JIC215A-1
		SHEET B2

SEE VIEW A-A
SHEET C3
FOR ASSEMBLY
DETAILS

BEZEL ASSEMBLY
FRONT & REAR
(REF)




FIG. 2B
CABINET VIEW
FOR BEZEL ASSEMBLY
ASSEMBLY PROCEDURE SAME
FRONT & REAR
(LIST AD)

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1991 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

PERIPHERAL INTERFACE CABINET		DWG SIZE	ISSUE
		c2	24
AT&T	J1C215A-1	SHEET B3	

J1C215A-1




FIG. B
REAR VIEW
METHOD OF STAMPING
FRAME CROSS MEMBER




FIG. C
FRONT VIEW
BEZEL PART OF CABINET
ASSEMBLY SHOWING
CABINET DESIGNATION LABELS
(LIST C & H)




FIG. D
BEZEL IN MAINTENANCE (OPEN) POSITION
(LIST H)

SEE PROPRIETARY NOTICE ON SHEET A1
COPYRIGHT © 1994 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

PERIPHERAL INTERFACE CABINET	DWG SIZE	ISSUE
	C2	28
AT&T	JIC215A-1	SHEET C1

SHEET INDEX	ISSUE								
	SH NO.								
	ISSUE								
	SH NO.								
	ISSUE	28	25	28	19	27	27	28	
SH NO.	C1	C2	C3	C4	C5	C6	C7		

JIC215A-1




FIG. E



BEZEL IN MAINTENANCE (OPEN) POSITION
 WIRING SIDE OF CABINET
 (LIST H ONLY)

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1991 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

PERIPHERAL INTERFACE CABINET		DWG SIZE C2	ISSUE 25
AT&T	JIC215A-1	SHEET C2	


JIC215A-1



EQUIPMENT SIDE
(BEZEL REMOVED FOR CLARITY)

WIRING SIDE
(BEZEL REMOVED FOR CLARITY)

FIG. F



SECT. A-A

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1994 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

PERIPHERAL INTERFACE CABINET

DWG SIZE
C2

ISSUE
28

AT&T

J1C215A-1

SHEET
C3

J1C215A-1




FIG. G
METHOD OF ASSEMBLING MOUNTING
BRACKETS TO PLENUM
(LIST W)

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1989 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

PERIPHERAL INTERFACE CABINET	DWG SIZE	ISSUE
	C2	19
AT&T	JIC215A-1	SHEET C4

JIC215A-1




FIG H
BEZEL IN MAINTENANCE (OPEN) POSITION



(GROUP 2)
FIG J
FRONT VIEW
BEZEL PART OF CABINET
ASSEMBLY SHOWING CABINET
DESIGNATION LABELS
LIST AD (DA)

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1992 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

PERIPHERAL INTERFACE CABINET

DWG SIZE	ISSUE
c2	27

AT&T

J1C215A-1

SHEET
C5

J1C215A-1




FIG. L
 FRONT VIEW
 OF ED5D694-30, G1 [FRONT]
 ED5D694-30, G2 [REAR]
 BEZEL ASSEMBLY
 SHOWING CABINET DESIGNATION LABELS.
 LIST AH

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1992 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
PERIPHERAL INTERFACE CABINET	DWG SIZE	ISSUE
	c2	27
AT&T	J1C215A-1	SHEET C6

J1C215A-1




FIG. M
 ISOMETRIC VIEW
 OF CABINET WITH BEZELS
 IN MAINTENANCE (OPEN) POSITION
 SHOWING ROUTING OF
 ED3T053-80, G3 & G4 CABLES.

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1994 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
PERIPHERAL INTERFACE CABINET	DWG SIZE	ISSUE
	c2	28
AT&T	J1C215A-1	SHEET C7

J1C215A-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	ED5D579-70,G1		ASSEMBLY, CABINET			
1011	1	1	ED5D579-72,G1		ASSEMBLY, CABINET			
1012	1	2	843077900		BEZEL			
1014	1	4	900559121		WASHER, SPRING #UN250-0110 ASSOCIATED SPRING CO.			
1015	1	4	996096970		SCREW, SHOULDER #4327 PIC DESIGN CORP.			
1020	1	1	ED4C387-30,G1		UNIT, 3B20D2 PROCESSOR COOLING			
1030	1	1	J1C147BE-1,L2, LA,LC		UNIT, POWER DISTRIBUTION			
1040	1	4	845186501		BRACKET, MOUNTING			
1050	1	50	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
1060	1	24	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			
1070	1	2	843063256		PANEL, FILLER (REAR)			
1080	1	1	843083056		SUPPORT, WIRE GUIDE (2 INCH)			
1090	1	3	843063231		SUPPORT, WIRE GUIDE (3.5 INCH)			
1100	1	2	100203330	70B	FUSE 2 AMP POS F6A,16A			
1110	1	2	401922067	KS14174L2	PIN, DESIGNATION NYLON ORANGE POS F6A,16A			
1120	1	1	100203348	70C	FUSE 3 AMP POS F8A			
1130	1	1	401922075	KS14174L3	PIN, DESIGNATION NYLON BLUE POS F8A			
1140	1	2	100203355	70D	FUSE 5 AMP POS F5A,F15A			
1150	1	2	401922083	KS14174L4	PIN, DESIGNATION NYLON GREEN POS F5A,F15A			
1160	1	4	100203371	70F	FUSE .25 AMP POS F1A,F2A,F3A,F4A			
1170	1	4	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F1A,F2A,F3A,F4A			
1180	1	35	103757977	72B	FUSE, DUMMY POS F5,F6,F7,F8,F9, POS F9A,F10,F10A, POS F11,F11A,F12, POS F12A,F13,F13A, POS F14,F14A,F15, POS F16,F17,F17A, POS F18,F18A,F19, POS F19A,F20,F20A, POS F21,F21A,F22, POS F22A,F23,F23A, POS F24,F24A			
1190	1	2	102630308	74B	FUSE 3 AMP POS F2,F3			
1200	1	2	102630324	74D	FUSE 10 AMP POS F1,F4			
1210	1	1	ED4C561-50,G1		ASSEMBLY, CABLE (POWER)			
1220	K	1	845182054		ASSEMBLY, WIRE GUIDE			
1230	K	OMIT	1	843063231	SUPPORT, WIRE GUIDE			
2010	2	1	ED4C561-50,G2		ASSEMBLY, CABLE (POWER)			

STOCKLIST CONTINUED ON SHEET D2

J1C215A-1

SHOP

INSTR

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

SEE PROPRIETARY NOTICE ON SHEET ONE
COPYRIGHT © 1999 LUCENT TECHNOLOGIES
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

ELECTRONIC SWITCHING SYSTEMS
COMMON
SPECIFICATION FOR
3B20D MODEL 3
PERIPHERAL INTERFACE CABINET
6 FOOT FOR 5ESS

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J1C215A-1

SHEET D1 OF 17

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
2020	2	3	100203371	70F	FUSE .25 AMP POS F10A,F11A,F12A			
2030	2	3	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F10A,F11A,F12A			
2040	2	2	102630308	74B	FUSE 3 AMP POS F10,F11			
2050	2	1	102630324	74D	FUSE 10 AMP POS F12			
2060	2,4	OMIT 6	103757977	72B	FUSE, DUMMY			
3010	3	1	ED4C561-50,G3		ASSEMBLY, CABLE (POWER)			
3020	3	1	100203348	70C	FUSE 3 AMP POS F24A			
3030	3	1	401922075	KS14174L3	PIN, DESIGNATION NYLON BLUE POS F24A			
3040	3	4	100203371	70F	FUSE .25 AMP POS F17A,F18A,F19A, POS F20A			
3050	3	4	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F17A,F18A,F19A, POS F20A			
3060	3	2	102630308	74B	FUSE 3 AMP POS F18,F19			
3070	3	2	102630324	74D	FUSE 10 AMP POS F17,F20			
3080	3	OMIT 9	103757977	72B	FUSE, DUMMY			
3090	3	2	843063231		SUPPORT, WIRE GUIDE			
4010	4	1	ED4C561-50,G4		ASSEMBLY, CABLE (POWER)			
4020	4	3	100203371	70F	FUSE .25 AMP POS F21A,F22A,F23A			
4030	4	3	401922125	KS14174L10	PIN, DESIGNATION NYLON VIOLET POS F21A,F22A,F23A			
4040	4	2	102630308	74B	FUSE 3 AMP POS F21,F22			
4050	4	1	102630324	74D	FUSE 10 AMP POS F23			
4300	1 3	1 1	J1C161BB-1,L1, LB,LWB L1,LB,LWB		UNIT, BASIC I/O PROCESSOR			
4310	1,3	1	104154398	MC4C151A1	PACK,CIRCUIT, MICROCODED CLEI = SPMQ57GA (TN84) POS 132			
4320	1,3	1	103344057	TN9	PACK,CIRCUIT CLEI = SP3Q03GAXX POS 032			
4330	1,3	1	103803573	494GA	UNIT, POWER FE CLEI=PWPQ53UA CLEI = PWPQACUA POS 024			
4400	2 4	1 1	J1C161BC-1,L1, LWA L1,LWA		UNIT, GTH I/O & DISC CONTR FILE			
4410	2,4	2	103344057	TN9	PACK,CIRCUIT CLEI = SP3Q03GAXX POS 032,072			
4420	2,4	1	103803649	495FA	UNIT, POWER FE CLEI=PWPQAPVA CLEI = PWPQASEA FE CLEI=PWPQAC3A POS 016			
4450	2,4	2	843063181		BRACKET, CABLE			

***** STOCKLIST CONTINUED AT RIGHT *****

J1C215A-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
4455	3	1	843063181		BRACKET, CABLE			
4460	1	1	843063181		BRACKET, CABLE			
4470	2,3,4	2	845186501		BRACKET, MOUNTING			
4480	3,4	18	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
4490	2,3,4	12	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			
4500	3,4	1	843063256		PANEL, FILLER (REAR)			
4505	2	16	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
4510	2	1	ED4C561-45,G12		ASSEMBLY, CABLE			
4520	2	1	ED4C561-45,G13		ASSEMBLY, CABLE			
4525	2	1	ED4C561-20,G12D		ASSEMBLY, CABLE			
4530	4	1	ED4C561-45,G14		ASSEMBLY, CABLE			
4540	4	1	ED4C561-45,G15		ASSEMBLY, CABLE			
4545	4	1	ED4C561-20,G12E		ASSEMBLY, CABLE			
4550	1	1	ED4C561-20,G20		ASSEMBLY, CABLE			
4560	3	1	ED4C561-20,G21		ASSEMBLY, CABLE			
4570	3	OMIT 1	ED4C561-20,G20		ASSEMBLY, CABLE			
4700	A	1	843063272		PANEL, FILLER (UNIT REAR)			
4710	A	1	845186519		PANEL FILLER (UNIT FRONT)			
4720	A	16	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
4730	1	1	845184191		LABEL, DESIGNATION			
4740	1	1	845184209		LABEL, DESIGNATION			
4750	1	16	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL 289A FINISH			
4760	1	4	843084104		PANEL			
4770	3	1	ED4C561-20,G16J		ASSEMBLY, CABLE			
4780	1	2	845000025		LABEL			
4800	1	1	ED4C429-30,G200		LABEL, 3B20D PROCESSOR FRAME (FRONT)			
4810	1	1	ED4C429-30,G201		LABEL, 3B20D PROCESSOR FRAME (REAR)			
4820	2	1	ED4C429-30,G220		LABEL, 3B20D PROCESSOR FRAME (FRONT)			
4830	2	1	ED4C429-30,G221		LABEL, 3B20D PROCESSOR FRAME (REAR)			
4840	3	1	ED4C429-30,G200		LABEL, 3B20D PROCESSOR FRAME (FRONT)			

STOCKLIST CONTINUED ON SHEET D3

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

ELECTRONIC SWITCHING SYSTEMS
 COMMON
 SPECIFICATION FOR
 3B20D MODEL 3
 PERIPHERAL INTERFACE CABINET
 6 FOOT FOR 5ESS

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J1C215A-1

SHEET D2 OF 17

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
4850	3	1	ED4C429-30,G201		LABEL, 3B20D PROCESSOR FRAME (REAR)			
4860	4	1	ED4C429-30,G220		LABEL, 3B20D PROCESSOR FRAME (FRONT)			
4870	4	1	ED4C429-30,G221		LABEL, 3B20D PROCESSOR FRAME (REAR)			
4880	1	1	103276416	151A	STRIP, DESIGNATION			
4890	2	1	103276416	151A	STRIP, DESIGNATION			
4900	3	1	103276416	151A	STRIP, DESIGNATION			
4910	4	1	103276416	151A	STRIP, DESIGNATION			
4920	B	1	J1C161BB-1,LA		UNIT, BASIC I/O PROCESSOR			
4930	C	2	845309913		LABEL, DESIGNATION			
4940	C	2	845081967		LABEL, BLANK			
4950	D	1	J1C161BB-1,LC		UNIT, BASIC I/O PROCESSOR			
4960	E	1	J1C161BC-1,LA		UNIT, GTH I/O & DISC CONTR FILE			
5000	F	1	ED5D579-73,G1		ASSEMBLY, CABINET			
5002	F,H	OMIT 2	843077900		BEZEL			
5010	F,G,H	OMIT 4	843077942		BRACKET			
5015	F	OMIT 4	900559121		WASHER, SPRING #UN250-0110 ASSOCIATED SPRING CO.			
5020	F	OMIT 4	996096970		SCREW, SHOULDER #4327 PIC DESIGN CORP.			
5025	F,G,H	OMIT 8	840059042		SCREW, PAN HEAD MACHINE .164-32 X 1/4 STEEL 289A FINISH			
5030	G	1	ED5D579-73,G2		ASSEMBLY, CABINET			
5035	H	1	ED5D579-73,G2		ASSEMBLY, CABINET			
5040	H	2	845313220		BEZEL, EMI			
5045	F G H	OMIT 1 OMIT 1 OMIT 1	ED5D579-72,G1 G1 G1		ASSEMBLY, CABINET CABINET ASSEMBLY			
5050	1,F,G,H	2	403813009		LUG, TERMINAL #E01-203 3M CO.			
5055	1,F,G,H	2	840026819		SCREW, HEXAGON WASHER HEAD .216-24 X 3/8 SELF TAPPING SWAGEFORM STEEL 289A FINISH			
5060	1,F,G,H	2	845081991		LABEL, ESD			
5070	L	1	J1C161BB-1,LD		UNIT, BASIC I/O PROCESSOR			
5080	M	1	J1C161BC-1,LB		UNIT, GTH I/O & DISC CONTR FILE			
5090	N	1	J1C161BB-1,LG		UNIT, BASIC I/O PROCESSOR			
5095	N	1	ED4C387-30,GB		UNIT, 3B20D2 PROCESSOR COOLING			
5100	N	1	ED5D579-73,G3		ASSEMBLY, CABINET			
5105	N	OMIT 1	ED5D579-73,G1		ASSEMBLY, CABINET			
5110	N	OMIT 36	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
5115	N	OMIT 4	845186501		BRACKET, MOUNTING			
5120	N	OMIT 24	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			
5125	N	OMIT 2	843063256		PANEL, FILLER			
5135	P	1	J1C161BB-1,LG		UNIT, BASIC I/O PROCESSOR			
5140	P	1	ED4C387-30,GB		UNIT, 3B20D2 PROCESSOR COOLING			
5145	P	1	ED5D579-73,G4		ASSEMBLY, CABINET			

***** STOCKLIST CONTINUED AT RIGHT *****

J1C215A-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
5150	P	OMIT 1	ED5D579-73,G2		ASSEMBLY, CABINET			
5155	P	OMIT 36	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
5160	P	OMIT 4	845186501		BRACKET, MOUNTING			
5165	P	OMIT 24	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			
5180	P	OMIT 2	843063256		PANEL, FILLER			
5190	R	1	J1C161BC-1,LE		UNIT, GTH I/O & DISC CONTR FILE			
5195	R	OMIT 16	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
5200	R	OMIT 2	845186501		BRACKET, MOUNTING			
5205	R	OMIT 12	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			
5215	S	1	J1C161BB-1,LG		UNIT, BASIC I/O PROCESSOR			
5220	S	OMIT 18	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
5225	S	OMIT 2	845186501		BRACKET, MOUNTING			
5230	S	OMIT 12	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			
5235	S	OMIT 1	843063256		PANEL, FILLER			
5245	T	1	J1C161BC-1,LE		UNIT, GTH I/O & DISC CONTR FILE			
5250	T	OMIT 18	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
5255	T	OMIT 2	845186501		BRACKET, MOUNTING			
5260	T	OMIT 12	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16			
5265	T	OMIT 1	843063256		PANEL, FILLER			
5270	U	1	J1C161BB-1,LE		UNIT, BASIC I/O PROCESSOR			
5275	V	1	J1C161BC-1,LC		UNIT, GTH I/O & DISC CONTR FILE			
5280	W	1	843079625		PLENUM			
5285	W	2	843079948		BRACKET, MOUNTING			
5290	W	12	900820077		SCREW, SLOT HEXAGON WASHER HEAD .164-32 X 5/16			
5295	W	OMIT 1	843063272		PANEL, FILLER			
5300	W	OMIT 1	845186519		PANEL FILLER			
5305	W	OMIT 12	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING			
5310	J	1	J1C161BB-1,LH		UNIT, BASIC I/O PROCESSOR			
5315	J	1	ED4C387-30,GC		UNIT, 3B20D2 PROCESSOR COOLING			
5320	J	1	ED4C429-31,G42		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)			

STOCKLIST CONTINUED ON SHEET D4

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
ELECTRONIC SWITCHING SYSTEMS COMMON SPECIFICATION FOR 3B20D MODEL 3 PERIPHERAL INTERFACE CABINET 6 FOOT FOR 5ESS	
DWG SIZE C2	ISSUE 31
LUCENT TECHNOLOGIES INC	J1C215A-1
SHEET D3 OF 17	

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
5325	J	1	106237910	TN9B	PACK,CIRCUIT CLEI = SP3Q70KA POS 033-032				
5330	J	OMIT 1	103344057	TN9	PACK,CIRCUIT CLEI = SP3Q03GAXX POS 033-032				
5335	X	2	106237910	TN9B	PACK,CIRCUIT CLEI = SP3Q70KA POS 042-032, 042-072, OR POS 060-032, 060-072				
5340	X	2	ED4C429-31,G42		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)				
5345	X	OMIT 2	103344057	TN9	PACK,CIRCUIT CLEI = SP3Q03GAXX POS 042-032, 042-072 OR POS 060-032, 060-072				
5350	Y	OMIT 1	103344057	TN9	PACK,CIRCUIT CLEI = SP3Q03GAXX POS 051-072				
5355	Y	1	106237910	TN9B	PACK,CIRCUIT CLEI = SP3Q70KA POS 051-072				
5360	Y	1	ED4C429-31,G42		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)				
5365	Y	1	J1C161BB-1,LH		UNIT, BASIC I/O PROCESSOR				
5370	Z	1	ED4C387-30,GD		UNIT, 3B20D2 PROCESSOR COOLING			S	
5400	AA	OMIT 1	J1C147BE-1,LC		UNIT, POWER DISTRIBUTION				
5405	AA	1	J1C147BE-1,LL		UNIT, POWER DISTRIBUTION				
5410	AA	OMIT 1	102630308	74B	FUSE 3 AMP POS F4				
5415	AA	1	102630324	74D	FUSE 10 AMP POS F4				
5420	AB	OMIT 1	102630308	74B	FUSE 3 AMP POS F20				
5425	AB	1	102630324	74D	FUSE 10 AMP POS F20				
5430	AC,AD,AH	OMIT 2	843077900		BEZEL				
5440	AC	OMIT 4	900559121		WASHER, SPRING #UN250-0110 ASSOCIATED SPRING CO.				
5445	AC	OMIT 4	996096970		SCREW, SHOULDER #4327 PIC DESIGN CORP.				
5455	AC AD AH	OMIT 1 OMIT 1 OMIT 1	ED5D579-72,G1 G1 G1		ASSEMBLY, CABINET				
5460	AC	1	ED5D579-74,G3		ASSEMBLY, CABINET				
5465	AD AH	1 1	ED5D579-74,G4 G4		ASSEMBLY, CABINET				
5470	AD	2	ED5D694-30,G2		ASSEMBLY, BEZEL COVER				
5475	AD AH	2 2	ED5D695-10, G1448 G1448		LABEL, CABINET ADDRESS				
5480	AH	1	ED5D694-30,G1		ASSEMBLY, BEZEL COVER				
5482	AH	1	ED5D694-30,G2		ASSEMBLY, BEZEL COVER				
5485	AC,AD,AH	OMIT 16	840058234		SCREW, PAN HEAD MACHINE .112-40 X 3/16 STEEL 289A FINISH				
5490	AC	OMIT 2	845000025		LABEL				
5495	AC,AD,AH	OMIT 4	843084104		PANEL				
5500	AC	OMIT 1	845184191		LABEL, DESIGNATION				
5505	AC	OMIT 1	845184209		LABEL, DESIGNATION				
***** STOCKLIST CONTINUED AT RIGHT *****									

J1C215A-1

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
5510	AC AD AH	1 1 1	J1C161BB-1,LG LG LG		UNIT, BASIC I/O PROCESSOR				
5515	AC AD AH	1 1 1	ED4C387-30,GB GB GB		UNIT, 3B20D2 PROCESSOR COOLING				
5520	AC,AD,AH	OMIT 36	840026843		SCREW, HEXAGON WASHER HEAD .216-24 X 3/4 SELF TAPPING				
5525	AC,AD,AH	OMIT 4	845186501		BRACKET, MOUNTING				
5530	AC,AD,AH	OMIT 24	842058521		SCREW, HEXAGON WASHER HEAD .164-32 X 5/16				
5535	AC,AD,AH	OMIT 2	843063256		PANEL, FILLER				
5555	AF	1	J1C161BB-1,LJ		UNIT, BASIC I/O PROCESSOR				
5560	AG	1	J1C147BE-1,LV		UNIT, POWER DISTRIBUTION				
5565	AH	1	ED3T053-80,G3		ASSEMBLY, CABLE				
5570	AH	1	ED3T053-80,G4		ASSEMBLY, CABLE				
5575	AH	OMIT 2	845309913		LABEL, DESIGNATION				
5580	AH	OMIT 2	845081967		LABEL, BLANK				
***** END OF STOCKLIST *****									

SEE PROPRIETARY NOTICE ON SHEET ONE	
COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
RN98	
ELECTRONIC SWITCHING SYSTEMS COMMON SPECIFICATION FOR 3B20D MODEL 3 PERIPHERAL INTERFACE CABINET 6 FOOT FOR 5ESS	
DWG SIZE C2	ISSUE 31
LUCENT TECHNOLOGIES INC J1C215A-1	
SHEET D4 OF 17	