


REAR VIEW

A

SH C1

103276416 151A DESIGNATION STRIP ED4C429-31,G120 REAR LABEL ED4C429-31, G121 FRONT LABEL



SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1994 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

SHEET INDEX	ISSUE												
	SH NO.												
	ISSUE												
	SH NO.												
	ISSUE	8											
	SH NO.	B1											

3B20D SCSI UNIT (GROWTH/CONVERSION)		DWG SIZE	ISSUE
		c2	8
AT&T	J3T027AA-1	SHEET B1	

J3T027AA-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	103316097	1080A	PLATE,MOUNTING			
1010	1	1	ED3T052-30,G1		BOARD, MULTILAYER PRINTED WIRING			
1020	1	1	104192968	132G	MOUNTING,APPARATUS			
1030	1	4	845216100		GUIDE, TOP CARD			17
1040	1	4	845217108		GUIDE,BOTTOM CARD			17
1050	1	1	103276416	151A	STRIP, DESIGNATION			13
1060	1	1	ED4C429-31,G120		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)			12
1070	1	1	ED4C429-31,G121		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (FRONT)			12
1080	1	8	103316287	8A	SPACER			
1090	1	2	103316295	9A	SPACER			
1100	1	2	843245044		BAR, CLAMPING			
1110	1	2	843069428		STIFFENER			
1120	1	12	842058539		SCREW, SLOT HEXAGON WASHER HEAD .112-40 X 1/4 IN.			
1130	1	14	900821984		SCREW, HEXAGON WASHER HEAD .112-40 X 7/16 IN. TAPTITE SLOTTED SEMS PRODUCTS			
1135	1	14	901104307		SCREW, HEXAGON WASHER HEAD .112-40 X 1/2 IN. SEMS			
1140	1	8	843584160		SCREW, SOCKET HEAD CAP .112-40 X 1/2 THREAD ROLLING TYPE W TAPTITE ZINC PLATED			
1150	1	4	843584152		SCREW, SOCKET HEAD CAP .112-40 X 1/4			
1155	1	4	901104315		SCREW, SOCKET HEAD CAP .112-40 X 3/8 IN.			
1160	1	11	103342119	127C	MOUNTING, APPARATUS			14
1165	1	4	403445141		HEADER, PINLESS WITH LATCH #3579-0100 3M CO.			
1170	1	10	842397796		HOLDER, KEY			15
1180	1	50	843436171		KEY, TUBULAR			
1200	A	2	843079948		BRACKET, MOUNTING (5E)			
1205	A	12	900820077		SCREW, SLOT HEXAGON WASHER HEAD .164-32 X 5/16			
1206	A	4	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH			*/
1210	2	1	103803649	495FA	UNIT, POWER FE CLEI PWPQAPVA FE CLEI=PWPQAC3A CLEI = PWPQASEA EQL 016			*/
1220	2	1	104186184	TN6B	PACK, CIRCUIT CLEI = SPPQ10EAXX EQL 024			*/
1230	2	1	106234867	MC3T052A-1	PACK, CIRCUIT, MICROCODED CLEI = SPMQAALA (TN2116) EQL 044			*/
1240	2	1	105466742	MC3T051A-1	PACK, CIRCUIT, MICROCODED CLEI = SPMQAAHA (UN294) EQL 036			*/
1250	2	1	103753265	TN69B	PACK, CIRCUIT EQL 030			*/
1260	3	1	103803649	495FA	UNIT, POWER FE CLEI PWPQAPVA FE CLEI=PWPQAC3A CLEI = PWPQASEA EQL 104			*/

STOCKLIST CONTINUED ON SHEET D2

J3T027AA-1

S H O P T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- */ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
- X 12. UNIT STAMPING PER ED-4C249-10.
- X X 13. DESIGNATION STRIPS ARE FURNISHED WITH STAMPING REFLECTING ULTIMATE CIRCUIT PACK REQUIREMENTS.
- X X 14. 127C TYPE APPARATUS MOUNTINGS AND 3M HEADERS ARE TO BE MOUNTED PER TABLE CA AFTER UNIT WIRING. APPARATUS MOUNTINGS ARE LOCATED BY THEIR LOWER LEFTMOST TERMINAL AS VIEWED FROM THE WIRING SIDE.
- X 15. KEY CODES SHALL BE ASSEMBLED AND EQUIPPED PER TABLE CB AND DETAIL AA.
- X X 16. ALL COMPONENTS AND ALL EQUIVALENT SUBSTITUTES MUST MEET UL/CSA STANDARDS PER ED4C657-10.
- X 17. KNOCKOUT TABS ON CARD GUIDES MUST BE REMOVED TO OPEN UP SPECIFIED PWB LOCATIONS. DESIGNATED 'TOP LOCATION' AND 'BOTTOM LOCATION' SEE TABLE CC.

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

COMMON SYSTEMS
SPECIFICATION FOR
3B20D SCSI UNIT
(GROWTH/CONVERSION)
ASSEMBLY

BN98

DWG SIZE C2 ISSUE 9

LUCENT TECHNOLOGIES INC J3T027AA-1

SHEET D1 OF 5

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1270	3	1	104186184	TN6B	PACK,CIRCUIT CLEI = SPPQ10EAXX EQL 112		*/	
1280	3	1	106234867	MC3T052A-1	PACK,CIRCUIT,MICROCODED CLEI = SPMQAALA (TN2116) EQL 134		*/	
1290	3	1	105466742	MC3T051A-1	PACK,CIRCUIT,MICROCODED CLEI = SPMQAHA (UN294) EQL 126		*/	
1300	3	1	103753265	TN69B	PACK,CIRCUIT EQL 120		*/	
1305	B	1	106068075	TN6C	PACK,CIRCUIT CLEI = SP3Q1D31 EQL 024 OR 112		*/	
1310	B	1	ED4C429-31,G24		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)			12
1315	B	OMIT 1	104186184	TN6B	PACK,CIRCUIT CLEI = SPPQ10EAXX EQL 024 OR 112		*/	

***** END OF STOCKLIST *****

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BN98

COMMON SYSTEMS
SPECIFICATION FOR
3B20D SCSI UNIT
(GROWTH/CONVERSION)
ASSEMBLY

DWG SIZE C2 ISSUE 9

J3T027AA-1

LUCENT TECHNOLOGIES INC J3T027AA-1

SHEET D2 OF 5

PRINTED IN U.S.A.