

SEE PROPRIETARY NOTICE ON SHEET A1		
COPYRIGHT © 1994 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED		
3B20D MAIN STORE, 10 AND SCSI-DFC UNIT (NEW SHIP)		DWG SIZE C2
AT&T	J3T029AA-1	ISSUE 7
		SHEET B1

SHEET INDEX	ISSUE								
	SH NO.								
	ISSUE								
	SH NO.								
	ISSUE	7							
	SH NO.	B1							

J3T029AA-1

TABLE CA
(SEE NOTE 14)

APP. MTG.	LOCATION	APP. MTG.	LOCATION
127C	024-300	127C	080-332
127C	024-100	127C	112-000
127C	030-300	127C	112-032
127C	030-100	127C	118-000
*	036-500	127C	118-032
*	036-300	127C	125-000
127C	044-100	127C	125-032
		127C	131-000
		127C	131-032
127C	071-000	127C	167-000
127C	071-032	127C	167-032
127C	073-000	127C	169-000
127C	073-032	127C	169-032
127C	080-132	127C	178-300
		127C	178-100
127C	104-132		
127C	104-332		
127C	104-532	127C	096-032
127C	080-532	127C	096-232
		127C	096-432
127C	102-032		

* 3M PINLESS HEADER
(403445141)

TABLE CD
(SEE NOTE 18)

COMCODE NUMBER	GUIDE CODE	TOP POS.	COMCODE NUMBER	GUIDE CODE	BOTTOM POS.
845216100	100	6	845217108	100	6
		10			10
		13			13
		16			16
		20			20
845216100	100	38	845217108	100	38
		42			42
		46			46
		50			50
		54			54
845216100	100	58	845217108	100	58
		61			61
		64			64
		67			67
		70			70
845216100	100	73	845217108	100	73
		76			76
		79			79
		87			87

TABLE CB


BACKPLANE KEY CODES & ASSOCIATED EQLS
(SEE NOTE 15)

KEY HOLDER	KEY	APP. CODE	EQL
842397796	B-01567	495FA	016
	B-03678	TN6C	024
	B-02678	TN69B	030
	B-02369	UN294	036
	B-13678	TN2116	044
	B-13567	UN9B	080
	B-05678	UN46D	088
	B-05678	UN46D	096
	B-13567	UN9B	104
	B-04789	UN618	112
	B-04679	TN56B	120
	B-04679	TN56B	126
	B-04679	TN56B	132
	B-04679	TN56B	138
	B-04679	TN56B	144
	B-04679	TN56B	150
	B-04679	TN56B	156
	B-04679	TN56B	162
	B-04679	TN2012	120
	B-04679	TN2012	126
	B-04679	TN2012	132
	B-04679	TN2012	138
	B-04679	TN2012	144
	B-04679	TN2012	150
	B-04679	TN2012	156
	B-04679	TN2012	162
	B-01567	495FA	178

TABLE CC

PLACEMENT OF ED4C222-30
BACKPLANE CONNECTORS

GRP. BTR.	LOCATION
G1	167-045
G1	169-045
G1	169-032
G1	169-013
G1	169-000
G1	167-013
G1	167-000



DETAIL AA


FRONT SIDE OF BACKPLANE
(CIRCUIT PACK SIDE)

KEYS 843436171 ARE INSERTED FROM THE FRONT, LOOKING AT DETAIL AA, PER KEY CODE. NUMBERING SCHEME FOR DETERMINING LOCATION OF KEYS IS INDICATED IN DETAIL ABOVE.

e.g. KEY CODE B-14579 WILL HAVE KEYS INSERTED IN LOCATIONS 1,4,5,7 & 9.

ASSEMBLED KEY CODE SHALL BE INSTALLED ON THE CIRCUIT PACK SIDE OF THE BACKPLANE IN THE EQL'S INDICATED IN TABLE CB USING LOWER LEFT MOST TERMINALS AS THE LOCATING TERMINAL FOR EACH EQL ALWAYS TERMINAL 023.

SHEET INDEX	ISSUE						
	SH NO.						
	ISSUE						
	SH NO.						
	ISSUE	4					
	SH NO.	C1					



SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1990 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

3B20D MAIN STORE, 10
AND SCSI-DFC UNIT
(NEW SHIP)

DWG SIZE C2

ISSUE 4

AT&T J3T029AA-1 SHEET C1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	103316097	1080A	PLATE, MOUNTING			
1010	1	1	ED3T055-30,G1		BOARD, MULTILAYER PRINTED WIRING			
1020	1	1	104192906	132G	MOUNTING, APPARATUS			
1021	1	1	104391586	132J	MOUNTING, APPARATUS			
1022	1	2	845050475		BAFFLE, AIR			
1030	1	4	845216100		GUIDE, TOP CARD			18
1040	1	4	845217108		GUIDE, BOTTOM CARD			18
1050	1	1	103276416	151A	STRIP, DESIGNATION			13
1060	1	1	ED4C429-31,G20		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)			12
1070	1	1	ED4C429-31,G21		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (FRONT)			12
1080	1	8	103316287	8A	SPACER			
1090	1	2	103316295	9A	SPACER			
1100	1	2	843245044		BAR, CLAMPING			
1110	1	2	843069428		STIFFENER			
1120	1	12	842058539		SCREW, SLOT HEXAGON WASHER HEAD .112-40 X 1/4 IN.			
1130	1	14	900821904		SCREW, HEXAGON WASHER HEAD .112-40 X 7/16 IN. TAPTITE SLOTTED SEMS PRODUCTS			
1135	1	14	901104307		SCREW, HEXAGON WASHER HEAD .112-40 X 1/2 IN. SEMS			
1140	1	8	843584160		SCREW, SOCKET HEAD CAP .112-40 X 1/2 THREAD ZINC PLATED ROLLING TYPE W TAPTITE			
1150	1	4	843584152		SCREW, SOCKET HEAD CAP .112-40 X 1/4			
1155	1	4	901104315		SCREW, SOCKET HEAD CAP .112-40 X 3/8 IN.			
1160	1	33	103342119	127C	MOUNTING, APPARATUS			14
1165	1	2	403445141		HEADER, PINLESS #3579-0100 WITH LATCH 3M CO.			
1170	1	19	842397796		HOLDER, KEY			15
1180	1	95	843436171		KEY, TUBULAR			
1190	1	7	ED4C222-30,G1		ASSEMBLY, BACKPLANE CONNECTOR (MEMORY BTR)			16
1260	A	2	843079946		BRACKET, MOUNTING (SE)			
1265	A	12	900820077		SCREW, SLOT HEXAGON WASHER HEAD .104-32 X 3/16			
1266	A	4	840026835		SCREW, TTP SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH			*/
1270	1	2	103803649	495FA	UNIT, POWER CLEI = PWPQAC3A EQL 016,178			*/
1280	1	1	104186184	TN6B	PACK,CIRCUIT CLEI = SPPQ10EAXX EQL 024			*/
1290	1	1	103753265	TN69B	PACK,CIRCUIT EQL 030			*/
1300	1	1	105466742	MC3T051A1	PACK,CIRCUIT, MICROCODED CLEI = SPMQAHA (UN294) EQL 036			*/
1310	1	1	106234867	MC3T052A1	PACK,CIRCUIT, MICROCODED CLEI = SPMQAALA (TN2116) EQL 044			*/

STOCKLIST CONTINUED ON SHEET D2

J3T029AA-1

SHOP
IN
ST

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

- X 12. UNIT STAMPING PER ED4C249-10.
- X X 13. DESIGNATION STRIPS ARE FURNISHED WITH STAMPING REFLECTING ULTIMATE CIRCUIT PACK REQUIREMENTS.
- X X 14. 127C TYPE APPARATUS MOUNTINGS AND 3M HEADERS ARE TO BE MOUNTED PER TABLE CA AFTER UNIT WIRING. APPARATUS MOUNTINGS ARE LOCATED BY THEIR LOWER LEFTMOST TERMINAL AS VIEWED FROM THE WIRING SIDE.
- X X 15. KEY CODES SHALL BE ASSEMBLED AND EQUIPPED PER TABLE CB AND DETAIL AA.
- X 16. SEE TABLE CC FOR PLACEMENT OF ED4C222-30 BACKPLANE CONNECTORS.
- X X 17. ALL COMPONENTS AND ALL EQUIVALENT SUBSTITUTES MUST MEET UL/CSA STANDARDS PER ED4C657-10.
- X X 18. KNOCKOUT TABS ON CARD GUIDES MUST BE REMOVED TO OPEN UP SPECIFIED PWB LOCATIONS. DESIGNATED 'TOP LOCATION' AND 'BOTTOM LOCATION' SEE TABLE CD.

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1996 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
 SPECIFICATION FOR
 3B20D MAINSTORE, IO
 AND SCSI-DPC UNIT
 (NEW SHIP)
 ASSEMBLY

DWG SIZE C2 ISSUE 8

AT&T

J3T029AA-1

SHEET D1 OF 5

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1320	1	1	103752440	UN9B	PACK,CIRCUIT CLEI = SP3Q10EAXX EQL 080		*/	
1330	1	1	103985107	UN46D	PACK,CIRCUIT CLEI = SP3Q01WA EQL 088		*/	
1350	1	1	103985115	UN618	PACK,CIRCUIT CLEI = SPPQ04AA CLEI=SPPQ04AAXX EQL 112		*/	
1360	1	1	103886396	TN56	PACK,CIRCUIT CLEI = SP3Q13JAXX EQL 162		*/	
1370	2	1	103982955	TN2012	PACK,CIRCUIT FE CLEI=SPPQ03WAXX CLEI = SPPQABSAAA EQL 162			
1380	2	OMIT 1	103886396	TN56	PACK,CIRCUIT CLEI = SP3Q13JAXX EQL 162			
1385	2	OMIT 1	105984512	TN56B	PACK,CIRCUIT CLEI = SPPQMBBAXX EQL 162			
1390	2	1	ED4C429-31,G22		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (TN2012) (REAR)			12
1395	2	OMIT 1	ED4C429-31,G23		LABEL, 3B20D MOD 3 COMPUTER SYSTEM			
1400	3	1	105984512	TN56B	PACK,CIRCUIT CLEI = SPPQMBBAXX EQL 162			
1405	3	1	ED4C429-31,G23		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)			12
1410	3	OMIT 1	103886396	TN56	PACK,CIRCUIT CLEI = SP3Q13JAXX EQL 162			
1415	B	1	106068075	TN6C	PACK,CIRCUIT CLEI = SP3Q1D31 POS 024		*/	
1420	B	1	ED4C429-31,G24		LABEL, 3B20D MOD 3 COMPUTER SYSTEM (REAR)			12
1425	B	OMIT 1	104186184	TN6B	PACK,CIRCUIT CLEI = SPPQ10EAXX POS 024		*/	

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1996 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

COMMON SYSTEMS
 SPECIFICATION FOR
 3B20D MAINSTORE, IO
 AND SCSI-DPC UNIT
 (NEW SHIP)
 ASSEMBLY

RN98

DWG SIZE C2
 ISSUE 8

J3T029AA-1

AT&T

J3T029AA-1

SHEET D2 OF 5

PRINTED IN U.S.A.