

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING & EQUIPMENT FOR ONE DIGITAL CARRIER LINE UNIT ARRANGED TO INTERFACE WITH UP TO 20 T1 LINES. (SEE NOTE 53 & 56). DA EFF:06/01/96 FE/RA:NONE		DA	3	1	SD5D202-02	1 2	1 2	1 2			
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO INTERFACE ONE T1 LINE TO SLC. (SEE NOTE 55). DA EFF:06/01/96 FE/RA:NONE		DA	4	1	SD5D202-02	8					
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO INTERFACE ONE T1 LINE TO SLC. (SEE NOTE 55). DA EFF:06/01/96 FE/RA:NONE		DA	4A	1	SD5D202-02	8					
ASSEMBLY SHELF FOR DIGITAL CARRIER LINE UNIT MODEL 2. (847040805) DA EFF:06/01/96 FE/RA:NONE	151	DA	500								
APPARATUS FOR POWER START CIRCUIT PACK (SN346B) DA EFF:06/01/96 FE/RA:NONE	151	DA	501								
APPARATUS FOR CONTROL MULTIPLEX (UN120) DA EFF:06/01/96 FE/RA:NONE	151	DA	502								
APPARATUS FOR DATA MULTIPLEXER (UN121) DA EFF:06/01/96 FE/RA:NONE	151	DA	503								
EQUIPMENT FOR POWER UNIT (494LA) DA EFF:06/01/96 FE/RA:NONE	151	DA	504								
APPARATUS FOR T1 INTERFACE (MC5D204A1) DA EFF:06/01/96 FE/RA:NONE	151	DA	505								
APPARATUS FOR T1 INTERFACE (MC5D204A1B) DA EFF:06/01/96 FE/RA:NONE	151	DA	506								
APPARATUS FOR CABLE EQUALIZATION (SN215) DA EFF:06/01/96 FE/RA:NONE	151	DA	507								
APPARATUS FOR CABLE EQUALIZATION (SN216) DA EFF:06/01/96 FE/RA:NONE	151	DA	508								
APPARATUS FOR CABLE EQUALIZATION (SN217) DA EFF:06/01/96 FE/RA:NONE	151	DA	509								
APPARATUS FOR CABLE EQUALIZATION (SN218) DA EFF:06/01/96 FE/RA:NONE	151	DA	510								
APPARATUS FOR CABLE EQUALIZATION (SN219) DA EFF:06/01/96 FE/RA:NONE	151	DA	511								
TABLE-A CONTINUED											

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE				EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE EQUALIZATION OF CABLES BETWEEN THIS UNIT AND THE DSX-1 CROSS-CONNECT FOR CABLE LENGTHS UP TO 133 FEET USING ABAM OR 600 TYPE CABLE AND UP TO 90 FEET USING 1249 TYPE CABLE. (SEE NOTE 59). DA EFF:06/01/96 FE/RA:NONE		DA	A	1	SD5D202-02	3					
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE EQUALIZATION OF CABLES BETWEEN THIS UNIT AND THE DSX-1 CROSS-CONNECT FOR CABLE LENGTHS FROM 134 FEET TO 267 FEET USING ABAM OR 600 TYPE CABLE AND 91 FEET TO 180 FEET USING 1249 TYPE CABLE. (SEE NOTE 59). DA EFF:06/01/96 FE/RA:NONE		DA	B	1	SD5D202-02	4					
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE EQUALIZATION OF CABLES BETWEEN THIS UNIT AND THE DSX-1 CROSS-CONNECT FOR CABLE LENGTHS FROM 268 FEET TO 400 FEET USING ABAM OR 600 TYPE CABLE AND 181 FEET TO 270 FEET USING 1249 TYPE CABLE. (SEE NOTE 59). DA EFF:06/01/96 FE/RA:NONE		DA	C	1	SD5D202-02	5					
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE EQUALIZATION OF CABLES BETWEEN THIS UNIT AND THE DSX-1 CROSS-CONNECT FOR CABLE LENGTHS FROM 401 FEET TO 533 FEET USING ABAM OR 600 TYPE CABLE AND 271 FEET TO 360 FEET USING 1249 TYPE CABLE. (SEE NOTE 59). DA EFF:06/01/96 FE/RA:NONE		DA	D	1	SD5D202-02	6					
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE EQUALIZATION OF CABLES BETWEEN THIS UNIT AND THE DSX-1 CROSS-CONNECT FOR CABLE LENGTHS FROM 534 FEET TO 655 FEET USING ABAM OR 600 TYPE CABLE AND 361 FEET TO 450 FEET USING 1249 TYPE CABLE. (SEE NOTE 59). DA EFF:06/01/96 FE/RA:NONE		DA	E	1	SD5D202-02	7					
EQUIPMENT REQUIRED IN ADDITION TO LIST 4A ONLY WHEN COMPLIANCE FOR CEPT IS REQUIRED. (PROVIDES LABEL). DA EFF:06/01/96 FE/RA:NONE		DA	F								
TABLE-A CONTINUED											

J5D003AR-2

COPYRIGHT © 1996 AT&T ALL RIGHTS RESERVED	
BT13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR DIGITAL CARRIER LINE UNIT MODEL 2	
DWG SIZE C2	ISSUE 13
AT&T	SHEET A2 OF 10

J5D003AR-2

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE FUSES FOR USE WITH J5D003AU, J5D003BJ, J5D003BT OR J5D003PM FUSE/FILTER UNITS. (PREVIOUSLY PART OF LIST 1). DA EFF:06/01/96 FE/RA:NONE		DA	G								
APPARATUS REQUIRED IN ADDITION TO LIST 3 TO PROVIDE FUSES FOR USE WITH J5D003FJ FUSE/FILTER UNIT. DA EFF:06/01/96 FE/RA:NONE		DA	H								
APPARATUS BLANK 149A DA EFF:06/01/96 FE/RA:NONE	151	DA	B1								
APPARATUS BLANK 158H DA EFF:06/01/96 FE/RA:NONE	151	DA	B2								
ED5D077-10,G115 LABEL (FRONT) DA EFF:06/01/96 FE/RA:NONE	151	DA	D1								
ED5D077-10,G119 LABEL (REAR) DA EFF:06/01/96 FE/RA:NONE	151	DA	D2								
ED5D077-10,G118 LABEL (REAR, LEVEL 04) DA EFF:06/01/96 FE/RA:NONE	151	DA	D3								
KIT, FINAL ASSEMBLY TO MOUNT DCLU2 IN AT&T NS CABINET E/W CLASSIC F/P UNIT. (847040813) DA EFF:06/01/96 FE/RA:NONE	151	DA	F1								
KIT, FINAL ASSEMBLY TO MOUNT DCLU2 IN AT&T NS CABINET E/W MRFU (847040821) DA EFF:06/01/96 FE/RA:NONE	151	DA	F2								
END OF TABLE-A											

COPYRIGHT © 1996 AT&T ALL RIGHTS RESERVED	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR DIGITAL CARRIER LINE UNIT MODEL 2	BT13
DWG SIZE C2	ISSUE 13
AT&T	SHEET A3 OF 10

J5D003AR-2

J5D003AR-2

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1190	C	2	103171955	SN217	PACK,CIRCUIT CLEI = E5DT500C EQPT POS 04 & 13-18			
1200	D	2	103164158	SN218	PACK,CIRCUIT CLEI = E5DT600C EQPT POS 04 & 13-18			
1210	E	2	103164166	SN219	PACK,CIRCUIT CLEI = E5DT700C EQPT POS 04 & 13-18			
1220	3	22	103342119	127C	MOUNTING, APPARATUS			13
1230	3	2	103270410	131A	STRIP, DESIGNATION (LEVEL 04 & 13)			
1231	3	2	104226600	151C	STRIP, DESIGNATION (LEVEL 04 & 13)			
1240	A	2	ED5D077-10,G105		LABEL (LEVEL 04 & 13)			
1250	B	2	ED5D077-10,G106		LABEL (LEVEL 04 & 13)			
1260	C	2	ED5D077-10,G107		LABEL (LEVEL 04 & 13)			
1270	D	2	ED5D077-10,G108		LABEL (LEVEL 04 & 13)			
1280	E	2	ED5D077-10,G109		LABEL (LEVEL 04 & 13)			
1290	3	16	103316287	8A	SPACER			
1300	3	4	103316295	9A	SPACER			
1310	3	8	843583915		STIFFENER			
1320	3	8	843245044		BAR, CLAMPING			
1330	3	24	900820077		SCREW, SLOT HEXAGON WASHER HEAD .104-32 X 3/16			23
1340	3	24	842058539		SCREW, SLOT HEXAGON WASHER HEAD .112-40 X 1/4 IN.			
1350	3	28	900821984		SCREW, HEXAGON WASHER HEAD .112-40 X 7/16 IN. TAPTITE SLOTTED SEMS PRODUCTS			
1351	3	28	901104307		SCREW, HEXAGON WASHER HEAD .112-40 X 1/2 IN. SEMS			
1360	3	8	842058547		SCREW, SLOT HEXAGON WASHER HEAD .112-40 X 7/16 IN. TYPE TT			
1370	3	8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH			*/
1380	3	32	843584160		SCREW, SOCKET HEAD CAP .112-40 X 1/2 THREAD ROLLING TYPE W TAPTITE ZINC PLATED			
1390	3	24	843584152		SCREW, SOCKET HEAD CAP .112-40 X 1/4			
1391	3	24	901104315		SCREW, SOCKET HEAD CAP .112-40 X 3/8 IN.			
1400	3	24	840039075		SCREW, PAN HEAD MACHINE .104-32 X 7/16 STEEL 289A FINISH			
1410	3	20	803881440	P388144	WASHER, INTERNAL TOOTH LOCK .025 X .210 X .410 STEEL 289A FINISH			*/
1420	3	20	802496224	P249622	WASHER, INTERNAL TOOTH .164 STEEL 289A FINISH			
1430	3	30	842397796		HOLDER, KEY			
1440	3	150	843436171		KEY, TUBULAR			
1450	3	4	843075948		BRACKET, MOUNTING			
1460	3	2	103752713	149A	BLANK, APPARATUS (LEVEL 04 & 13)			20

***** STOCKLIST CONTINUED AT RIGHT *****

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1470	3	2	103752721	150A	BLANK, APPARATUS (LEVEL 04 & 13)			20
1471	3	2	104207394	150C	BLANK, APPARATUS (LEVEL 04 & 13)			20
1480	3	26	104167531	158H	BLANK, APPARATUS (LEVEL 04 & 13) POS 11,16,21,26,31, POS 36,57,62,67,72, POS 77,82,87			
1490	4,4A	OMIT 1	104167531	158H	BLANK, APPARATUS			15
1500	3	2	ED5D507-17,G25		ASSEMBLY, CABLE			*
1510	G	2	100203355	70D	FUSE 5 AMP			*/ 17
1520	G	2	401922083	KS14174L4	PIN, DESIGNATION NYLON GREEN			*/ 17
1522	H	2	406693887	WP91768L110	FUSE, 5.00 AMP FAST ACTING			*/ 22
1525	H	2	ED5D088-10,G566		LABEL, FUSE			*/ 18
1530	G	2	ED5D088-10,G36		LABEL, FUSE			*/ 18
1540	3	1	ED5D077-10,G115		LABEL (LEVEL 13)			
1560	3	1	ED5D077-10,G119		LABEL			
1570	3	1	ED5D077-10,G114		LABEL (LEVEL 04)			
1590	3	1	ED5D077-10,G118		LABEL			
1600	3	2	104203880	527A	PLUG POS 19			
5000	500	1	847040805		ASSEMBLY, SHELF			151
5010	F1	1	847040813		KIT, FINAL ASSEMBLY			151
5020	F2	1	847040821		KIT, FINAL ASSEMBLY			151
5030	501	1	104044987	SN346B	PACK,CIRCUIT CLEI = E5PQ08CAXX			151
5040	502	1	103656369	UN120	PACK,CIRCUIT CLEI = E5PQ22GAXX			151
5050	503	1	103915690	UN121	PACK,CIRCUIT CLEI = E5PQ22KAXX			151
5060	504	1	103803607	494LA	UNIT, POWER FE CLEI=PWPQ53XA CLEI = PWPQACKA			151
5070	505	1	103931226	MC5D204A1	PACK,CIRCUIT, MICROCODED CLEI = E5DT8B0D			151
5080	506	1	106456429	MC5D204A1B	PACK,CIRCUIT, MICROCODED CLEI = E5DT8C0D			151
5090	507	1	103171930	SN215	PACK,CIRCUIT CLEI = E5DT300C			151
6000	508	1	103171948	SN216	PACK,CIRCUIT CLEI = E5DT400C			151

STOCKLIST CONTINUED ON SHEET D3

COPYRIGHT © 1996 AT&T
ALL RIGHTS RESERVED

BT13

SESS SWITCHING EQUIPMENT
SPECIFICATION FOR
DIGITAL CARRIER LINE UNIT
MODEL 2

DWG SIZE
C2

ISSUE
13

J5D003AR-2

AT&T

J5D003AR-2

SHEET D2
OF 10

PRINTED IN U.S.A.

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
6010	509	1	103171955	SN217	PACK, CIRCUIT CLEI = E5DT500C			151
6020	510	1	103164158	SN218	PACK, CIRCUIT CLEI = E5DT600C			151
6030	511	1	103164166	SN219	PACK, CIRCUIT CLEI = E5DT700C			151
6040	B1	1	103752713	149A	BLANK, APPARATUS			151
6050	B2	1	104167531	158H	BLANK, APPARATUS			151
6060	D1	1	ED5D077-10,G115		LABEL			151
6070	D2	1	ED5D077-10,G119		LABEL			151
6080	D3	1	ED5D077-10,G118		LABEL			151

***** END OF STOCKLIST *****

TABLE CA

BACKPLANE KEY CODES AND ASSOCIATED EQL'S			
KEY HOLDER	APP CODE	EQL	KEY CODE
842397796	SN346B	*-010	B-14569
	SN215	*-018	B-13578
	THRU SN219		
	ANN4		
	OR	*-027	B-04569
	ANN4B	*-037	B-04569
	"	*-047	B-04569
	"	*-057	B-04569
	"	*-067	B-04569
	"	*-129	B-04569
	"	*-139	B-04569
	"	*-149	B-04569
	"	*-159	B-04569
	"	*-169	B-04569
	UN120	*-088	B-05789
	UN121	*-108	B-01489
	494LA	*-098	B-01679

-DESIGNATES 04 OR 13

TABLE JJ

TABLE JJ STOCKLIST ORDERING COMCODES TO INDIVIDUAL/SINGULAR COMCODES CROSS REFERENCE		
STOCKLIST ORDERING COMCODE	INDIVIDUAL/SINGULAR COMCODE	COMMENTS
406663971	406747501	WP91768,L104 .50 AMP - FAST ACTING FUSE
406599308	406747519	WP92458,L2 1.25 AMP - VERY FAST ACTING FUSE
406708545	406747527	WP91768,L107 2 AMP - FAST ACTING FUSE
406693895	406747535	WP91768,L108 3 AMP - FAST ACTING FUSE
406693887	406747543	WP91768,L110 5 AMP - FAST ACTING FUSE
406693903	406747550	WP91768,L112 7 AMP - FAST ACTING FUSE
406599324	406747568	WP92458,L11 10 AMP - VERY FAST ACTING FUSE
406599332	406747576	WP92458,L12 12 AMP - VERY FAST ACTING FUSE
406599357	406808469	WP92458,L13 15 AMP - VERY FAST ACTING FUSE
406759050	406808477	WP92458,L14 20 AMP - VERY FAST ACTING FUSE

TABLE D4

TABLE D4 - FUNCTION ITEM/FUNCTIONAL OBJECT/ORDER CODE MAPPING				
FUNCTIONAL ITEM	NOTE	DESCRIPTION	QTY	ORDER CODE
CAEQL180		PACK, CIRCUIT SN216, CIRCUIT PACK	1	103171948
CAEQL270		PACK, CIRCUIT SN217, CIRCUIT PACK	1	103171955
CAEQL360		PACK, CIRCUIT SN218, CIRCUIT PACK	1	103164158
CAEQL450		PACK, CIRCUIT SN219 CIRCUIT PACK	1	103641166
CAEQL90		PACK, CIRCUIT SN215 PACK, CIRCUIT	1	103171930
INTFT1		PACK, CIRCUIT MC5D204A1B, PACK, CIRCUIT	1	106456429
OCMUX		SERVICE GROUP 0 CMUX UN120, PACK, CIRCUIT	1	103656369
ODMUX		SERVICE GROUP 0 DMUX	1	
PWRUN		POWER UNIT 494LA, UNIT, POWER	1	103803607
SDFI		PACK, CIRCUIT	1	

COPYRIGHT © 1996 AT&T
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
DIGITAL CARRIER LINE UNIT
MODEL 2

DWG SIZE C2
ISSUE 13

J5D003AR-2

AT&T

J5D003AR-2

SHEET D3 OF 10

PRINTED IN U.S.A.

TABLE D5

MODIFY TAG: DCLU

TABLE D5 - OBJECT/HARDWARE TYPE ATTRIBUTES/ORDER CODE MAPPING							
OBJECT:	INTERFACE CHARACTERISTICS	MINIMUM US GENERIC	MINIMUM INTL GENERIC	EXCHANGE TYPE	FEATURE/OPTION	COUNTRY CUSTOMER	ORDER CODE
OBJECT: CAEQL180		5E1					103171948
OBJECT: CAEQL270		5E1					103171955
OBJECT: CAEQL360		5E1					103164158
OBJECT: CAEQL450		5E1					103641166
OBJECT: CAEQL90		5E1					103171930
OBJECT: INTFT1		5E1					106456429
OBJECT: OCMUX		5E1					103656369
OBJECT: PWRUN		5E1					103803607

TABLE D6

MODIFY TAG: DCLU

TABLE D6 - NSI TYPE DESIGNATION LABEL		
UNIT ATTRIBUTES		REFERENCE CODE
COUNTRY	OTHER	

TABLE D7

MODIFY TAG: DCLU

TABLE D7 - FRONT NS TYPE DESIGNATION LABEL					
UNIT ATTRIBUTES				REFERENCE TEMPLATE	SHELF #
EXCHANGE TYPE	COMMUNITY NUMBER	LINE GROUP NUMBER			

TABLE D8

MODIFY TAG: DCLU

TABLE D8 - REAR NS TYPE DESIGNATION LABEL								
APPARATUS		UNIT ATTRIBUTES				MIN APPARATUS		REFERENCE TEMPLATE
CODE	H/EQL	INTERFACE CHARACTERISTIC	MINIMUM RELEASE	EXCHANGE TYPE	FEATURE/OPTION	CODE	H/EQL	

TABLE D10

MODIFY TAG: DCLU

TABLE D10 - CIRCUIT PACK ASSIGNMENT TABLE						
EQUIPMENT LOCATION (EQL)	CIRCUIT PACK LIST	ASSGN CODE	SEQ NUMBER	APPARATUS BLANK LIST	POS	NOTE
004-018-000		300				
013-018-000		300				
004-018-000		300				
013-018-000		300				
004-018-000		300				
013-018-000		300				
004-018-000		300				
013-018-000		300				
004-018-000		300				
013-018-000		300				
004-027-000		100				
013-027-000		100				
004-037-000		100				
013-037-000		100				
004-047-000		100				
013-047-000		100				
004-057-000		100				
013-057-000		100				
004-067-000		100				
013-067-000		100				
004-129-000		100				
013-129-000		100				
004-139-000		100				
013-139-000		100				
004-149-000		100				
013-149-000		100				
004-159-000		100				
013-159-000		100				
004-169-000		100				
013-169-000		100				
004-088-000		100				
013-088-000		100				
004-098-000		100				
013-098-000		100				

COPYRIGHT © 1996 AT&T
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
DIGITAL CARRIER LINE UNIT
MODEL 2DWG SIZE
C2ISSUE
13

J5D003AR-2

AT&T

J5D003AR-2

SHEET D4
OF 10

PRINTED IN U.S.A.

TABLE D1

STOCKLIST FOR PASKIT 847040813 ISS: 1 CERTIFIED			
QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION
2	104226600	151C	STRIP, DESIGNATION
0	406500926		LABEL, DESIGNATION OA WD .60 IN X OA LG 24.10 IN TOPLIGHT CORP.
8	901271031		SCREW, HEXAGONAL WASHER #M6X16 PHILLIPS ACR 2
2	100203355	70D	FUSE AMP
2	401922083	KS14174L4	PIN, DESIGNATION NYLON GREEN
2	601420755	ED5D088-10,	LABEL, FUSE
1	845311117		SUPPORT, CABLE ASSEMBLY
2	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) PLATE 289A FINISH
1	ED5D507-17,G25		DESCRIPTION NOT AVAILABLE
2	104203880	527A	PLUG

STOCKLIST FOR PASKIT 847040821 ISS: 1 CERTIFIED			
QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION
2	104226600	151C	STRIP, DESIGNATION
0	406500926		LABEL, DESIGNATION OA WD .60 IN X OA LG 24.10 IN TOPLIGHT CORP.
8	901271031		SCREW, HEXAGONAL WASHER #M6X16 PHILLIPS ACR 2
2	406693887	WP91768L110	FUSE, 5.00 AMP FAST ACTING
2	601410616	ED5D088-10,	LABEL, FUSE
2	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) PLATE 289A FINISH
1	ED5D507-17,G25		DESCRIPTION NOT AVAILABLE
1	845311117		SUPPORT, CABLE ASSEMBLY
2	104203880	527A	PLUG

J5D003AR-2

COPYRIGHT © 1996 AT&T ALL RIGHTS RESERVED			
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR DIGITAL CARRIER LINE UNIT MODEL 2			BT13
			DWG SIZE C2
AT&T		J5D003AR-2	ISSUE 13
		SHEET D5 OF 10	