

ENGINEERING NOTES

- 51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES- NONE.
- 52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.
- 53. 'THE COMCODES SHOWN IN THE STOCKLIST IDENTIFICATION FIELD REFERENCED BY THIS NOTE ARE NOT THE INDIVIDUAL OR SINGULAR COMCODE FOR THE PART DESCRIBED BUT ARE THE FACTORY'S ORDERING COMCODE. TABLE JJ CONTAINS THE FACTORY'S ORDERING COMCODE FOR THE DESCRIBED PART AND THE EQUIVALENT SINGULAR/INDIVIDUAL COMCODE THAT MAY BE REQUIRED BY AN INSTALLER, CUSTOMER, REGIONAL LINE ENGINEER, OR A CLASS A CHANGE NOTICE'.

ISSUE NOTES (CONTINUED)

SL ITEM 1270 READ QTY 6, 824033021. SL ITEM 1360 LINED OUT, SL ITEM 1361 ADDED. SL ITEM 1040 LINED OUT. LIST B ADDED. SL ITEMS 1071 & 1072 ADDED. SL ITEM 1600 DELETED.

ORIG ISS: 10/03/85 CHANGE CLASS: M

DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 09/22/89 ISSUE: 8

SL ITEM 1510 READ 997494323. SL ITEM 1570 QTY READ 1. SL ITEM 1670 ADDED. NOTE 53 ADDED. REF TO NOTE 53 ADDED TO LIST 3. SL ITEMS 1101,1102,1111,1112,1113,1114,1115 ADDED. SL ITEM 1110 READ 103656641. SL ITEM 1250 READ 840059042. SL ITEM 1510 READ 997494323. QTY FOR SL ITEM READ 1. TABLE JJ ADDED.

SHTS B3 & B4 UPDATED. NOTE 21 ADDED. SL ITEM 1361 QTY READ 2. SL ITEMS 1675,1680,1685, & 1690 ADDED. NOTE 22 & SL ITEM 1109 ADDED.

ORIG ISS: 10/03/85 CHANGE CLASS: M

DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 04/19/91 ISSUE: 9

SL ITEM 1280 LINED OUT, SL ITEM 1281 ADDED. SL ITEM 1150 LINED OUT, SL ITEM 1151 ADDED. QTY FOR SL ITEM 1500 READ 3 TABLE AA UPDATED. SL ITEM 1505 REMOVED. SL ITEM 1520 LINED OUT, SL ITEM 1521 ADDED. SL ITEM 1060 READ 100115567, SL ITEM 1101 REMOVED, SL ITEM 1250 QTY READ 7, SL ITEM 1220 NOTE 21 ADDED, SL ITEM 1361 NOTE 19 ADDED, SL ITEM 1580 QTY READ 18, SL ITEM 1695 ADDED. SHEETS B1,B2 & B4 REVISED.

ORIG ISS: 10/03/85 CHANGE CLASS: M

DRAFT: JJR ENGR: JJR SUPV: CERTIFIED: 05/23/95 ISSUE: 10

CHG TAG PT11= SL ITEM 1510 LINED OUT, SL ITEM 1511 ADDED. GRAPHIC SHEETS UPDATED. SL ITEM 1240 LINED OUT, SL ITEM 1241 ADDED.

ORIG ISS: 10/03/85 CHANGE CLASS: ME

DRAFT: JJR ENGR: A_P SUPV: GJM CERTIFIED: 02/10/97 ISSUE: 11

ISSUE NOTES

 * DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. *
 * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE *
 * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED *
 * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE *
 * SCRUBBING OF PROPRIETARY INFORMATION. *

ORIG ISS: 10/03/85 NDD NBR: 5D003NW-81 CHANGE CLASS:

DRAFT: DSL ENGR: EDH SUPV: JFM CERTIFIED: 10/03/85 ISSUE: 1

DRAWING WAS RATED PROVISIONAL.

ORIG ISS: 10/03/85 CHANGE CLASS: D

DRAFT: DSL ENGR: EDH SUPV: JFM CERTIFIED: 04/15/86 ISSUE: 2

STOCKLIST CHANGES: ITEM 1410 (LIST 3, QTY 6, ED-5D507-17,G1) REMOVED; ITEM 1420 WAS ED-5D507-17,G5; ITEM 1430 WAS ED-5D507-17, G22; ITEM 1450 WAS ED-5D507-16,G1; ITEM 1530 ADDED. CMS6NWO012

ORIG ISS: 10/03/85 CHANGE CLASS: AD

DRAFT: DSL ENGR: EDH SUPV: CERTIFIED: 05/07/86 ISSUE: 3

STOCKLIST CHANGES: ITEMS 1000,1020 AND 1200 LINED-OUT; QTY FOR ITEM 1420 WAS 22; QTY FOR ITEM 1500 WAS 4; ITEMS 1001,1021,1540, 1550 AND 1560 ADDED. GRAPHICS CHANGED ACCORDINGLY. CMS6NWO018

ORIG ISS: 10/03/85 CHANGE CLASS: AD

DRAFT: DSL ENGR: EDH SUPV: CERTIFIED: 06/23/86 ISSUE: 4

LIST A ADDED. 845622026 STRAP ADDED TO DET. B. NOTE 15 ADDED TO DETAIL A. SL ITEM 1100 READ 102712825. NOTE 17 ADDED. SL ITEM 1330 QTY READ 7. ITEM 1340 READ 814251856, ITEMS 1370,1380 & 1390 LINED OUT. ITEMS 1450,1460,1480,1500 QTY READ 5,2,8 & 7 RESP. ITEM 1470 READ LIST 3. ITEMS 1505,1570,1580,1590,1600,1610,1620, 1630,1640 & 1650 ADDED.

ORIG ISS: 10/03/85 CHANGE CLASS: B

DRAFT: DSL ENGR: JJR SUPV: CERTIFIED: 04/10/87 ISSUE: 5

SL ITEM 1435 ADDED.

ORIG ISS: 10/03/85 CHANGE CLASS: A

DRAFT: DSL ENGR: JJR SUPV: CERTIFIED: 06/02/87 ISSUE: 6

NOTE 18 ADDED. SL ITEM 1560 LINED OUT, SL ITEM 1660 ADDED. SD STAMPING ADDED TO VIEW B-B. EQL STAMPING LINED OUT IN VIEW D-D. RESISTOR REDRAWN IN PLAN VIEW.

ORIG ISS: 10/03/85 CHANGE CLASS: M

DRAFT: DSL ENGR: JJR SUPV: CERTIFIED: 02/17/88 ISSUE: 7

SHEET INDEX

SHT NBR	A1 THRU A2					ISSUE	11				
SHT NBR	D1 THRU D3					ISSUE	11				
SHT NBR	B1	B2	B3	B4	B5						
ISSUE	11	11	11	11	11						
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A1
TABLE A	A2
B SECTION GRAPHICS	B1
MANUFACTURING NOTES	D1
STOCKLIST	D1
MISCELLANEOUS TABLES	D3

COPYRIGHT @ 1997 LUCENT TECHNOLOGIES
 ALL RIGHTS RESERVED

REPLACES J5D003BJ-1

BT13

5ESS SWITCHING EQUIPMENT
 SPECIFICATION FOR
 FUSE/FILTER UNIT
 (MODEL 3)

DWG SIZE C2 ISSUE 11

LUCENT TECHNOLOGIES INC J5D003BJ-2 SHEET A1 OF 10

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE FUSE/FILTER UNIT-3 WHICH PROVIDES THREE ISOLATED -48V POWER SUPPLIES AND RETURNS.	53		3		SD5D084-01	1					
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 3 TO PROVIDE BELT LINE JACK MODULE.			4		SD5D084-01	2					
EQUIPMENT REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT IS THE SECOND FUSE/FILTER UNIT EQUIPPED IN A CABINET.			A								
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 3.			B								
STAMPING REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT SERVES BUS 0 IN A CABINET WHICH IS EQUIPPED FOR BUS 0 AND 1.			SG								
STAMPING REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT SERVES BUS 1 IN A CABINET WHICH IS EQUIPPED FOR BUS 0 AND 1.			SH								
STAMPING REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT SERVES THE FIRST BUS 0 IN A CABINET WHICH IS EQUIPPED FOR TWO BUS 0.			SJ								
STAMPING REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT SERVES THE SECOND BUS 0 IN A CABINET WHICH IS EQUIPPED FOR TWO BUS 0.			SK								
STAMPING REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT SERVES THE FIRST BUS 1 IN A CABINET WHICH IS EQUIPPED FOR TWO BUS 1.			SL								
STAMPING REQUIRED IN ADDITION TO LIST 3 WHEN THIS UNIT SERVES THE SECOND BUS 1 IN A CABINET WHICH IS EQUIPPED FOR TWO BUS 1.			SM								
END OF TABLE-A											

COPYRIGHT © 1997 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

7T13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FUSE/FILTER UNIT
(MODEL 3)

DWG SIZE
C2



ISSUE
11



J5D003BJ-2

LUCENT TECHNOLOGIES INC J5D003BJ-2

SHEET A2
OF 10


PRINTED IN U.S.A.





J5D003BJ-2


COPYRIGHT 1997 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED		
FUSE/FILTER UNIT (MODEL 3)	DWG SIZE	ISSUE
	C2	
LUCENT TECHNOLOGIES	J5D003BJ-2	SHEET B2



J5D003BJ-2

COPYRIGHT 1997 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED		
FUSE/FILTER UNIT (MODEL 3)	DWG SIZE	ISSUE
	C2	11
LUCENT TECHNOLOGIES	J5D003BJ-2 <small>PRINTED IN U.S.A.</small>	SHEET B3

5: J5D003BJ2B3.PRT



900727421
PLASTITE SCREW
8 REQD

KS 20289, L6C
~~KS-20133, L135~~ RESISTOR E/W TWO
ZIEREK 803-196 TERMINAL LUGS

840058556
SCREW
9 REQD

845313006 MOUNTING BRACKET
E/W THREE 912A CONNECTORS
(MOUNT CONNECTORS TO MOUNTING
BRACKET WITH TWO 840058283
PHM SCREWS E/W 803876663
WASHERS)

840058638
PHM SCREW
2 REQD

840059059
~~840059059~~
PHM SCREW
6 REQD

ED-50521-30, G1, A
ALARM CIRCUIT PACK
E/W 811322734 BRACKET
3 REQD

29A FUSE BLOCK
(MTD WITH 10 ~~800058022~~
814320487 SCREW)

30D FUSE BLOCK
4 REQD

364A TERMINAL STRIP
2 REQD

845313279
~~845312966~~
FILTER HOUSING

KS-20133, L135
CAPACITOR
3 REQD

~~845312974~~
CAPACITOR
MOUNTING BRACKET
845313253
HOUSING BRACKET

840058242 PHM SCREW E/W
~~803876663~~ LOCKWASHER
4 REQD
(LIST 4 ONLY)

845080837 PLATE

843078981
JACK PANEL BRACKET
E/W MOD JACK
(LIST 4 ONLY)

845622026 STRAP

DETAIL B
PLAN VIEW OF CABINET MOUNTING HARDWARE

FUSE BLOCKS (TYPICAL)


843079013
SPLICE PLATE

845313014
SUPPORT BRACKET
2 REQD

PLAN VIEW OF FUSE/FILTER UNIT

J5D003BJ-2

COPYRIGHT 1997 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED		
FUSE/FILTER UNIT (MODEL 3)	DWG SIZE	ISSUE
	C2	
LUCENT TECHNOLOGIES	J5D003BJ-2	SHEET B4



DETAIL A
STAMPING

J5D003BJ-2

COPYRIGHT 1997 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED		
FUSE/FILTER UNIT (MODEL 3)	DWG SIZE	ISSUE
	C2	11
LUCENT TECHNOLOGIES	J5D003BJ-2	SHEET 85

PRINTED IN U.S.A.
9: J5D003BJ285.PRT

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1000	3	1	845312900		HOUSING, FILTER				
1001	3	1	845313279		HOUSING, FILTER				
1010	3	1	845080837		PLATE				
1020	3	1	845312974		BRACKET, CAPACITOR MOUNTING				
1021	3	1	845313253		BRACKET, HOUSING				
1030	3	1	845313006		BRACKET, MOUNTING				
1040	3	1	845080878		BRACKET, FUSE HOLDER				
1050	3	3	405000803	KS20133L135	CAPACITOR 16000 UF				
1060	3	3	103925723	912A	CONNECTOR, ELECTRICAL POS 03-009, POS 03-017, POS 03-025				16
1070	3	3	ED5D521-30,G1, GA		ASSEMBLY, PRINTED WIRING BOARD POS 03-009, POS 03-017, POS 03-025				
1071	B	OMIT 3	ED5D521-30,G1, GA		ASSEMBLY, PRINTED WIRING BOARD POS 03-009 POS 03-017 POS 03-025				
1072	B	3	ED5D521-30,G2, GB		ASSEMBLY, PRINTED WIRING BOARD POS 03-009 POS 03-017 POS 03-025				
1080	3	3	811322734	P13B273	BRACKET				
1090	3	3	814962429	P49F242	CLIP				16
1100	3	1	845048040		FUSE BLOCK POS 03-042				19 22
1102	3	6	811166677	P11F667	ASSEMBLY, FUSE CAP				19
1109	3	32	103757977	72B	FUSE, DUMMY				22
1110	3	4	845048081		FUSE BLOCK POS 01-018, POS 01-042, POS 01-066, POS 03-066				20 22
1111	3	16	811166677	P11F667	ASSEMBLY, FUSE CAP				20
1112	3	16	811261601	P12F160	ASSEMBLY, FUSE CAP				20
1113	3	16	824557003	P45N700	SCREW, PAN HEAD TAPPING .086-32 X 1/2 STEEL 289A FINISH				20
1114	3	8	814320487	P43B048	SCREW, PAN HEAD SELF TAPPING .138-20 X 1/2 STEEL 289A FINISH				20
1115	3	4	811224922	P12B492	COVER				20
1120	3	3	845080894		BUSBAR, ALARM				
1130	3	3	845080902		BUSBAR, BAT				
1140	3	2	845080886		BUSBAR, ALARM				
1150	3	8	813320157	P33B015	BUSBAR, ALARM				
1151	3	8	845080886		BUSBAR, ALARM				
1160	3	2	845080910		BUSBAR, BAT				
1170	3	2	102998838	364A	STRIP, TERMINAL POS 02-018, POS 02-074				
1180	3	1	ED5D532-30,G1		STRIP, TERMINAL POS 01-043				
1190	3	1	844660928		BRACKET				
1200	3	1	403289457		TERMINAL, FEED THRU #500-516-152E HELDER SPHERE CO. OR EQUIVALENT POS 01-034				
1210	4	1	843078981		ASSEMBLY, BRACKET PANEL				

STOCKLIST CONTINUED ON SHEET D2

J5D003BJ-2

SHOP
IN
ST

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

- X X 12. KS-21103,L4 PWR CONNECTOR SHALL BE MOUNTED WITH MOUNTING TABS ON THE OUTSIDE OF THE UNIT.
- X X 13. HARDWARE REQUIRED FOR MOUNTING THIS UNIT IN THE CABINET, REFER TO DETAIL B FOR TYPICAL ARRANGEMENT.
- X X 14. 127D APP MOUNTINGS ARE TO BE MOUNTED PER TABLE AA, AFTER UNIT WIRING.
- X X 15. USE SLOTTED PHM SCREWS PROVIDED WITH JACKS FOR MOUNTING BAKELITE JACK HOLDER TO JACK MOUNTING BRACKET.
- X X 16. INSERT CLIP BETWEEN TERMINALS 1 & 2 AND 8 & 9 OF 912A CONNECTOR WHICH IS MOUNTED WITH TERMINALS 1 AND 8 AT THE BOTTOM.
- X X 17. WHEN LIST A IS ORDERED NON-X, OMIT 843079013 PLATE AND 845622026 STRAP.
- X 18. ONLY THE HEAT SHRINK TUBING REQUIRED, IS SPECIFIED IN THE STOCKLIST.
- X X 19. EQUIPMENT ASSOCIATED WITH 29A FUSE BLOCKS.
- X X 20. EQUIPMENT ASSOCIATED WITH 30D FUSE BLOCKS.
- X 21. USE THE KS-21745,L4 JACK MODULE AND MOUNTING SCREWS PROVIDED AS REQUIRED. NO STAMPING REQUIRED.
- X 22. EQUIP FUSE BLOCKS WITH 72B DUMMY FUSES WHEN UNIT IS ORDERED NON-X.

COPYRIGHT © 1997 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

7T13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FUSE/FILTER UNIT
(MODEL 3)

DWG SIZE C2 ISSUE 11

LUCENT TECHNOLOGIES INC J5D003BJ-2

SHEET D1 OF 10

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1220	4	1	ED6C110-10,G104		JACK, MOD POS 02-082			21
1230	4	2	401446794	KS21463L1	JACK (TEL A & B)			15
1240	4	5	401197280	KS21001L1	JACK POS 02-082			15
1241	4	5	401119359	KS21001L1	CONNECTOR, JACK			
1250	3	13	840059059		SCREW, PAN HEAD MACHINE .164-32 X 5/16 STEEL 289A FINISH			
1260	3,4	4	840058242		SCREW, PAN HEAD MACHINE .112-40 X 1/4 STEEL 289A FINISH			
1270	3,4	6	840059059		SCREW, PAN HEAD MACHINE .164-32 X 5/16 STEEL 289A FINISH			
1280	3	2	840058838		SCREW, PAN HEAD MACHINE .138-32 X 1/4 BRASS			
1281	3	2	840058598		SCREW, PAN HEAD MACHINE .138-32 X 3/8 STEEL 289A FINISH			
1290	3	6	840058283		SCREW, PAN HEAD MACHINE .112-40 X 1/2 STEEL 289A FINISH			
1300	3	6	803876663	F387666	WASHER .112 STEEL 289A FINISH			
1310	4	4	803876663	F387666	WASHER .112 STEEL 289A FINISH			
1320	3	2	841065782		SCREW, PAN HEAD MACHINE .125-40 X 3/8			
1330	3	16	800801359	F80135	NUT, HEXAGON .164-32			
1350	3	8	900727421		SCREW, THREAD FORMING PAN HEAD .138-19 X 1/2 TEXTRON INC.			
1360	3	2	900658022		SCREW #40-2 PLASTIC .143-19 X 3/4 IN LONG CONTINENTAL SCREW CO.			
1361	3	12	814320487	P43B048	SCREW, PAN HEAD SELF TAPPING .138-20 X 1/2 STEEL 289A FINISH			19
1370	3	16	900527615		SLEEVE #C2210W HOFFMAN CO. OR EQUIVALENT			
1380	3	16	995829694		LUG, TERMINAL #807 THOMAS & BETTS CO. OR EQUIVALENT			
1390	3	12	995829660		LUG, TERMINAL #C11 SIA-RON THOMAS & BETTS CO. OR EQUIVALENT			
1400	4	1	LCJ5D003BJ-2,G1		CABLE, LOCAL			
1420	3	6	ED5D507-17,G4A		ASSEMBLY, CABLE			
1430	3	2	ED5D507-17,G22A		ASSEMBLY, CABLE			
1435	3	2	ED5D507-17,G22B		ASSEMBLY, CABLE			
1440	3	4	ED5D507-17,G23		ASSEMBLY, CABLE			
1450	3	3	ED5D507-16,G5		ASSEMBLY, CABLE			
1460	3	1	845313014		BRACKET, SUPPORT			13
1470	A	1	843079013		PLATE			13 17
1480	3	4	840026835		SCREW, TTP SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		*/	13
1490	3	9	840058556		SCREW, PAN HEAD MACHINE .138-32 X 1/8 STEEL 289A FINISH			
1500	3	4	104179106	127D	MOUNTING, APPARATUS			14

***** STOCKLIST CONTINUED AT RIGHT *****

J5D003BJ-2

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1510	3	3	997143383	KS19131L2	RESISTOR 10000 OHM			
1511	3	3	400885513	KS20289L6C	RESISTOR 10000 OHM			
1520	3	6	40203537Z		LUG, TERMINAL #803-196 ZIERICK MFG CORP. OR EQUIVALENT			
1521	3	6	406891093		LUG, TERMINAL #803-196 ZIERICK MFG CORP.			
1530	3	16	ED5D507-17,G7A		ASSEMBLY, CABLE			
1540	3	16	ED5D507-17,G6A		ASSEMBLY, CABLE			
1550	3	3	ED5D507-17,G30A		ASSEMBLY, CABLE			
1560	3	3	ED5D507-17,G28A		ASSEMBLY, CABLE			
1570	3	6	900422494		TUBING, HEAT SHRINKABLE #RT876 1/4 IN ID. X 1 IN LG. BK RAYCHEM CORP. /OR EQUIV.			
1580	3	7	900293283		TUBING, HEAT SHRINKABLE #RT876 3/8 IN. X 2 IN. BLACK RAYCHEM CORP. /OR EQUIV.			
1590	3	14	996552626		TUBING, PVC #6 .166 IN X 1-1/16 IN LG RAYCHEM CORP. /OR EQUIV.			
1610	3	6	840059851		SCREW, PAN HEAD SLOTTED MACHINE .190-32 X 1/2 STEEL			
1620	3	5	ED5D507-17,G56		ASSEMBLY, CABLE			
1630	3	3	ED5D507-17,G55		ASSEMBLY, CABLE			
1640	3	3	ED5D507-17,G57		ASSEMBLY, CABLE			
1650	A	1	845622026		STRAP			17
1660	3	5	900715855		TUBING #RT876 HEAT SHRINK 3/16 X 1.5 IN RED RAYCHEM CORP.			
1670	3	1	ED5D507-17,G60		ASSEMBLY, CABLE			
1675	3	22	811166677	P11P667	ASSEMBLY, FUSE CAP			
1680	3	16	811261601	P12P160	ASSEMBLY, FUSE CAP			
1685	3	16	824557003	P45N700	SCREW, PAN HEAD TAPPING .086-32 X 1/2 STEEL 289A FINISH			
1690	3	4	811224922	P12B492	COVER			
1695	3	6	900316803		TUBING, HEAT SHRINKABLE #RT876 1/2 IN. ID X 2-1/2 IN. LG. BK RAYCHEM CORP.			

***** END OF STOCKLIST *****

COPYRIGHT © 1997 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

7T13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FUSE/FILTER UNIT
(MODEL 3)

DWG SIZE
C2

ISSUE
11

LUCENT TECHNOLOGIES INC J5D003BJ-2

SHEET D2
OF 10

PRINTED IN U.S.A.

TABLE AA

APP MTG	LOCATION	
127D	01-044	100,300,500,700
	01-138	100,300,500,700

TABLE JJ

TABLE JJ STOCKLIST ORDERING COMCODES TO INDIVIDUAL/SINGULAR COMCODES CROSS REFERENCE

STOCKLIST ORDERING COMCODE	INDIVIDUAL/SINGULAR COMCODE	COMMENTS
845048040	102712825	WHEN THE SINGULAR COMCODE, 100010487, IS ORDERED, ALL PIECEPARTS INDICATED IN THE FIRST COLUMN WILL BE SHIPPED AS A COMPLETE KIT.
814932745		
811166677		
845048081	103656641	WHEN THE SINGULAR COMCODE, 103656641 IS ORDERED, ALL PIECEPARTS INDICATED IN THE FIRST COLUMN WILL BE SHIPPED AS A COMPLETE.
814320487		
824557003		
811166677		
811224922		
811261601		

COPYRIGHT © 1997 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
7T13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR FUSE/FILTER UNIT (MODEL 3)	
DWG SIZE C2	ISSUE 11
LUCENT TECHNOLOGIES INC	J5D003BJ-2
SHEET D3 OF 10	