

ISSUE NOTES (CONTINUED)				
CHG TAG H8175 NOTE 151 AND TABLES D4 AND D5 REMOVED. LISTS 500, F1, F2 AND G1 READ LA, LIST D READ STD. NOTES 18 AND 57 ADDED. SL 1040, 1141 AND 1241 LINED OUT.				
ORIG ISS: 08/07/89 NDD NBR: NDD5D003NW-849 CHANGE CLASS: M				
DRAFT: WAW	ENGR: WAW	SUPV: PCM	CERTIFIED: 07/31/97	ISSUE: 17
CHG TAG H8265=LIST D READ "DA", NOTE 57 LINED OUT, NOTE 58 ADDED. (REF OC PI 17.1)				
ORIG ISS: 08/07/89 NDD NBR: NDD5D003NW-883 CHANGE CLASS: M				
DRAFT: JJR	ENGR: WAW	SUPV: PCM	CERTIFIED: 09/23/97	ISSUE: 18
CHG TAG H8275=LIST B READ STD. SHEETS B1 & B2 REVISED.				
ORIG ISS: 08/07/89 NDD NBR: NDD5D796NW-1 CHANGE CLASS: ME				
DRAFT: NJG	ENGR: WAW	SUPV: PCM	CERTIFIED: 09/14/98	ISSUE: 19
SL ITEM 1100 LINED OUT, SL ITEM 1101 ADDED. SL ITEM 1220 LINED OUT, SL ITEM 1221 ADDED. SHEETS B1 & C2 UPDATED TO REFLECT COMCODE 407941889.				
ORIG ISS: 08/07/89 NDD NBR: NDD5D003NW-920 CHANGE CLASS: ME				
DRAFT: NJG	ENGR: NJG	SUPV: PCM	CERTIFIED: 11/02/98	ISSUE: 20
CHG TAG H8679 SL ITEM 1101 LINED OUT; SL ITEM 1102 ADDED; SHT B1 ITEM 3 UPDATED;				
ORIG ISS: 08/07/89 CHANGE CLASS: ME				
DRAFT: NJG	ENGR: NJG	SUPV: PCM	CERTIFIED: 11/15/99	ISSUE: 21
H09016 SL ITEM 1102 LINED OUT SL ITEM 1103 ADDED GRAPHIC SHEET B1 ITEM 3 UPDATED				
ORIG ISS: 08/07/89 CHANGE CLASS: MF				
DRAFT: NJG	ENGR: NJG	SUPV: PCM	CERTIFIED: 05/05/00	ISSUE: 22
H09096 TA LIST 500 READ DA; ENG NOTE 59 ADDED;				
ORIG ISS: 08/07/89 CHANGE CLASS: ME				
DRAFT: NJG	ENGR: NJG	SUPV: PCM	CERTIFIED: 06/05/00	ISSUE: 23

ISSUE NOTES (CONTINUED)				
CHG TAG PT10=SHEETS B1,B2 & C1 UPDATED.				
ORIG ISS: 08/07/89 CHANGE CLASS: M				
DRAFT: JJR	ENGR: JJR	SUPV: GJM	CERTIFIED: 05/13/94	ISSUE: 10
CHG TAG PT11=SHEETS B1 & B2 UPDATED PER POINT ISSUE 10.1 "S" NOTE ADDED TO SL ITEMS 1400 & 1410 PER POINT ISSUE 10.2. IMR 484494.				
ORIG ISS: 08/07/89 CHANGE CLASS: M				
DRAFT: JJR	ENGR: JJR	SUPV: GJM	CERTIFIED: 06/29/94	ISSUE: 11
CHG TAG H7332=LIST F2 ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV: GJM	CERTIFIED: 10/07/94	ISSUE: 12
CHG TAG H7420=TABLES D1,D2,D4 & D5 ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV: GJM	CERTIFIED: 03/10/95	ISSUE: 13
CHG TAG PT14="OR EQUIV" REMOVED FROM SL ITEMS 1040 & 1041. SL ITEM 1240 LINED OUT, SL ITEM 1241 AND NOTE 16 ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: M				
DRAFT: JJR	ENGR: JJR	SUPV: GJM	CERTIFIED: 06/12/95	ISSUE: 14
CHG TAG H8094= LIST C READ STD, NOTES 55 & 56 ADDED. PROPRIETARY CODE CHANGED TO LUCENT TECHNOLOGIES. SHEETS B1,B2,C1,C2 UPDATED.				
ORIG ISS: 08/07/89 NDD NBR: NDD5D003NW-819 CHANGE CLASS: B				
DRAFT: JJR	ENGR: WAW	SUPV: PCM	CERTIFIED: 04/24/97	ISSUE: 15
CHG TAG PT16= LIST C DA EFF DATE READ 04/24/07 SL 1140 LINED OUT, 1141 ADDED, GRAPHIC SHEETS B1, B2, C1 CHG. NOTE 17 ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: M				
DRAFT: JJR	ENGR: WAW	SUPV: PCM	CERTIFIED: 06/03/97	ISSUE: 16

ISSUE NOTES				
ORIG ISS: 08/07/89 CHANGE CLASS:				
DRAFT: DSL	ENGR: JJR	SUPV: EJZ	CERTIFIED: 08/07/89	ISSUE: 1
SL ITEM 1210 READ ED5D503-15,G160. SL ITEM 1010 READ 846349124 SL ITEM 1020 READ 104306089. SL ITEM 1041 ADDED. NOTE 15 REMOVED. SL ITEM 1100 READ GROUP 3. FIG 1 BRACKETS ADDED. 846349124 ADDED TO FRONT VIEW. IN NOTE 53 COMCODE READ 405912106.				
ORIG ISS: 08/07/89 CHANGE CLASS: M				
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 12/04/89	ISSUE: 2
SL ITEM 1070 LINED OUT, SL ITEM 1075 ADDED. POINT ISSUES ADDED. LIST A & NOTE 54 DELETED. SL ITEMS 1042,1043,1044 & 1045 DELETED.				
ORIG ISS: 08/07/89 CHANGE CLASS: M				
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 09/13/91	ISSUE: 3
CHG TAG H6780=LIST B ADDED, SL ITEMS 1001 & 1002 ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 03/24/92	ISSUE: 4
CHG TAG H6844=LIST 3 READ STD, LIST 3A ADDED, NOTE 53 REVISED. CHG TAG PT5=SHEET B1 CHANGED.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV: EJZ	CERTIFIED: 08/11/92	ISSUE: 5
CHG TAG H6901=SL ITEM 1041 READ LIST 3,3A.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 09/03/92	ISSUE: 6
CHG TAG PT7=LIST 3A ADDED TO DESCRIPTION OF LIST C. SL ITEM 1030 LINED OUT, SL ITEM 1031 ADDED. CHG TAG H7027=LIST D,NOTE 15, TABLE JJ ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 03/25/93	ISSUE: 7
CHG TAG H7152=SL ITEMS 1000,1001,1002,1031,1050,1060,1075,1111 & 1120 LINED OUT. SL ITEMS 1320,1330 & 1340 ADDED. CHG TAG H7175=LISTS 100,101 & NOTE 54 ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 02/11/94	ISSUE: 8
CHG TAG PT9=NOTE 13 LINED OUT. CHG TAG H7196=LISTS 500,F1,G1 & NOTE 151 ADDED.				
ORIG ISS: 08/07/89 CHANGE CLASS: B				
DRAFT: JJR	ENGR: JJR	SUPV: GJM	CERTIFIED: 04/12/94	ISSUE: 9

SHEET INDEX									
SHT NBR	A1 THRU A2 ISSUE 26								
ISSUE									
SHT NBR	D1 THRU D2 ISSUE 26								
ISSUE									
SHT NBR	B1	B2							
ISSUE	26	19							
SHT NBR	C1	C2							
ISSUE	16	20							
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A2
B SECTION GRAPHICS	B1
C SECTION GRAPHICS	C1
MANUFACTURING NOTES	D1
STOCKLIST	D1
MISCELLANEOUS TABLES	D2

COPYRIGHT @ 2001 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
BT13			
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR FAN UNIT (6-FANS)			
DWG SIZE	ISSUE		
C2	26		
LUCENT TECHNOLOGIES INC J5D003BN-2			SHEET A1 OF 8

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE SIX-FAN FAN UNIT. DA EFF:08/03/92 FE:J5D003BN-2,L3A		DA	3	1	SD5D081-02	1		Z			
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE SIX-FAN FAN UNIT. (PROVIDES THERMISTOR FAN).			3A	1	SD5D081-02	1		Y			
SPECIFY TO REPLACE EXISTING VINTAGE FANS.	54 500		100								
SPECIFY TO REPLACE,UPGRADE OR RETROFIT TO THE NOISE REDUCED THERMOSTATICALLY CONTROLLED FANS	54 500		101								
EQUIPMENT FOR ONE 6 FAN FAN UNIT	59	LA	500	1	SD5D081-02	1		Y			
ASSEMBLY REQUIRED IN ADDITION TO LIST 3,3A WHEN MOUNTING FAN UNIT IN A IMC (J5D003C-1) CABINET. DA EFF:12/29/97 FE/RA:NONE		DA	B								
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 3,3A (PROVIDES AIR FILTER) DA EFF:04/24/97 FE/RA:NONE	55 56	DA	C								
EQUIPMENT REQUIRED IN ADDITION TO LIST 3A WHEN THIS UNIT MOUNTS IN 5ESS SM2000 CABINETS. (PROVIDES FUSES AND FUSE LABELS)			D								
FINAL ASSEMBLY KIT (FAS KIT) TO MOUNT THE 6 FAN FAN UNIT IN A PHASE I CABINET E/W MODULAR FUSE/FILTER UNIT.			F1								
FINAL ASSEMBLY KIT (FAS KIT) TO MOUNT THE 6 FAN FAN UNIT IN A PHASE II CABINET E/W MODULAR FUSE/FILTER UNIT.			F2								
PROVIDES UNIT GUIDE KIT TO MOUNT FAN UNIT IN A GLOBAL PHASE I CABINET.			G1								
END OF TABLE-A											

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES-NONE.

52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.

53. TO REPLACE EXISTING FANS, ORDER 846365641 FAN ASSEMBLY.
TO REPLACE,UPGRADE OR RETROFIT TO THE NOISE REDUCED THERMO-STATICALLY CONTROLLED FAN, ORDER 846968691 FAN ASSEMBLY.

54. THIS LIST HAS BEEN CREATED TO BE AN ORDERING MECHANISM FOR REPLACEMENT FANS.

55. THESE LISTS HAVE BEEN CREATED TO BE AN ORDERING MECHANISM FOR REPLACEMENT FAN PARTS.

56. EQUIPMENT REQUIRED FOR REPLACEMENT AIR FILTER FOR LISTS 3 OR 3A.
(PROVIDE ONE AIR FILTER)
FILTER UAF233 (DISPOSABLE) COMCODE 403977234.
OR
FILTER UAF262 (CLEAN WITH VACUUM) COMCODE 406509455.
(IF OIL CONTAMINATED, DISCARD AND REPLACE)

57. \$LOOSE LABELS CAN BE ORDERED THROUGH THE CONTROLLING ED DRAWING ONLY. REFERENCE THE FUSE LABEL TABLE TO DETERMINE APPROPRIATE ED GROUP.\$

58. DOLLAR SIGNS (\$) IN FRONT OF AND BEHIND WORDS, SENTENCES, PARAGRAPHS AND/OR CHARACTERS INDICATE HORIZONTALLY LINED OUT INFORMATION.

59. THIS LIST IS TO BE USED AS AN ORDERING MECHANISM FOR HILVERSUM ONLY.

500. THIS LIST OR GROUP MAY BE SPECIFIED AS A MAIN OR SUPPLEMENTAL ITEM.

ISSUE NOTES (CONTINUED)

C04526
MFG NOTE 19 ADDED TO ST LIST ITEM 1102 AND 1103;
ST LIST ITEM 1103 LINED OUT;
ST LIST ITEM 1104 ADDED;
GRAPHIC SHEET B1, ITEM 3, READ 408343820.
ORIG ISS: 08/07/89
CHANGE CLASS: AC

DRAFT: NJG	ENGR: NJG	SUPV: PCM	CERTIFIED: 11/14/00	ISSUE: 24
------------	-----------	-----------	---------------------	-----------

H09167
ST LIST ITEM 1104 LINED OUT;
ST LIST ITEM 1105 ADDED;
GRAPHIC SHEET B1 ITEM THREE READ 408474252
ORIG ISS: 08/07/89
CHANGE CLASS: ME

DRAFT: NJG	ENGR: NJG	SUPV: PCM	CERTIFIED: 11/17/00	ISSUE: 25
------------	-----------	-----------	---------------------	-----------

H09383
ST LIST ITEM 1105 LINED OUT;
ST LIST ITEM 1106 ADDED;
REMOVE "S" FROM ST LIST ITEMS 1041, 1400, 1410;
ENG NOTE 500 ADDED;
NOTE 500 ADDED TO LIST 100 AND 101;
GRAPHIC SHEET B1 ITEM 3 READ 848353846;
ORIG ISS: 08/07/89
CHANGE CLASS: ME


DRAFT: NJG	ENGR: NJG	SUPV: PCM	CERTIFIED: 07/23/01	ISSUE: 26
------------	-----------	-----------	---------------------	-----------

J5D003BN-2

COPYRIGHT © 2001 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
BT13			
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR FAN UNIT (6-FANS)			
DWG SIZE C2	ISSUE 26		
LUCENT TECHNOLOGIES INC		J5D003BN-2	
		SHEET OF	A2 8

1.8
Create
COMMON_HARDWARE

J5D003BN-2_1			
ITEM	PART NUMBER	DESCRIPTION	QTY
1	ED5D796-10	ASSEMBLY, FAN -BN	1
2	403977234	FILTER, AIR	1
3	408567097	CNTRL KS23884L3B	1
4	901321794	PHLPAN 3.5mm x 10mm	1
5	997244033	BUSHING, HEYCO SB-875-1	2



PROJ-ECEDFORM. FRM-FEB-96



J5D003BN-2

FAN UNIT		THIRD ANGLE PROJ 	
DWG SIZE C2		ISSUE 26	
LUCENT TECHNOLOGIES		SHEET NO. BI	

MODELED BY: cbm DATE: 20-May-98

DRAWING NAME=J5D003BN-2
MODEL/ASM NAME=J5D003BN-2_1

lwl.7
Initial
COMMON_HARDWARE




PROJ-EGEDFORM.FRM-FEB-96

J5D003BN-2


FAN UNIT		THIRD ANGLE PROJ	
DWG SIZE C2		ISSUE 19	
LUCENT TECHNOLOGIES		SHEET NO. B2	
J5D003BN-2			

MODELED BY: c bm DATE: 20-May-98

DRAWING NAME=J5D003BN-2
MODEL/ASM NAME=J5D003BN-2.1




VIEW A-A




DETAIL A

FAN UNIT		DWG SIZE	ISSUE
		C2	16
LUCENT TECHNOLOGIES INC	J5D003BN-2	SHEET C1	

1.7 Initial COMMON-HARDWARE



DETAIL B
FURNISHED PER
407941889




PROJ-EGEDFORM.FRM-FEB-96

J5D003BN-2

SEE PROPRIETARY NOTICE ON SHEET ONE

FAN UNIT

THIRD ANGLE PROJN



DWG SIZE
C2

ISSUE
20

LUCENT
TECHNOLOGIES

J5D003BN-2

SHEET NO.
C2

MODELED BY:

DATE:

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	3,3A	1	846349116		ASSEMBLY,FAN CASE			
1001	B	OMIT 1	846349116		ASSEMBLY,FAN CASE			
1002	B	1	846856722		ASSEMBLY,FAN CASE			
1030	3,3A	6	402841860		GUARD,FINGER #551199 ROTRON CO /OR EQUIV.			14
1031	3,3A	6	847077070		GUARD,FAN			14
1040	3,3A	1	403977234		FILTER,AIR #UAF-233 UNIVERSAL AIR FILTER CO			
1041	C	1	403977234		FILTER,AIR #UAF-233 UNIVERSAL AIR FILTER CO			12
1050	3,3A	6	405949058		CLAMP,CABLE #ZZ0-121612-00 ITW FASSTEX /OR EQUIV.			
1060	3,3A	2	405949033		STRIP,TERMINAL #15-84-2ELF-BIA EBY /OR EQUIV.			
1070	3	12	405949025		SCREW,SHOULDER THUMB .138-32X2-1/4LN 25/64 HDWT WINDY CITY FASTNERS			
1075	3,3A	12	406423475		SCREW,SLOTTED KNURLED THUMB .138-32 X 2-1/4 #ATT5636ZB CAMCAR TETRON			
1080	3	4	840058242		SCREW,PAN HEAD MACHINE .112-40 X 1/4 STEEL 289A FINISH			
1090	3,3A	2	997244033		BUSHING,SNAP #SB-875-11 HEYMAN MFG CO /OR EQUIV.			
1100	3,3A	1	ED5D195-10,G4, G4		ASSEMBLY, FAN UNIT CIRCUIT BOARD			
1101	3,3A	1	407941889	KS23884L3	CONTROLLER,FAN			
1102	3,3A	1	408163400	KS23884L3B	CONTROLLER,FAN			19
1103	3,3A	1	408343820		CONTROLLER,FAN V2 #KS23884L3B			19
1104	3A	1	408474252	KS23884L3B	CONTROLLER,FAN V2.5			
1105	3A	1	408343846		CONTROLLER,FAN V3 #KS23884L3B			
1106	3A	1	408567097	KS23884L3BV4	CONTROLLER,FAN			
1110	3	6	846365641		ASSEMBLY,FAN			
1111	3A	6	846968691		ASSEMBLY,FAN			
1120	3,3A	8	901215210		RIVET,BUTTON PRE-STARTED #7030-300-00 ITW LINX			
1130	3,3A	1	840058572		SCREW,PAN HEAD MACHINE .138-32 X 1/4 STEEL 289A FINISH			
1140	3,3A	2	846022051		FILTER,RETAINER			
1141	3,3A	1	407580513		RETAINER,AIR FILTER #L396 UNIVERSAL AIR FILTER CO.			
1150	3,3A	1	ED5D507-19,G1, G1		ASSEMBLY, CABLE			
1160	3,3A	1	ED5D507-19,G2, G2		ASSEMBLY, CABLE			

STOCKLIST CONTINUED ON SHEET D2

J5D003BN-2

S
H
O
P

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- */ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
- X X 12. FILTER DIMENSIONS ARE 13.87(352.2MM) X 22.75(577.7MM) X 0.50(12.7MM).
- X X 13. \$TERMINAL NUMBERS SHALL BE STAMPED ON THE TERMINAL BOARD IN CONTRASTING COLOR.\$
- X X 14. WHEN USING FINGER GUARD WITH RIB BRACE, PLACE ON FAN WITH RIB BRACE ON THE OUTSIDE.
- X X 15. THE COMCODES SHOWN IN THE STOCKLIST IDENTIFICATION FIELD REFERENCE BY THIS NOTE ARE NOT THE INDIVIDUAL OR SINGULAR COMCODE FOR THE PART DESCRIBED BUT ARE THE FACTORY'S ORDERING COMCODE. TABLE JJ CONTAINS THE FACTORY'S ORDERING COMCODE FOR THE DESCRIBED PART AND THE EQUIVLENT SINGULAR/INDIVIDUAL COMCODE THAT MAY BE REQUIRED BY AN INSTALLER, CUSTOMER, REGIONAL LINE ENGINEER, OR A CLASS A CHANGE NOTICE.
- X X 16. WHEN THIS UNIT MOUNTS IN THE CLASSIC OR PHASE I CABINET, REPLACE 901271031 METRIC SCREW WITH 840026835 SCREW.
- X X 17. LABEL TO ADHERE AROUND FRAME OF FILTER AND ON UNIT WITH DATE OF FILTER INSTALLATION WRITTEN ON LABEL.
- X X 18. FUSE LABEL TABLE

LIST	ED GROUP FOR LABEL
3A	ED5D088-12,G39 G40 G41 G46 G47 G48
- X 19. FAN ALARM CARDS KS23884,L3B (408163400) AND KS23884,L3B V2 (408343820) CANNOT BE USED TO EXHAUST INVENTORY SUPPLY.

COPYRIGHT © 2001 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
FAN UNIT
(6-FANS)

DWG SIZE C2 ISSUE 26

LUCENT TECHNOLOGIES INC J5D003BN-2 SHEET D1 OF 8

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1170	3 3A	4	ED5D507-17,G64, G64		ASSEMBLY, CABLE				
1180	3 3A	4	ED5D507-17,G65, G65		ASSEMBLY, CABLE				
1190	3 3A	1	ED5D507-17,G64A, G64A		ASSEMBLY, CABLE				
1200	3 3A	1	ED5D507-17,G65A, G65A		ASSEMBLY, CABLE				
1220	3 3A	1	ED5D585-15,G21A, G21A		ASSEMBLY, CABLE CONNECTORIZED				
1221	3 3A	1	ED5D585-15,G21D, G21D		ASSEMBLY, CABLE CONNECTORIZED				
1240	3,3A	4	840026835		SCREW,TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH			*	
1241	3A	4	901271031		SCREW,HEXAGONAL WASHER #M6X16 PHILLIPS ACR 2			*	16
1250	D	6	406693895	WP91768L108	FUSE,3.00 AMP FAST ACTING			*	15
1260	D	1	ED5D088-12,G39		LABELS, FUSE			*	
1270	D	1	ED5D088-12,G40		LABELS, FUSE			*	
1280	D	1	ED5D088-12,G41		LABELS, FUSE			*	
1290	D	1	ED5D088-12,G46		LABELS, FUSE			*	
1300	D	1	ED5D088-12,G47		LABELS, FUSE			*	
1310	D	1	ED5D088-12,G48		LABELS, FUSE			*	
1320	3A	1	ED5D796-10,G3		FAN, PARTIAL ASSEMBLY				
1330	B	OMIT	1	ED5D796-10,G3	FAN, PARTIAL ASSEMBLY				
1340	B	1	ED5D796-10,G4		FAN, PARTIAL ASSEMBLY				
1400	100	1	846365641		ASSEMBLY,FAN				
1410	101	1	846968691		ASSEMBLY,FAN				
5000	500	1	847096401		ASSEMBLY,SHELF				
5010	F1	1	847149408		KIT,FINAL ASSEMBLY				
5011	F2	1	847421849		KIT,FINAL ASSEMBLY				
5020	G1	1	847196748		KIT,MOUNTING UNIT GUIDE FOR 132 TYPE APP MTG				

***** END OF STOCKLIST *****

JJ

TABLE JJ STOCKLIST ORDERING COMCODES TO INDIVIDUAL/SINGULAR COMCODE CROSS REFERENCE		
STOCKLIST ORDERING COMCODE	INDIVIDUAL/ SINGULAR COMCODE	COMMENTS
406693895	406747535	

@

J5D003BN-2

COPYRIGHT © 2001 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR FAN UNIT (6-FANS)		BT13	
		DWG SIZE C2	ISSUE 26
LUCENT TECHNOLOGIES INC		J5D003BN-2	
		SHEET D2 OF 8	

PRINTED IN U.S.A.