

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
FRAMEWORK, ASSEMBLY, WIRING AND EQUIPMENT FOR ONE MISCELLANEOUS CABINET EQUIPPED WITH FILTER UNIT AND FUSE PANEL.		DA	1	1	J5D003AM-1 J5D003AM-1 J1A053AA-1 SD5D120-01	1 2 99 1					
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE ONE DC TO AC INVERTER (SEE NOTE 53).		DA	2		SD5D120-01	2					
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE FOR ONE RESISTOR PANEL J5D005AA-1. (MAX TWO LIST 3'S PER CABINET). (SEE NOTES 60 AND 63).		MD	3	1	SD5D120-01 J5D005AA-1	3, 4 1					
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE DIAL TONE DELAY ALARM AND DISTRIBUTE POINT APPLIQUE UNITS. (SEE NOTE 55).		DA	4	1	J5D005AB-1 J1A042BP-1 J3H001EF-1 SD5D120-01	1 1, 2, A, B 1 5					
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE AN OFFICE ALARM UNIT FOR OFFICES WITH SINGLE MODULE ENVIRONMENT. (SEE NOTE 56).		DA	5	1	J5D005AD-1 SD5D120-01	1 8					
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE A FILTER UNIT WHEN CABINET IS EQUIPPED WITH THE 13A ANNOUNCEMENT SYSTEM. (SEE NOTE 60).		DA	6	1 OMIT OMIT	J1A053AA-1 SD5D120-01 J1A053AA-1 SD5D120-01	45 (1) 99 (1)	Y Z				
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE ONE 13A RECORDED ANNOUNCEMENT UNIT. (SEE NOTE 60) MAXIMUM FOUR LIST 7'S.		DA	7	1	SD5D120-01	9					
ASSEMBLY, WIRING AND EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE AN OFFICE ALARM UNIT FOR OFFICES WITH MULTI-MODULE ENVIRONMENT. (SEE NOTE 56).		DA	8	1	J5D005AD-1	2					
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 TO PROVIDE FOR ONE RESISTOR PANEL. (MAXIMUM OF TWO LIST 9'S PER CABINET). (SEE NOTES 60 AND 63).		DA	9	1	SD5D120-01 J5D005AA-1	3, 4 2					
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 WHEN TWO 38 (965.2 MM) INCH CABLE ASSEMBLIES ARE REQUIRED. (SEE NOTE 61).		MD	A								
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 WHEN TWO 78 (1,981.2 MM) INCH CABLE ASSEMBLIES ARE REQUIRED. (SEE NOTE 61).		MD	B								
UNASSIGNED.			C								
WIRING REQUIRED IN ADDITION TO LIST 4 TO PROVIDE EXTERNAL SANITY MONITOR FOR ALL OFFICES WITH GENERIC ISSUE 5E1(2) 1 OR LATER.		DA	WA	1	SD5D120-01	(6)	U OMIT V				

END OF TABLE-A

COPYRIGHT © 1990 AT&T
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
MISCELLANEOUS CABINET

DWG SIZE C2 ISSUE 18






J5D005B-1

AT&T

J5D005B-1

SHEET A2 OF 9

PRINTED IN U. S. A.





SEE PROPRIETARY NOTICE ON SHEET ONE

MISCELLANEOUS CABINET		DWG SIZE	ISSUE
		C2	8
AT&T TECHNOLOGIES, INC.	J5D005B-1	PRINTED IN U.S.A.	SHEET C1

J5D005B-1

SHEET INDEX	ISSUE											
	SH NO.											
	ISSUE											
	SH NO.											
	ISSUE	8	6	7								
SH NO.	C1	C2	C3									



SEE PROPRIETARY NOTICE ON SHEET ONE

MISCELLANEOUS CABINET		DWG SIZE	ISSUE
		C2	6
AT&T	J5D005B-1	SHEET	C2

CONVERSION TABLE	
INCH	MM
2'-4"	711.2
4'-3-1/2"	1,308.1




FIG. H

SEE PROPRIETARY NOTICE ON SHEET ONE

MISCELLANEOUS CABINET	DWG SIZE	ISSUE
	C2	7
AT&T TECHNOLOGIES, INC. J5D005B-1	SHEET	C3

J5D005B-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	ED5D011-70, G1		ASSEMBLY, CABINET			
1010	1	1	J5D003AM-1, L2		PANEL, FUSE			
1011	1	1	J5D003AM-1, L1		PANEL, FUSE			
1020	1	1	J1A053AA-1, L99		UNIT, FILTER PANEL			
1030	1	4	ED5A079-30, G4		FEEDERS, POWER DISTRIBUTION			
1040	1	4	841625734		GROMMET			
1050	1	2	997244553		BUSHING, SNAP #2140 BLACK HEYMAN MFG CO OR EQUIVALENT			
1060	1	5	840026835		SCREW, HEXAGON WASHER HEAD .216-24 X 5/8 IN. 289A FINISH			
1070	1	20	402695522		LUG, TERMINAL #126 STA-KON THOMAS & BETTS CO. OR EQUIVALENT			16
1080	3,9	4	100203348	70C	FUSE 3 AMP			26
1090	3,9	4	401922075	KS14174L3	PIN, DESIGNATION NYLON BLUE			26
1100	1	48	100203421	72A	FUSE, DUMMY FUSE POS 1T, 1B, 2B, 2T, 3T, FUSE POS 3B, 4T, 4B, 5T, 5B, FUSE POS 6T, 6B, 7T, 7B, 8T, FUSE POS 8B, 9T, 9B, 10T, FUSE POS 10B, 11T, 11B, 12T, FUSE POS 12B, 13T, 13B, 14T, FUSE POS 14B, 15T, 15B, 16T, FUSE POS 16B, 17T, 17B, 18T, FUSE POS 18B, 19T, 19B, 20T, FUSE POS 20B, 21T, 21B, 22T, FUSE POS 22B, 23T, 23B, 24T, FUSE POS 24B			
1101	1	48	103757977	72B	FUSE, DUMMY FUSE POS 1T, 1B, 2B, 2T, 3T, FUSE POS 3B, 4T, 4B, 5T, 5B, FUSE POS 6T, 6B, 7T, 7B, 8T, FUSE POS 8B, 9T, 9B, 10T, FUSE POS 10B, 11T, 11B, 12T, FUSE POS 12B, 13T, 13B, 14T, FUSE POS 14B, 15T, 15B, 16T, FUSE POS 16B, 17T, 17B, 18T, FUSE POS 18B, 19T, 19B, 20T, FUSE POS 20B, 21T, 21B, 22T, FUSE POS 22B, 23T, 23B, 24T, FUSE POS 24B			
1110	2	1	402727317	KS20816L1A	INVERTER DC TO AC			
1120	2	1	814570107	P45G010	ADAPTER			
1130	2	24	840026835		SCREW, HEXAGON WASHER HEAD .216-24 X 5/8 IN. 289A FINISH			
1150	1	6	814577417	P45G741	CLIP			
1160	1	6	843049610		BRACKET, CABLE			
1170	1	3	814371514	P43G151	SPACER			
1180	1	2	997758891		LUG, TERMINAL #A333 THOMAS & BETTS CO. OR EQUIVALENT			
1190	1	18	900527615		SLEEVE #C2216W HOFFMAN CO. OR EQUIVALENT			
1200	1	16	402671481		LUG, TERMINAL #60365-2 AMP INC. OR EQUIVALENT			
1205	1	16	401808654		LUG, TERMINAL #41274 FASTON AMP INC. OR EQUIVALENT			

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1210	1	2	843058462		SUPPORT, WIRE GUIDE			
1220	2	1	841625734		GROMMET			
1230	2	1	814577797	P45G779	CAP			
1240	2	1	814312989	P43A298	SCREW, ROUND HEAD SELF TAPPING .164-32 X 11/16 STEEL 289A FINISH			
1250	2	2	843058447		CABLE, ASSEMBLY			
1260	2	OMIT 1	100203421	72A	FUSE, DUMMY FUSE POS 14T			
1270	2	1	100203348	70C	FUSE 3 AMP FUSE POS 14T			
1280	2	1	401922075	KS14174L3	PIN, DESIGNATION NYLON BLUE FUSE POS 14T			
1290	1	1	843058470		SUPPORT, WIRE GUIDE			
1300	3	OMIT 4	100203421	72A	FUSE, DUMMY FUSE POS 7T, 7B, 8T, 8B			26
1301	3,9	OMIT 4	103757977	72B	FUSE, DUMMY FUSE POS 7T, 7B, 8T, 8B			26
1370	2	1	900527615		SLEEVE #C2216W HOFFMAN CO. OR EQUIVALENT			
1380	2	1	402283352		LUG, TERMINAL #A222 THOMAS & BETTS CO. OR EQUIVALENT			
1390	2	2	843064395		BRACKET			
1400	2	2	843064403		FITTING, END ENTRANCE			
1410	2	1	843064411		BASE, RACEWAY			
1420	2	1	843064429		COVER, RACEWAY			
1430	2	1	401012463	KS20785L33	CONNECTOR, STRAIGHT			
1440	2	1	401012604	KS20785L83	CONNECTOR, 90 DEGREE			
1450	2	1	402364947		CONDUIT FLEX 1/2 IN X 12 IN ELECTRIC SUPPLY CO OR EQUIVALENT			
1460	2	2	402771786		COVER #54C6 FOR ROUND BOX STEEL CITY PRODUCTS CO. OR EQUIVALENT			
1470	2	2	840026835		SCREW, HEXAGON WASHER HEAD .216-24 X 5/8 IN. 289A FINISH			
1480	2	2	840059570		SCREW, PAN HEAD MACHINE .190-24 X 3/8 STEEL 289A FINISH			
1490	2	2	803834548	P383454	NUT, HEXAGON .190-24 STEEL 289A FINISH			
1500	2	2	802841510	P284151	WASHER, PLAIN .190			
1510	4	1	J5D005AB-1, L1		UNIT, CONVERTER			

STOCKLIST CONTINUED ON SHEET D3

***** STOCKLIST CONTINUED AT RIGHT *****

J5D005B-1

COPYRIGHT © 1990 AT&T ALL RIGHTS RESERVED	
BT13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR MISCELLANEOUS CABINET	
DWG SIZE C2	ISSUE 18
AT&T	J5D005B-1
SHEET D2 OF 9	

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1520	4	1	J1A042BP-1, L1, L2, LA, LB		UNIT, DIAL TONE DELAY ALARM				23
1530	4	1	J3H001EF-1, L1		UNIT, DISTRIBUTE POINT APPLIQUE				24
1540	4	OMIT 3	100203421	72A	FUSE, DUMMY FUZE POS 9T, 14B, 20T				24
1541	4	OMIT 3	103757977	72B	FUSE, DUMMY FUZE POS 9T, 14B, 20T				24
1550	4	1	100203355	70D	FUSE 5 AMP FUZE POS 14B				
1560	4	1	401922083	KS14174L4	PIN, DESIGNATION NYLON GREEN FUZE POS 14B				
1570	4	5	900527615		SLEEVE #C2216W HOFFMAN CO. OR EQUIVALENT				
1580	4	8	840026835		SCREW, HEXAGON WASHER HEAD .216-24 X 5/8 IN. 289A FINISH				23
1590	4	3	843058462		SUPPORT, WIRE GUIDE				
1610	3	1	J5D005AA-1, L1		UNIT, RESISTOR				
1615	9	1	J5D005AA-1, L2		UNIT, RESISTOR				
1640	5	1	J5D005AD-1, L1		UNIT, OFFICE ALARM				56
1650	8	1	J5D005AD-1, L2		UNIT, OFFICE ALARM				
1670	6	1	J1A053AA-1, L45		UNIT, FILTER PANEL				
1680	6	OMIT 1	J1A053AA-1, L99		UNIT, FILTER PANEL				
1690	6	OMIT 2	ED5A079-30, G4		FEEDERS, POWER DISTRIBUTION				
1700	5	1	ED5D097-30, G82		ASSEMBLY, CABLE				
1710	5	1	ED5D507-17, G21		ASSEMBLY, CABLE				
1720	5	1	814251872	P42E187	WASHER, PLAIN .216 STEEL 289A FINISH				
1730	5	1	803881440	P388144	WASHER, INTERNAL TOOTH LOCK .216				
1740	1	1	ED5D088-10, G22		LABEL, FUSE				
1750	7	OMIT 1	100203421	72A	FUSE, DUMMY FUZE POS 1T				
1751	7	OMIT 1	103757977	72B	FUSE, DUMMY FUZE POS 1T				
1760	7	1	100203348	70C	FUSE 3 AMP FUZE POS 1T				
1770	7	1	401922075	KS14174L3	PIN, DESIGNATION NYLON BLUE FUZE POS 1T				
1780	A	2	843069931		CABLE ASSEMBLY			*	25
1790	B	2	843069964		CABLE ASSEMBLY			*	25
1840	5	2	100203330	70B	FUSE 2 AMP FUZE POS 9B, 21B				
1850	5	2	997076922	KS14174L2	PIN, DESIGNATION ORANGE FUZE POS 9B, 21B				
1860	1	4	403028368		MOUNT, CABLE TIE #ABMM-A-C .75 X .75IN. STRAP MOUNT 4 WAY ENTRY ADHESIVE BACKED INDOOR PANDUIT CORP. OR EQUIVALENT				
1865	5	3	843049008		SUPPORT, CABLE				
1870	C	1	J5D003AM-1, L1		PANEL, FUSE				
1880	C	1	J5D003AM-1, L2		PANEL, FUSE				

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1890	1	1	843060708		STRIP, DESIGNATION				
1900	1	2	840058572		SCREW, PAN HEAD MACHINE .138-32 X 1/4 STEEL 289A FINISH				
1920	1	1	ED4C406-10, G5		LABEL, CABINET DESIGNATION				
1930	4	OMIT 1	100203421	72A	FUSE, DUMMY FUZE POS 12B				
1931	4	OMIT 1	103757977	72B	FUSE, DUMMY FUZE POS 12B				
1940	4	1	100203397	70H	FUSE .75 AMP FUZE POS 12B				
1950	4	1	401922117	KS14174L8	PIN, DESIGNATION NYLON BROWN FUZE POS 12B				
1960	4	1	102424736	727A	CAPACITOR .02 UF				
1970	4	4	402604359		LUG, TERMINAL #RB2257 FORK TYPE PRESSURE CONNECTOR NYLON INSULATED THOMAS & BETTS CO. OR EQUIVALENT				
1980	4	2	900414616		TUBING, HEAT SHRINKABLE #RT876 3/16 IN X 3-1/2 IN LG RED RAYCHEM CORP. OR EQUIVALENT				
1990	4	OMIT 1	ED5D088-10, G22		LABEL, FUSE				
2000	4	1	ED5D088-10, G57		LABEL, FUSE				

***** END OF STOCKLIST *****

***** STOCKLIST CONTINUED AT RIGHT *****

J5D005B-1

COPYRIGHT © 1990 AT&T ALL RIGHTS RESERVED	
BT13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR MISCELLANEOUS CABINET	
DWG SIZE C2	ISSUE 18
AT&T	J5D005B-1
SHEET D3 OF 9	