

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ONE FLOPPY DISKETTE, DOUBLE SIDED, HIGH DENSITY, 135-TRACK PER INCH. 3 1/2 INCH DISKETTE.			1								
ONE SET OF CUSTOMER DOCUMENTATION FOR OSPS COMBINED SERVICES TERMINAL (CST): COMBINED SERVICES TERMINAL 250-520-110 SOURCED IDG2	52		20								
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR THE 5E9_1W COMBINED SERVICES TERMINAL SOFTWARE (CST DISK) PER POSITION. FOR RTU, SEE LIST MAA. THIS INCLUDES THE SOFTWARE FOR THE IPIB. FOR CST EMULATOR DISK SEE LIST MA. DA EFF:01/10/95 FE:J5D008AB-1,LM3	57	DA	M1	1	TP-5D008AB-01 (4.360) VOL. 1						
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR THE 5E9_1W COMBINED SERVICES TERMINAL SOFTWARE (CST DISK) PER POSITION. THIS INCLUDES THE SOFTWARE FOR THE MIPIB. DA EFF:11/15/96 FE/RA:NONE	57	DA	M2	1	TP-5D008AB-02 (ZZ.ZZ) VOL. 1						
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR THE 5E9_1 COMBINED SERVICES TERMINAL SOFTWARE (CST DISK) PER POSITION. THIS INCLUDES THE SOFTWARE FOR THE EIPIB. FOR CST EMULATOR DISK SEE LIST MA. FOR RTU SEE LIST MAA.	57		M3	1	TP-5D008AB-03 (4.4B0) VOL. 1						
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR THE 5E9_2M AND FUTURE OSPS OPERATOR WORKSTATION SOFTWARE (OWS DISK). THIS INCLUDES THE SOFTWARE FOR THE BIPIB.	57		M4	1	TP-5D008AB-04 (W2_5C1) VOL. 1						

TABLE-A CONTINUED

ENGINEERING NOTES

51. FOR ORDERING PURPOSES, ALL FEATURE RTU LISTS REFERENCED TO THIS NOTE MUST ALWAYS BE SUFFIXED WITH AN APPLICATION CODE LETTER 'R' OR 'S'. E.G., 'MBXR' OR 'MBXS' FOLLOWING IS A DESCRIPTION OF THESE APPLICATION CODE LETTERS:
R - INITIAL ORDERS, GROWTH, AND/OR FEATURE ADDITIONS IN EXISTING OFFICES.
S - RETROFIT OR FEATURES PURCHASED FOR THE FIRST TIME WHEN RETROFITTING
FOR INITIAL ORDERS OF RSM GROWTH ('R' SUFFIX), RTU FEES MUST BE SHIPPED AT HARDWARE MAIN SHIP DATE (MSD).

52. ONE SET OF DOCUMENTS MAY BE ORDERED BY LIST (20) AT TIME OF ORDER FROM THIS DRAWING. ADDITIONAL SETS OF DOCUMENTS MAY BE ORDERED FROM AT&T CUSTOMER INFORMATION CENTER (CIC) BY DOCUMENT NUMBER.

53. THE 5ESS SWITCH COMBINED SERVICES TERMINAL (CST) IS AN OPERATOR SERVICES POSITION SYSTEM PRODUCT DESIGNED FOR USE BY OPERATORS TO HANDLE TELEPHONE TRAFFIC WHEN OPERATOR INTERVENTION IS REQUIRED.

54. THE CST IS A PERSONAL COMPUTER-BASED PRODUCT WITH AN INTELLIGENT PC INTERFACE BOARD INSERTED TO PROVIDE COMMUNICATION TO THE 5ESS.

55. ONE CST FLOPPY PER POSITION IS REQUIRED.

56. THE COMBINED SERVICES TERMINAL (CST) EMULATOR SOFTWARE FOR ACCEPTANCE TEST CAPABILITY IS USED FOR INITIAL INSTALLATIONS BY AT&T INSTALLERS ONLY. ANY USE OTHER THAN INTENDED TESTING OF THE CST CAN CAUSE PROBLEMS WITH THE PERFORMANCE OF THE 5ESS SWITCH HARDWARE.

57. LIST M1,M2,M3 & M4 DOES NOT REQUIRE AN APPLICATION CODE LETTER SUFFIX.

58. DO NOT SPECIFY ANY RTU LISTS WITH DUPLICATE, SPARE OR REPLACEMENT DISKS.

59. LIST M2 WILL SUPPORT THE MICRO CHANNEL ARCHITECTURE.

ISSUE NOTES				
ORIG ISS: 08/02/93	CHANGE CLASS:			
DRAFT: PKK	ENGR: EAK	SUPV: EJB	CERTIFIED: 08/02/93	ISSUE: 1
IN TABLE A LIST 20 DOCUMENT NUMBERS "250-520-110 AND 250-900-540" READ "235-520-110 AND 235-900-540".				
ORIG ISS: 08/02/93	CHANGE CLASS: M			
DRAFT: MR	ENGR: EAK	SUPV:	CERTIFIED: 07/05/94	ISSUE: 2
IN TABLE A LISTS M2 & M3 ADDED, LIST M1 RATED "DA". ENGINEERING NOTE 59 ADDED.				
ORIG ISS: 08/02/93	CHANGE CLASS: M			
DRAFT: MR	ENGR: EAK	SUPV:	CERTIFIED: 01/10/95	ISSUE: 3
IN TABLE A, LIST M4 ADDED.				
ORIG ISS: 08/02/93	CHANGE CLASS: M			
DRAFT: MR	ENGR: EAK	SUPV:	CERTIFIED: 12/13/95	ISSUE: 4
IN TABLE A, LIST M2 RATED "DA" AND LIST MAA DESCRIPTION WAS CHANGED.				
ORIG ISS: 08/02/93	CHANGE CLASS: M			
DRAFT: RRH	ENGR: CPT	SUPV: EJZ	CERTIFIED: 11/15/96	ISSUE: 5
DA LIST MAA PER 1999 RESTRUCTURING MANDATE.				
ORIG ISS: 08/02/93	CHANGE CLASS: M			
DRAFT: SMM	ENGR: SMM	SUPV: RGM	CERTIFIED: 03/08/00	ISSUE: 6
IN TABLE A LIST MAA CORRECTED TO SHOW FE:J5D008AB-3,LMAA				
ORIG ISS: 08/02/93	CHANGE CLASS: M			
DRAFT: SMM	ENGR: SMM	SUPV: RGM	CERTIFIED: 03/13/00	ISSUE: 7

SHEET INDEX											
SHT NBR	A1 THRU A2 ISSUE 7										
ISSUE	D1 THRU D1 ISSUE 7										
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

J5D008AB-1

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED		
RT13		
5ESS(R) SWITCHING EQUIPMENT SPECIFICATION FOR 5ESS OSPS SWITCHING SYSTEMS 5ESS OPERATOR SERVICES POSITION SYSTEM COMBINED SERVICES TERMINAL 5ESS OSPS CST PROGRAM SOFTWARE 5E9(1)		
DWG SIZE C2	ISSUE 7	
LUCENT TECHNOLOGIES INC	J5D008AB-1	SHEET A1 OF 3

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR THE COMBINED SERVICES TERMINAL (CST) EMULATOR FOR ACCEPTANCE TEST CAPABILITY. THIS FEATURE IS ORDERABLE BY INSTALLATION FORCES ONLY, ONCE PER SITE. THIS LIST ALSO REQUIRES A SPECIAL SOFTWARE SCHEDULE THREE WEEKS PRIOR TO INSTALLATION TURNOVER.	56		MA	1	TP-5D008AB-MA (ZZ.ZZ) VOL. 1					
REQUIRED IN ADDITION TO LIST 1, TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE OSPS FUNCTIONALITY OF THE COMBINED SERVICES TERMINAL (CST). THIS ITEM IS REQUIRED IF LISTS 1, 20, M2 ARE ORDERED AS A KIT IN LIEU OF THE WHOLE COMBINED SERVICES TERMINAL SYSTEM CONSISTING OF THE CST SOFTWARE AND THE ASSOCIATED OSPS HARDWARE. DA EFF:03/08/2000 FE:J5D008AB-3,LMAA	51 58	DA	MAA							
END OF TABLE-A										

J5D008AB-1

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
RT13	
5ESS(R) SWITCHING EQUIPMENT SPECIFICATION FOR 5ESS OSPS SWITCHING SYSTEMS 5ESS OPERATOR SERVICES POSITION SYSTEM COMBINED SERVICES TERMINAL 5ESS OSPS CST PROGRAM SOFTWARE 5E9(1)	
DWG SIZE C2	ISSUE 7
LUCENT TECHNOLOGIES INC	J5D008AB-1
SHEET A2 OF 3	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	405915786		DISK, FLOPPY #3231020F 3-1/2 IN MICRO 2MB			1 2
1010	20	1	601435720	J5D008AB-1, L20	DOCUMENT			3

***** END OF STOCKLIST *****

TABLE B

CST-LOG					
DATE	J DRAWING	ID	GENERIC	LOAD	ISSUE
07/18/91	J5D008M-1	PG-5D013	5E7_1J	2.180	1
01/08/92	J5D008M-1	PG-5D013	5E7_1J	2.1C1	2
05/26/92	J5D008N-1	PG-5D014	5E8_1E	3.260	1
07/21/93	J5D008AB-1		5E9_1W	4.360	1

THIS TABLE WILL KEEP RECORD OF THE PROGRESSION OF ITEMS ASSOCIATED WITH THE CST UNDER J5D008AB-1.

S H O P	I N S T	MANUFACTURING NOTES	
		SYM	NBR
X	X		1
X	X		2
X	X		3
X	X		4

1. DISKETTES ARE DOUBLE SIDED, HIGH DENSITY, 135 TRACK PER INCH, 3 1/2 INCH DISKETTE.
2. SPECIFY "WNT" FOR ITEMS TO BE SOURCED AT THE WARRENVILLE DATA CENTER.
3. 'IDG2' INDICATES ITEM TO BE SOURCED AT AT&T CUSTOMER INFORMATION CENTER, INDIANAPOLIS, IN.
4. RTU FEES ARE SOURCED RFRF.

J5D008AB-1

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
RT13	
5ESS(R) SWITCHING EQUIPMENT SPECIFICATION FOR 5ESS OSPS SWITCHING SYSTEMS 5ESS OPERATOR SERVICES POSITION SYSTEM COMBINED SERVICES TERMINAL 5ESS OSPS CST PROGRAM SOFTWARE 5E9(1)	
DWG SIZE C2	ISSUE 7
LUCENT TECHNOLOGIES INC	J5D008AB-1
SHEET D1 OF 3	