

ISSUE NOTES (CONTINUED)	ISSUE NOTES (CONTINUED)	ISSUE NOTES
IN TABLE A, LISTS TBA, TBB, TBC, TBD, AND TBE ADDED. ENGINEERING NOTE 82 ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	IN TABLE A, LISTS TAK, TAL, TAM, TAN, TAO, TAP, TAQ AND TAR ADDED. LISTS A4, A5, A8 AND K2 TAPE ISSUE READ (8.1.01). LISTS A1 AND A3 TAPE ISSUE READ (8.1.02). LISTS R16, R20, V3 AND V4 TAPE ISSUE READ (9.1.01). ORIG ISS: 12/01/92 CHANGE CLASS: M	ORIG ISS: 12/01/92 CHANGE CLASS: B DRAFT: PKK ENGR: EAK SUPV: PK CERTIFIED: 12/01/92 ISSUE: 1
DRAFT: GLL ENGR: EAK SUPV: CERTIFIED: 08/07/95 ISSUE: 17	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 07/25/94 ISSUE: 10	IN TABLE A LISTS V1, V2, H1, H2, K1, K2, R13, R14, R15, TAC & TAD ADDED. ENGINEERING NOTES 68 TO 72 ADDED. IN TABLE A LISTS P1, R1, R2, R3, R4, R5, R6 AND S1 RATED "DA". ORIG ISS: 12/01/92 CHANGE CLASS: M
IN TABLE A, LISTS TBG, TBI, TBJ, TBN, TBP, TBQ, AND TBR ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	IN TABLE A, LISTS TAK, TAL, TAM, TAN, TAO, TAP, TAQ AND TAR REFERENCE TO "APPCODES R,S" ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	DRAFT: PKK ENGR: EAK SUPV: CERTIFIED: 04/16/93 ISSUE: 2
DRAFT: GLL ENGR: EAK SUPV: CERTIFIED: 09/07/95 ISSUE: 18	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 08/12/94 ISSUE: 11	IN TABLE A, LISTS 51, P3, R16, R17, R18, R19, R20, R21, S3, V3, V4, TAE, TAF AND TAG ADDED. ENGINEERING NOTES 73, 74, 75, 76 AND 77 ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M
IN TABLE A, LISTS TBS, TBT, TBU AND TBV ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	IN TABLE A, LISTS EAD AND EAG ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	DRAFT: PKK ENGR: EAK SUPV: CERTIFIED: 09/14/93 ISSUE: 3
DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 11/17/95 ISSUE: 19	DRAFT: GLL ENGR: EAK SUPV: CERTIFIED: 09/29/94 ISSUE: 12	IN TABLE A LIST EAE ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M
IN TABLE A, LIST A1 THE ISSUE OF THE TAPE CHANGED ORIG ISS: 12/01/92 CHANGE CLASS: M	IN TABLE A, LISTS 3, 52, R22, R23, R24, R25, R26, S4, V5, V6, V7, TAS, TAU, TAV, TAW, TAX, TAY AND TAZ ADDED. LISTS 20, 50, B1 THROUGH B5, C1, D1, P2, R7 THROUGH R12, R15, S1, V1 AND V2 RATED "DA". ENGINEERING NOTES 78, 79, 80 AND 81 ADDED. MANUFACTURING NOTES 8 & 9 ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 11/18/93 ISSUE: 4
DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 02/19/96 ISSUE: 20	DRAFT: GLL ENGR: EAK SUPV: CERTIFIED: 02/15/95 ISSUE: 13	IN TABLE A LISTS P3, R18 AND R19 RATED DA. IN TABLE A LIST 51 "CSG" READ "VRCP", S3, R16, R17, R20, R21, V3, V4 "CSG" READ "NSD", LIST 51 DOCUMENT 250-600-504 ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M
CHANGED THE DRAWING TO READ LUCENT TECHNOLOGIES, INSTEAD OF AT&T. ORIG ISS: 12/01/92 CHANGE CLASS: M	ENGINEERING NOTE 78 REF TO "S4" ADDED. NOTE 79 "TWO COPIES" READ ONE COPY. ORIG ISS: 12/01/92 CHANGE CLASS: M	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 12/15/93 ISSUE: 5
DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 11/25/96 ISSUE: 21	DRAFT: GLL ENGR: EAK SUPV: CERTIFIED: 03/09/95 ISSUE: 14	IN TABLE A LISTS "A3" AND "A5" TAPE ISSUE 8.1.01 ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M
IN TABLE A, THE ISSUE OF THE TAPE WAS CHANGED IN LIST A4. ORIG ISS: 12/01/92 CHANGE CLASS: M	IN TABLE A LIST TBH ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 02/07/94 ISSUE: 6
DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 12/09/96 ISSUE: 22	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 04/26/95 ISSUE: 15	IN TABLE A LIST EAF ADDED. LIST A1 AND A3 TAPE ISSUE 8.1.02 READ 8.1.01. ORIG ISS: 12/01/92 CHANGE CLASS: M
IN TABLE A, LISTS TCJ THRU TCO ADDED. IN TABLE A, LISTS R24 AND V6 RATED "DA". ORIG ISS: 12/01/92 CHANGE CLASS: M	IN TABLE A LISTS TBF AND TBL ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 03/15/94 ISSUE: 7
DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 02/19/97 ISSUE: 23	DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 05/11/95 ISSUE: 16	IN TABLE A LISTS TAH, TAI AND TAJ ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M
IN TABLE A, LISTS PPH AND PPI ADDED. ORIG ISS: 12/01/92 CHANGE CLASS: M		DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 03/28/94 ISSUE: 8
DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 05/02/97 ISSUE: 24		IN TABLE A LISTS R16, R17, R20, R21, S3, V3 AND V4 TAPE ISSUE (9.1.01) READ (ZZ.ZZ). ORIG ISS: 12/01/92 CHANGE CLASS: M
		DRAFT: MR ENGR: EAK SUPV: CERTIFIED: 04/08/94 ISSUE: 9

SHEET INDEX									
SHT NBR	A1	THRU	A12	ISSUE	31				
ISSUE									
SHT NBR	D1	THRU	D2	ISSUE	31				
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									

LUCENT TECHNOLOGIES - PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS	
RT13	
5ESS OSPS SWITCHING SYSTEMS 5ESS OPERATOR SERVICES POSITION SYSTEM, AUTOMATED POSITION SYSTEM AP CLUSTER PROGRAM SOFTWARE FOR GENERIC 5E10(1)	
DWG SIZE C2	ISSUE 31
LUCENT TECHNOLOGIES INC	J5D008AC-1
SHEET A1 OF 14	

ENGINEERING NOTES

***** CONTINUED *****

- 77. THIS LIST NEEDS TO BE ORDERED BY CSG WHEN YOU WANT TO ADD NEW CUSTOMIZED ANNOUNCEMENTS OR CHANGE EXISTING ANNOUNCEMENTS.
- 78. FOR THE N9.2 RELEASE, LISTS 52,R22 THROUGH R26, AND S4 SHOULD BE ORDERED.
- 79. TWO COPIES EACH OF LISTS R22,R23 AND S4; AND 4 COPIES EACH OF LISTS R25 AND R26 SHOULD BE DELIVERED PER ORDER.
- 80. SCRIPT IS COMPATIBLE WITH OSPS, SOFTWARE RELEASE 5E9(2) WITH ALL FEATURES TURNED ON.
- 81. LISTS V5, V7 AND K1 SHOULD BE DELIVERED TO THE FACTORY FOR INSTALLING N9.2 RELEASE SOFTWARE.
- 82. THIS LIST NEEDS TO BE ORDERED BY CSG WHEN YOU WANT TO ADD NEW NON-ENGLISH CUSTOMIZED ANNOUNCEMENTS OR CHANGE THE EXISTING NON-ENGLISH ANNOUNCEMENTS.
- 83. LISTS R22, R23, R26 AND S4 SHOULD BE DELIVERED TO THE FACTORY FOR INSTALLING N10.1 RELEASE SOFTWARE.

ENGINEERING NOTES

- 51. FOR ORDERING PURPOSES ALL RTU LISTS REFERENCED TO THIS NOTE MUST ALWAYS BE SUFFIXED WITH AN APPLICATION CODE LETTER OF THESE INITIAL CODE LETTERS:
 R - INITIAL ORDERS, SM GROWTH AND/OR FEATURE ADDITIONS IN EXISTING OFFICES
 S - RETROFIT OR FEATURES PURCHASED THE FIRST TIME WHEN RETROFITTING.
 FOR INITIAL ORDERS OF RSM GROWTH ('R' SUFFIX), RTU FEES MUST BE SHIPPED AT HARDWARE MAIN SHIP DATE (MSD), (I.E., 3B20 DUPLEX COMPUTER FOR NEW OFFICES AND SWITCHING MODULE FOR GROWTH OFFICES).
- 52. DO NOT SPECIFY ANY RTU LISTS WITH DUPLICATE, SPARE OR REPLACEMENT TAPES.
- 53. THIS RTU FEATURE PACKAGE IS APPLICABLE TO AT&T-NSD OFFICES.
- 54. EACH LEC CUSTOMER SHOULD ORDER THEIR OWN 'A' LIST.
- 55. LIST 20, A1, B1 THROUGH B5, AND C1 SHOULD BE ORDERED TOGETHER. THESE SHOULD ONLY BE PROVIDED TO NEW JERSEY BELL AS EXTRA SETS OF TAPES FOR THEIR EXISTING SYSTEMS.
- 56. NEW LEC CUSTOMERS SHOULD ORDER LIST 21, B6 THROUGH B10, C2 AND THE APPROPRIATE 'A' LIST FOR THE CUSTOMER. (ONLY ONE 'A' LIST AND ONE 'C' LIST SHOULD BE ORDERED).
- 57. FOR AT&T NSD VRCP RELEASE MMT2, LISTS P1, AND R1 THROUGH R6 SHOULD BE ORDERED. (NO OFFICIAL DOCUMENTATION PROVIDED).
- 58. FOR AT&T NSD VRCP RELEASE 8.1, LIST 50, P2, AND R7 THROUGH R12 SHOULD BE ORDERED.
- 60. EACH APS CLUSTER CONSISTS OF ONE (1) CLUSTER SUPPORT SYSTEM (CSS) AND UP TO 25 AUTOMATED POSITION SYSTEMS (APS).
- 61. FOR GROWTH ORDERS, NO ADDITIONAL SOFTWARE IS REQUIRED.
- 62. ONE COPY EACH OF LISTS A1, B1, B2, B3, C1, AND D1 AND 4 COPIES OF EACH LISTS B4 AND B5 SHOULD BE DELIVERED PER ORDER.
- 63. ONE COPY EACH OF LISTS A(), B6, B7, B8, C2, AND D2 AND 4 COPIES EACH OF LISTS B9 AND B10 SHOULD BE DELIVERED PER ORDER.
- 64. ONE COPY EACH OF LISTS P1, R1, R2, R3 AND R4 AND 4 COPIES EACH OF LISTS R5 AND R6 SHOULD BE DELIVERED PER ORDER.
- 65. ONE COPY EACH OF LISTS P2, R7, R8, R9, R10 AND S2 AND 4 COPIES EACH OF LISTS R11 AND R12 SHOULD BE DELIVERED PER ORDER.
- 66. SCRIPT IS COMPATIBLE WITH OSPS SOFTWARE RELEASE 5E7(1) WITH ALL FEATURES TURNED ON AND OSPS SOFTWARE RELEASE 5E8(1) WITHOUT NSD-SPECIFIC FEATURES TURNED ON.
- 67. SCRIPT IS COMPATIBLE WITH OSPS SOFTWARE RELEASE 5E8(1) WITH ALL FEATURES TURNED ON AND OSPS SOFTWARE RELEASE 5E9(1) WITHOUT NSD-SPECIFIC FEATURES TURNED ON.
- 68. LISTS V1, V2, K1, P2, R8, R9, R10 AND R12 SHOULD BE DELIVERED TO THE FACTORY FOR INSTALLING VRCP 8.1 SOFTWARE.
- 69. LISTS H1, H2, K1, K2, C2, B7, B8, AND B10 SOULD BE DELIVERED TO THE FACTORY FOR INSTALLING A 8.1 SOFTWARE.
- 70. NO SOFTWARE SHOULD BE DELIVERED TO THE FACTORY FOR VRCP 8.2. THE FACTORY WILL INSTALL VRCP 8.1 SOFTWARE DURING THE LIFETIME OF VRCP 8.2.
- 71. FOR AT&T NSD VRCP RELEASE 8.2 UPGRADES FROM VRCP RELEASE 8.1, LISTS R13, R14, AND R15 SHOULD BE ORDERED.
- 72. ONE COPY EACH OF LISTS R13, R14, AND R15 SHOULD BE DELIVERED PER ORDER.
- 73. FOR AT&T CSG RELEASE 9_1.1 LISTS 51, R16, R17, R20 AND R21 SHOULD BE ORDERED. FOR MDCS, LISTS R13 AND R14 SHOULD BE ORDERED FOR THIS RELEASE (SAME AS VRCP 8.2).
- 74. ONE COPY EACH OF LISTS R16, R17 AND S3 AND FOUR (4) COPIES EACH OF LISTS R20 AND R21 SHOULD BE DELIVERED PER ORDER. IF ORDERED, ONE COPY EACH OF LISTS R13 AND R14 SHOULD BE DELIVERED PER ORDER.
- 75. SCRIPT IS COMPATIBLE WITH OSPS SOFTWARE RELEASE 5E9(1) WITH ALL FEATURES TURNED ON.
- 76. LISTS V3, V4, K1, R17 AND R21 SHOULD BE DELIVERED TO THE FACTORY FOR INSTALLING CSG RELEASE 9_1.1 SOFTWARE.
 ----- CONTINUED TO THE LEFT -----

ISSUE NOTES (CONTINUED)

- IN TABLE A, LISTS EAA THRU EAG RATED 'DA'.
 ORIG ISS: 12/01/92 CHANGE CLASS: M
 DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 10/07/97 ISSUE: 25
- IN TABLE A, LISTS TCT, TCU, TCV AND TCW ADDED.
 ORIG ISS: 12/01/92 CHANGE CLASS: M
 DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 01/26/98 ISSUE: 26
- IN TABLE A, LISTS TBK, TBO, TBW THRU TBZ AND TCA THRU TCG ADDED.
 ORIG ISS: 12/01/92 CHANGE CLASS: M
 DRAFT: RRH ENGR: RRH SUPV: EJZ CERTIFIED: 01/28/98 ISSUE: 27
- IN TABLE A, LISTS TCX, TCY AND TCZ ADDED.
 ORIG ISS: 12/01/92 CHANGE CLASS: M
 DRAFT: RRH ENGR: RRH SUPV: FNG CERTIFIED: 04/15/98 ISSUE: 28
- ENGINEERING NOTE 83 ADDED. IN TABLE A, LISTS R22, R23, R26 AND S4 CHANGED FOR RELEASE N10.1.
 ORIG ISS: 12/01/92 CHANGE CLASS: M
 DRAFT: RRH ENGR: RRH SUPV: RGM CERTIFIED: 05/06/99 ISSUE: 29
- IN TABLE A, LIST AND GROUPS (WITH DA EFF 3/28/00) WERE RATED DA OR LA, AS REQUIRED PER 1999 RESTRUCTURING MANDATE
 ORIG ISS: 12/01/92 CHANGE CLASS: M
 DRAFT: SMM ENGR: SMM SUPV: RGM CERTIFIED: 03/27/00 ISSUE: 30
- ADDED DA RATING TO LIST/GROUP H2 WHICH WAS MISSED IN ISSUE 30
 ORIG ISS: 12/01/92 CHANGE CLASS: M
 DRAFT: SMM ENGR: SMM SUPV: RGM CERTIFIED: 04/13/00 ISSUE: 31

SEE PROPRIETARY NOTICE ON SHEET ONE

5ESS OSPS SWITCHING SYSTEMS
 5ESS OPERATOR SERVICES POSITION
 SYSTEM, AUTOMATED POSITION SYSTEM
 AP CLUSTER PROGRAM SOFTWARE
 FOR GENERIC 5E10(1)

RT13

DWG SIZE C2 ISSUE 31

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ONE FLOPPY DISKETTE. DOUBLE SIDED, HIGH DENSITY, 135 TRACK PER INCH DISKETTE. DA EFF:03/28/00 FE:J5D008AC-3,L1		DA	1								
ONE BLANK DC6320 CARTRIDGE TAPE 1/4 INCH, 10K BPI, 150 MEGABYTE CAPACITY. DA EFF:03/28/00 FE:J5D008AC-3,L2		DA	2								
ONE BLANK DC6525 CARTRIDGE TAPE 1/4 INCH, 10K BPI, 250 MEGABYTE CAPACITY. DA EFF:03/28/00 FE:J5D008AC-3,L3		DA	3								
SET OF ON-SITE OSPS AUTOMATED POSITION SYSTEM (APS) DOCUMENTATION FOR NEW JERSEY BELL RELEASE: OSPS AP, DESCRIPTION AND OPERATION 250-600-100 OSPS AP, ADMINISTRATION AND RECENT CHANGE 250-600-101 OSPS AP, MAINTENANCE AND GROWTH PROCEDURES 250-600-102 SOURCED - IDG2 DA EFF:02/09/95 FE/RA:NONE	55	DA	20	1							
SET OF ON-SITE OSPS AUTOMATED POSITION SYSTEM (APS) DOCUMENTATION FOR LEC RELEASE 8.1: OSPS AP, DESCRIPTION AND OPERATION 250-600-200 OSPS AP, ADMINISTRATION AND RECENT CHANGE 250-600-201 OSPS AP, MAINTENANCE AND GROWTH PROCEDURES 250-600-202 OSPS AP, ERROR MESSAGES 250-600-203 SOURCED - IDG2 DA EFF:03/28/00 FE:J5D008AC-3,L21	56	DA	21	1							
SET OF ON-SITE OSPS AUTOMATED POSITION SYSTEM (APS) DOCUMENTATION FOR AT&T NSD VRCP RELEASE 8.1 (ISSUE 1) AND 8.2 (ISSUE 2) OSPS AP, DESCRIPTION AND APPLICATION FOR VRCP 250-600-500 OSPS AP, ADMINISTRATION, REPORTING, RECENT CHANGE, AND SOFTWARE MAINTENANCE FOR VRCP 250-600-501 OSPS AP, INSTALLATION, TESTING, AND EQUIPMENT MAINTENANCE FOR VRCP 250-600-502 OSPS AP, ERROR MESSAGES FOR VRCP 250-600-503 SOURCED - IDG2 DA EFF:02/09/95 FE/RA:NONE	57 58	DA	50	1							

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
SET OF ON-SITE OSPS AUTOMATED POSITION SYSTEM (APS) DOCUMENTATION FOR AT&T CSG RELEASE 9_1.1 APPLICATION: OSPS AP, DESCRIPTION AND APPLICATION FOR CSG 250-600-500, ISSUE 3 OSPS AP, ADMINISTRATION, REPORTING, RECENT CHANGE, AND SOFTWARE MAINTENANCE FOR CSG 250-600-501, ISSUE 3 OSPS AP, INSTALLATION, TESTING, AND EQUIPMENT MAINTENANCE FOR CSG 250-600-502, ISSUE 3 OSPS AP, ERROR MESSAGES FOR CSG 250-600-503, ISSUE 3 OSPS AP, VRCP APPLICATION FOR CSG 250-600-504, ISSUE 1 SOURCED - IDG2 DA EFF:03/28/00 FE:J5D008AC-3,L51		DA	51								
SET OF ON-SITE 5ESS & 5ESS-2000 SWITCH OSPS AUTOMATED POSITION (AP) DOCUMENTATION FOR THE N9.2 RELEASE: OSPS AP, DESCRIPTION AND APPLICATION FOR CSG 250-600-500, ISSUE 4.00 OSPS AP, ADMINISTRATION, REPORTING, RECENT CHANGE, AND SOFTWARE MAINTENANCE FOR CSG 250-600-501, ISSUE 4.00 OSPS AP, CONFIGURATION AND EQUIPMENT MAINTENANCE FOR CSG 250-600-502, ISSUE 4.00 OSPS AP, EQUIPMENT MAINTENANCE JOB AID FOR CSG 250-600-502J1, ISSUE 3.00 OSPS AP, SYSTEM MESSAGES FOR CSG 250-600-503, ISSUE 4.00 OSPS AP, VRCP APPLICATION FOR CSG 250-600-504, ISSUE 2.00 OSPS AP, SDAP APPLICATION FOR CSG 250-600-505, ISSUE 1.00 OSPS AP, BASE AND UTILITIES APPLICATION FOR CSG 250-600-506, ISSUE 1.00 OSPS AP, FAULT ISOLATION AND COMMAND REFERENCE FOR CSG 250-600-507, ISSUE 1.00 SOURCED - IDG2 DA EFF:03/28/00 FE:J5D008AC-3,L52		DA	52								
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR NEW JERSEY BELL. DA EFF:03/28/00 FE:J5D008AC-3,L41	54 55 56 60 61 62	DA	A1	1	TP-5D008AC-A1 (A1.1.06) VOL. 1						

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE C2 ISSUE 31

J5D008AC-1

LUCENT TECHNOLOGIES INC J5D008AC-1

SHEET A3 OF 14

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR U.S. WEST. DA EFF:03/28/00 FE:J5D008AC-3,LA2	54 56 60 61 63	DA	A2	1	TP-5D008AC-A2 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR SOUTHERN NEW ENGLAND TELEPHONE. DA EFF:03/28/00 FE:J5D008AC-3,LA3	54 56 60 61 63	DA	A3	1	TP-5D008AC-A3 (A3.1.03) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR GTE CALIFORNIA. DA EFF:03/28/00 FE:J5D008AC-3,LA4	54 57 60 61 63	DA	A4	1	TP-5D008AC-A4 (A4.1.03) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR GTE NORTHWEST. DA EFF:03/28/00 FE:J5D008AC-3,LA5	54 56 60 61 63	DA	A5	1	TP-5D008AC-A5 (A5.1.02) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR NEVADA BELL. DA EFF:03/28/00 FE:J5D008AC-3,LA6	54 56 60 61 63	DA	A6	1	TP-5D008AC-A6 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR ROCHESTER TELEPHONE (NEW YORK). DA EFF:03/28/00 FE:J5D008AC-3,LA7	54 56 60 61 63	DA	A7	1	TP-5D008AC-A7 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR ROSEVILLE TELEPHONE (CALIFORNIA). DA EFF:03/28/00 FE:J5D008AC-3,LA8	54 56 60 61 63	DA	A8	1	TP-5D008AC-A8 (A8.1.02) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR ALASCOM (IC IN ALASKA). DA EFF:03/28/00 FE:J5D008AC-3,LA9	54 56 60 61 63	DA	A9	1	TP-5D008AC-A9 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR LINCOLN TELEPHONE (NEBRASKA). DA EFF:03/28/00 FE:J5D008AC-3,LA10	54 56 60 61 63	DA	A10	1	TP-5D008AC-A10 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) NEW JERSEY BELL BOOT PROGRAM. DA EFF:02/09/95 FE/RA:NONE	55 60 61 62	DA	B1	1	TP-5D008AC-B1 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) NEW JERSEY BELL APPLICATION SOFTWARE. DA EFF:02/09/95 FE/RA:NONE	55 60 61 62	DA	B2	1	TP-5D008AC-B2 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) NEW JERSEY BELL RECENT CHANGE DATA. DA EFF:02/09/95 FE/RA:NONE	55 60 61 62	DA	B3	1	TP-5D008AC-B3 (ZZ.ZZ) VOL. 1							

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) NEW JERSEY BELL BOOT PROGRAM. DA EFF:02/09/95 FE/RA:NONE	55 60 61 62	DA	B4	1	TP-5D008AC-B4 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) NEW JERSEY BELL APPLICATION SOFTWARE. DA EFF:02/09/95 FE/RA:NONE	55 60 61 62	DA	B5	1	TP-5D008AC-B5 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) RELEASE A 8.1 BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LB6	56 60 61 63	DA	B6	1	TP-5D008AC-B6 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) RELEASE A 8.1 APPLICATION SOFTWARE. DA EFF:03/28/00 FE:J5D008AC-3,LB7	56 60 61 63 69	DA	B7	1	TP-5D008AC-B7 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) RELEASE A 8.1 RECENT CHANGE DATA. DA EFF:03/28/00 FE:J5D008AC-3,LB8	56 60 61 63 69	DA	B8	1	TP-5D008AC-B8 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) RELEASE A 8.1 BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LB9	56 60 61 63	DA	B9	1	TP-5D008AC-B9 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) RELEASE A 8.1 APPLICATION SOFTWARE. DA EFF:03/28/00 FE:J5D008AC-3,LB10	56 60 61 63 69	DA	B10	1	TP-5D008AC-B10 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) NEW JERSEY BELL SCRIPT. DA EFF:02/09/95 FE/RA:NONE	55 60 61 62 66	DA	C1	1	TP-5D008AC-C1 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) RELEASE A 8.1 SCRIPT. DA EFF:03/28/00 FE:J5D008AC-3,LC2	56 60 61 63 66 69	DA	C2	1	TP-5D008AC-C2 (8.1.01) VOL. 1							

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J5D008AC-1

SHEET A4 OF 14

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR INSTALLATION TESTING FOR NEW JERSEY BELL RELEASE. DA EFF:02/09/95 FE/RA:NONE	62	DA	D1	1	TP-5D008AC-D1 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION TESTING FOR RELEASE A 8.1. DA EFF:03/28/00 FE:J5D008AC-3,LD2	63 69	DA	D2	1	TP-5D008AC-D2 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1 DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) A_8.1 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LH1	69	DA	H1	1	TP-5D008AC-H1 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1 DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) A_8.1 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LH2	69	DA	H2	1	TP-5D008AC-H2 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR RENAMING CSS/APS. DA EFF:03/28/00 FE:J5D008AC-3,LK1	68 69	DA	K1	1	TP-5D008AC-K1 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR FACTORY INSTALLATION OF DEFAULT LEC ANNOUNCEMENTS FOR CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS. DA EFF:03/28/00 FE:J5D008AC-3,LK2	69	DA	K2	1	TP-5D008AC-K2 (K2.1.02) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR AT&T NSD VRCP RELEASE MMT2. DA EFF:04/16/93 FE/RA:NONE	57 60 61 64	DA	P1	1	TP-5D008AC-P1 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR AT&T NSD VRCP 8.1 RELEASE. DA EFF:02/09/95 FE/RA:NONE	58 60 61 65 68	DA	P2	1	TP-5D008AC-P2 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD RELEASE 9_1.1 ANNOUNCEMENTS. DA EFF:12/14/93 FE/RA:NONE	60 61 73 74 76	DA	P3	1	TP-5D008AC-P3 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP RELEASE MMT2 BOOT PROGRAM. DA EFF:04/16/93 FE/RA:NONE	57 60 61 64	DA	R1	1	TP-5D008AC-R1 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP RELEASE MMT2 APPLICATION SOFTWARE. DA EFF:04/16/93 FE/RA:NONE	57 60 61 64	DA	R2	1	TP-5D008AC-R2 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP RELEASE MMT2 RECENT CHANGE DATA. DA EFF:04/16/93 FE/RA:NONE	57 60 61 64	DA	R3	1	TP-5D008AC-R3 (ZZ.ZZ) VOL. 1							

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP RELEASE MMT2 SCRIPT. DA EFF:04/16/93 FE/RA:NONE	57 60 61 64 66	DA	R4	1	TP-5D008AC-R4 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T NSD VRCP RELEASE MMT2 BOOT PROGRAM. DA EFF:04/16/93 FE/RA:NONE	57 60 61 64	DA	R5	1	TP-5D008AC-R5 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T NSD VRCP RELEASE MMT2 APPLICATION SOFTWARE. DA EFF:04/16/93 FE/RA:NONE	57 60 61 64	DA	R6	1	TP-5D008AC-R6 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP 8.1 RELEASE BOOT PROGRAM. DA EFF:02/09/95 FE/RA:NONE	58 60 61 65	DA	R7	1	TP-5D008AC-R7 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP 8.1 RELEASE APPLICATION SOFTWARE. DA EFF:02/09/95 FE/RA:NONE	58 60 61 65 68	DA	R8	1	TP-5D008AC-R8 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP 8.1 RELEASE RECENT CHANGE DATA. DA EFF:02/09/95 FE/RA:NONE	58 60 61 65	DA	R9	1	TP-5D008AC-R9 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP 8.1 RELEASE SCRIPT. DA EFF:02/09/95 FE/RA:NONE	58 60 61 65 66 67 68	DA	R10	1	TP-5D008AC-R10 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T NSD VRCP 8.1 RELEASE BOOT PROGRAM. DA EFF:02/09/95 FE/RA:NONE	58 60 61 65	DA	R11	1	TP-5D008AC-R11 (8.1.02) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T NSD VRCP 8.1 RELEASE APPLICATION SOFTWARE. DA EFF:02/09/95 FE/RA:NONE	58 60 61 65 68	DA	R12	1	TP-5D008AC-R12 (8.1.01) VOL. 1							

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE
C2

ISSUE
31

LUCENT TECHNOLOGIES INC

J5D008AC-1

SHEET A5
OF 14

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 1, FOR MDCS VRCP 8.2 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LR13	70 71 72 74	DA	R13	1	TP-5D008AC-R13 (8.2.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR MDCS VRCP 8.2 RELEASE APPLICATION SOFTWARE PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LR14	70 71 72 74	DA	R14	1	TP-5D008AC-R14 (8.2.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR CSS/APS VRCP 8.2 RELEASE APPLICATION SOFTWARE APPLICATION. DA EFF:02/09/95 FE/RA:NONE	70 71 72	DA	R15	1	TP-5D008AC-R15 (8.2.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T CSG RELEASE 9_1.1 BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LR16	60 61 73 74	DA	R16	1	TP-5D008AC-R16 (9.1.02) VOL.1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T CSG RELEASE 9_1.1 APPLICATION SOFTWARE. DA EFF:03/28/00 FE:J5D008AC-3,LR17	60 61 73 74 76	DA	R17	1	TP-5D008AC-R17 (9.1.01) VOL.1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD RELEASE 9_1.1 RECENT CHANGE DATA. DA EFF:12/14/93 FE/RA:NONE	60 61 73 74 76	DA	R18	1	TP-5D008AC-R18 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD RELEASE 9_1.1 SCRIPT. DA EFF:12/14/93 FE/RA:NONE	60 61 73 74 75 76	DA	R19	1	TP-5D008AC-R19 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T CSG RELEASE 9_1.1 BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LR20	60 61 73 74	DA	R20	1	TP-5D008AC-R20 (9.1.02) VOL.1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T CSG RELEASE 9_1.1 APPLICATION SOFTWARE. DA EFF:03/28/00 FE:J5D008AC-3,LR21	60 61 73 74 76	DA	R21	1	TP-5D008AC-R21 (9.1.01) VOL.1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (APS/CSS) FOR N10.1 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LR22	60 61 78 79	DA	R22	1	TP-5D008AC-R22 (10.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (APS/CSS) FOR N10.1 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LR22	60 61 78 79	DA	R22	1	TP-5D008AC-R22 (10.1.01)) VOL 2							
REQUIRED IN ADDITION TO LIST 3, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) FOR N10.1 RELEASE APPLICATION SOFTWARE. DA EFF:03/28/00 FE:J5D008AC-3,LR23	60 61 78 79	DA	R23	1	TP-5D008AC-R23 (10.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) VERSION 1 (ESDI) FOR N9.2 RELEASE BOOT PROGRAM. DA EFF:02/19/97 FE/RA:NONE	60 61 78 79	DA	R24	1	TP-5D008AC-R24 (9.2.01) VOL. 1							

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) VERSION 2 (SCSI) FOR N9.2 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LR25	60 61 78 79	DA	R25	1	TP-5D008AC-R25 (9.2.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 3, TAPE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) FOR N10.1 RELEASE APPLICATION SOFTWARE. DA EFF:03/28/00 FE:J5D008AC-3,LR26	60 61 78 79	DA	R26	1	TP-5D008AC-R26 (10.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR INSTALLATION TESTING FOR AT&T NSD VRCP MMT2 RELEASE. DA EFF:04/16/93 FE/RA:NONE		DA	S1	1	TP-5D008AC-S1 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR INSTALLATION TESTING FOR AT&T NSD VRCP RELEASE 8.1. DA EFF:02/09/95 FE/RA:NONE	65 68	DA	S2	1	TP-5D008AC-S2 (8.1.03) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR INSTALLATION TESTING FOR AT&T CSG RELEASE 9_1.1. DA EFF:03/28/00 FE:J5D008AC-3,LS3	74 76	DA	S3	1	TP-5D008AC-S3 (9.1.01) VOL.1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR (CSS) INSTALLATION TESTING FOR N10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AC-3,LS4	79	DA	S4	1	TP-5D008AC-S4 (10.1.01) VOL 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T NSD VRCP 8.1 RELEASE BOOT PROGRAM. DA EFF:02/09/95 FE/RA:NONE	68	DA	V1	1	TP-5D008AC-V1 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T NSD VRCP 8.1 RELEASE BOOT PROGRAM. DA EFF:02/09/95 FE/RA:NONE	68	DA	V2	1	TP-5D008AC-V2 (8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) AT&T CSG RELEASE 9_1.1 BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LV3	76	DA	V3	1	TP-5D008AC-V3 (9.1.02) VOL.1							

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE
C2

ISSUE
31

LUCENT TECHNOLOGIES INC

J5D008AC-1

SHEET A6
OF 14

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) AT&T CSG RELEASE 9.1.1 BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LV4	76	DA	V4	1	TP-5D008AC-V4 (9.1.02) VOL.1						
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) N9.2 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LV5	81	DA	V5	1	TP-5D008AC-V5 (9.2.01) VOL. 1						
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) VERSION 1 (ESDI) N9.2 RELEASE BOOT PROGRAM. DA EFF:02/19/97 FE/RA:NONE	81	DA	V6	1	TP-5D008AC-V6 (9.2.01) VOL. 1						
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR FACTORY INSTALLATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) VERSION 2 (SCSI) FOR N9.2 RELEASE BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AC-3,LV7	81	DA	V7	1	TP-5D008AC-V7 (9.2.01) VOL.1						
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AUTOMATED POSITION - 1 STAGE (4 OR 8 POSITION)" FEATURE. SPECIFY ONE LIST EAA() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). DA EFF:10/07/97 FE:J5D008AD-1,LEAA APPCODES:R,S	51 52	DA	EAA								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AUTOMATED POSITION - 2 STAGE (4 OR 8 POSITION)" FEATURE. SPECIFY ONE EAB() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). DA EFF:10/07/97 FE:J5D008AD-1,LEAB APPCODES:R,S	51 52	DA	EAB								

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "BLOCK ACCESS TO OPERATORS FROM APS" FEATURE. SPECIFY ONE LIST EAC() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS, AUTOMATED POSITION SYSTEM (LIST MTV), OR AUTOMATED POSITION - 1 STAGE (4 OR 8 POSITION) FEATURE (LIST EAA) ON J5D008AC-1 OR AUTOMATED POSITION - 2 STAGE (4 OR 8 POSITION) FEATURE (LIST EAB) ON J5D008AC-1. DA EFF:10/07/97 FE:J5D008AD-1,LEAC APPCODES:R,S	51 52	DA	EAC								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "BRAND FIRST FOR THE AUTOMATED POSITION SYSTEM (APS)" FEATURE. SPECIFY ONE LIST EAD() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM EITHER J5D008M-1 OR J5D008N-1. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). DA EFF:10/07/97 FE:J5D008AD-1,LEAD APPCODES:R,S	51 52	DA	EAD								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "CUSTOMIZED LEC AUTOMATED POSITION ANNOUNCEMENT SET". SPECIFY ONE LIST EAE PER EACH ANNOUNCEMENT SET. AN ANNOUNCEMENT SET CONTAINS 1 TO 10 ANNOUNCEMENTS. DA EFF:10/07/97 FE:J5D008AD-1,LEAE APPCODES:R,S	51 52	DA	EAE								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "LOCALITY BY ANI/DOUBLE ANNOUNCEMENT ON OSPS" FEATURE. SPECIFY ONE LIST EAF() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES - SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW) FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS. DA EFF:10/07/97 FE:J5D008AD-1,LEAF APPCODES:R,S	51 52	DA	EAF								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE
C2

ISSUE
31

LUCENT TECHNOLOGIES INC

J5D008AC-1

SHEET A7
OF 14

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "CALLING CARD SCREENING FOR THE AUTOMATED POSITION SYSTEM (APS)" FEATURE. SPECIFY ONE LIST EAG() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM EITHER J5D008M-1 OR J5D008N-1. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). DA EFF:10/07/97 FE:J5D008AD-1,LEAG APPCODES:R,S	51 52	DA	EAG									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "LEC APS AUTOMATED POSITION SYSTEM PLATFORM UPGRADE (1-STAGE APS)" FEATURE(S). SPECIFY ONE LIST PPH(R,S) PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES THE LEC VERSION L9.2 SOFTWARE (FOR CLUSTER APPLICATION, CSS BOOT, CSS RECENT CHANGE, APS BOOT AND APS APPLICATION). FOR USE WITH 486 CPU PLATFORM. DA EFF:03/28/00 FE:J5D008AC-3,LPPH APPCODES:R,S	51 52	DA	PPH									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "LEC APS AUTOMATED POSITION SYSTEM PLATFORM UPGRADE (2-STAGE APS)" FEATURE(S). SPECIFY ONE LIST PPI(R,S) PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES THE LEC VERSION L9.2 SOFTWARE (FOR CLUSTER APPLICATION, CSS BOOT, CSS RECENT CHANGE, APS BOOT AND APS APPLICATION). FOR USE WITH 486 CPU PLATFORM. DA EFF:03/28/00 FE:J5D008AC-3,LPPI APPCODES:R,S	51 52	DA	PPI									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "NSD APPLICATION OF THE AUTOMATED ALTERNATE BILLING SERVICES - AUTOMATED POSITION" FEATURE. SPECIFY ONE LIST TAA() PER AUTOMATED POSITION AS REQUIRED. THIS FEATURE REQUIRES LIST MXG, SWITCH CHANGES FOR AUTOMATED POSITION FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT GENERIC DRAWINGS. DA EFF:03/28/00 FE:J5D008AC-3,LTAA APPCODES:R,S	51 52 53	DA	TAA									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VOICE RECOGNITION CALL PROCESSING (VRCP) - RELEASE 8.1" FEATURE. SPECIFY ONE LIST TAB() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES LIST TAA, NSD APPLICATION OF AUTOMATED ALTERNATE BILLING SERVICES - AUTOMATED POSITION (VRCP RELEASE MMT2). DA EFF:03/28/00 FE:J5D008AC-3,LTAB APPCODES:R,S	51 52 53	DA	TAB									

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "VRCP - RELEASE 8.2" FEATURES. SPECIFY ONE LIST TAC() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES VRCP - RELEASE 8.1 (LIST TAB). DA EFF:03/28/00 FE:J5D008AC-3,LTAC APPCODES:R,S	51 52 53	DA	TAC									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "VRCP - RELEASE 9-1.1" FEATURES. SPECIFY ONE LIST TAD() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES VRCP - RELEASE 8.2 (LIST TAC). DA EFF:03/28/00 FE:J5D008AC-3,LTAD APPCODES:R,S	51 52 53	DA	TAD									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "800 AUTOMATED COLLECT SERVICE" FEATURE. SPECIFY ONE LIST TAE() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES VRCP - RELEASE 8.1 (LIST TAB). DA EFF:03/28/00 FE:J5D008AC-3,LTAE APPCODES:R,S	51 52 53	DA	TAE									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP CUSTOM ANNOUNCEMENT SET (1-10)" FEATURE. SPECIFY ONE LIST TAF() PER SWITCH AS REQUIRED. DA EFF:03/28/00 FE:J5D008AC-3,LTAF APPCODES:R,S	51 52 53 77	DA	TAF									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP CUSTOM ANNOUNCEMENT SET (1-100)" FEATURE. SPECIFY ONE LIST TAG() PER SWITCH AS REQUIRED. DA EFF:03/28/00 FE:J5D008AC-3,LTAG APPCODES:R,S	51 52 53 77	DA	TAG									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "MESSAGE COLLECT" FEATURE. SPECIFY ONE LIST TAH() PER SWITCH AS REQUIRED. FE:J5D008AC-3,LTAH DA EFF:03/28/00 APPCODES:R,S	51 52 53	DA	TAH									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "800 ACCESS FOR IN-LANGUAGE NETWORK PROMPTS" FEATURE. SPECIFY ONE LIST TAI() PER SWITCH AS REQUIRED. DA EFF:03/28/00 FE:J5D008AC-1,LTAI APPCODES:R,S	51 52 53	DA	TAI									

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J5D008AC-1

SHEET A8 OF 14

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AUTOMATED SERVICE ACCESS PROMPTS (ASAP)" FEATURE. SPECIFY ONE LIST TAJ() PER SWITCH AS REQUIRED. FE/RA:NONE DA EFF:03/28/00 APPCODES:R,S	51 52 53	DA	TAJ									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "DIOR AUTOMATED INITIAL CALLS-RELEASE 3" FEATURE. SPECIFY ONE LIST TAK () PER SWITCH AS REQUIRED. DA EFF:03/28/00 FE:J5D008AC-3,LTAK APPCODES:R,S	51 52 53	DA	TAK									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "CARD - BASED SPEED DIALING AUTO PROVISIONING" FEATURE. SPECIFY ONE LIST TAL() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAL	51 52 53	DA	TAL									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "CONVERT TO CVIS 4.0 GENERIC" FEATURE. SPECIFY ONE LIST TAM () PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAM	51 52 53	DA	TAM									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "AUTOMATED SERVICE ACCESS PROMPTING (ASAP) - RELEASE 2" FEATURE. SPECIFY ONE LIST TAN() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAN	51 52 53	DA	TAN									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "VRCP TEMPORARY SU" FEATURE. SPECIFY ONE LIST TAO() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAO	51 52 53	DA	TAO									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "VRCP GENERIC PROMPT FOR PRISON CALLS" FEATURE. SPECIFY ONE LIST TAP() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAP	51 52 53	DA	TAP									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "VRCP BLOCKING MESSAGE COLLECT CALLS TO CANADA" FEATURE. SPECIFY ONE LIST TAQ () PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAQ	51 52 53	DA	TAQ									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "AUTOMATED SERVICE ACCESS PROMPTING (ASAP) - RELEASE 3" FEATURE. SPECIFY ONE LIST TAR() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAR	51 52 53	DA	TAR									

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "ACCS FOR COMMERCIAL CREDIT CARDS (CCC)" FEATURE. SPECIFY ONE LIST TAS() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAS	51 52 53	DA	TAS									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP - RELEASE N9.2" FEATURE. SPECIFY ONE LIST TAU() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAU	51 52 53	DA	TAU									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP CONNECTED DIGITS FOR BILL TO THIRD" FEATURE. SPECIFY ONE LIST TAV() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAV	51 52 53	DA	TAV									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP OPERATOR WORK TIME IMPROVEMENTS - RELEASE 2" FEATURE. SPECIFY ONE LIST TAW() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAW	51 52 53	DA	TAW									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "AUTOMATED SERVICE ACCESS PROMPTING (ASAP) FOR LANGUAGE SPECIFIC OPERATOR SERVICES" FEATURE. SPECIFY ONE LIST TAX() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAX	51 52 53	DA	TAX									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP OPERATOR WORKTIME IMPROVEMENTS" FEATURE. SPECIFY ONE LIST TAY() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAY	51 52 53	DA	TAY									
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "VRCP NEW AUTOCOLLECT ANNOUNCEMENT FOR PRISON CALLS" FEATURE. SPECIFY ONE LIST TAZ() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTAZ	51 52 53	DA	TAZ									

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J5D008AC-1

SHEET A9 OF 14

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP NON-ENGLISH CUSTOM ANNOUNCEMENT SET (1-10)" FEATURE. SPECIFY ONE LIST TBA() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBA	51 52 53 82	DA	TBA								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP NON-ENGLISH CUSTOM ANNOUNCEMENT SET (1-100)" FEATURE. SPECIFY ONE LIST TBB() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBB	51 52 53 82	DA	TBB								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP NON-ENGLISH NEW LANGUAGE ANNOUNCEMENT SET" FEATURE. SPECIFY ONE LIST TBC() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTEC	51 52 53 82	DA	TBC								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP NON-ENGLISH PHASE 1 TESTING" FEATURE. SPECIFY ONE LIST TBD() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBD	51 52 53 82	DA	TBD								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP NON-ENGLISH PHASE 2 TESTING" FEATURE. SPECIFY ONE LIST TBE() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBE	51 52 53 82	DA	TBE								
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "ASAP FOR LANGUAGE SPECIFIC OPERATOR SERVICES USING 129 ROUTE NUMBER" FEATURE. SPECIFY ONE LIST TBF() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES J5D008Q-1 OR J5D008R-1 LIST NIX. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBF	51 52 53	DA	TBF								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "OSPS QUIET SERVICE" FEATURE. SPECIFY ONE LIST TBG() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES (J5D008Q-1 OR J5D008R-1) LIST PDC. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBG	51 52 53	DA	TBG								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP DUAL POWERING CCS" FEATURE. SPECIFY ONE LIST TBH() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBH	51 52 53	DA	TBH								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP PERSON-TO-PERSON COLLECT CALL HANDLING" FEATURE. SPECIFY ONE LIST TBI() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBI	51 52 53	DA	TBI								

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP SONIC HANDLING OF 800 COLLECT CALLS" FEATURE. SPECIFY ONE LIST TBJ() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBJ	51 52 53	DA	TBJ								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AUTOMATION OF T&A INFO" FEATURE. SPECIFY ONE LIST TBK PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBK	51 52 53	DA	TBK								
REQUIRED TO PROVIDE THE RIGHT-TO-USE LICENSE FEE FOR THE "PURCHASE LIMITS BALANCE QUOTATION FOR BUSINESS/RESIDENCE CARDS" FEATURE. SPECIFY ONE LIST TBL() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES J5D008Q-1 OR J5D008R-1 LIST NIU. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBL	51 52 53	DA	TBL								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP AUTOMATED BILL TO THIRD VERIFICATION" FEATURE. SPECIFY ONE LIST TBN() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBN	51 52 53	DA	TBN								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP FOR NON-AUTO DIOR COUNTRIES - OPTION 1" FEATURE(S). SPECIFY ONE LIST TBO PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBO	51 52 53	DA	TBO								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP OPERATOR WORK TIME IMPROVEMENTS" FEATURE. SPECIFY ONE LIST TBP() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBP	51 52 53	DA	TBP								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AUTOMATED CLOSE END BRANDING FOR OPERATOR HANDLED CALLS" FEATURE. SPECIFY ONE LIST TBQ() PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES (J5D008Q-1 OR J5D008R-1) LIST PDB. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBQ	51 52 53	DA	TBQ								

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE
C2

ISSUE
31

LUCENT TECHNOLOGIES INC

J5D008AC-1

SHEET A10
OF 14

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA										SD EQUIVALENT
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "EARLY POSITION RELEASE FOR INTERNATIONAL CALLS" FEATURE. SPECIFY ONE LIST TBR () PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES (J5D008Q-1 OR J5D008R-1) LIST NIP. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBR	51 52 53	DA	TBR									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "800 TOLL FREE SERVICES NPA EXPANSION" FEATURE. SPECIFY ONE LIST TBS () PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES "VRCP-RELEASE N9.2" LIST TAU AND "800 TOLL FREE SERVICES NPA EXPANSION" J5D008R-1 LIST PDF. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBS	51 52 53	DA	TBS									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "VRCP SUPPORT FOR 32 MBYTE 486 PROCESSOR" FEATURE. SPECIFY ONE LIST TBT () PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES "VRCP-RELEASE N9.2", LIST TAU. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBT	51 52 53	DA	TBT									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AATLSOS AUTOMATED ACCESS PROMPTING" FEATURE. SPECIFY ONE LIST TBV () PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES "VRCP-RELEASE N9.2" LIST TAU AND (J5D008Q-1 OR J5D008R-1) LIST PDD. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBU	51 52 53	DA	TBU									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "ALLOW LEADING 1 AND 011 FOR AUTOMATED PHONE NUMBER COLLECTION" FEATURE. SPECIFY ONE LIST TBV () PER SWITCH AS REQUIRED. THIS FEATURE REQUIRES "VRCP-RELEASE N9.2" LIST TAU AND (J5D008Q-1 OR J5D008R-1) LIST PDE. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBV	51 52 53	DA	TBV									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "VRCP MEASUREMENT CHANGES" FEATURE(S). SPECIFY ONE LIST TBW PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBW	51 52 53	DA	TBW									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "AATLSOS - BILINGUAL ANNOUNCEMENT PROMPTS" FEATURE(S). SPECIFY ONE LIST TBX PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBX	51 52 53	DA	TBX									

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA										SD EQUIVALENT
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "AATLSOS - AUTOMATED ACCESS PROMPTING CUSTOMER SERVICE ANNOUNCEMENT CHANGES" FEATURE(S) SPECIFY ONE LIST TBV PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBY	51 52 53	DA	TBY									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "AATLSOS - AUTOMATED ACCESS PROMPTING 800 NUMBER CHANGE" FEATURE(S). SPECIFY ONE LIST TBZ PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTBZ	51 52 53	DA	TBZ									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "ASAP FOR LANGUAGE SPECIFIC OPERATOR SERVICES RATING CHANGES - VRCP" FEATURES(S). SPECIFY ONE LIST TCA PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCA	51 52 53	DA	TCA									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "VRCP - CSS SUPPORT FOR PROCESSOR UPGRADE" FEATURE(S). SPECIFY ONE LIST TCB PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCE	51 52 53	DA	TCB									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "OSPS QUIET HEAR ANNOUNCEMENT FOR COLLECT CALLS" FEATURE(S). SPECIFY ONE LIST TCC PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCC	51 52 53	DA	TCC									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "BILL TO THIRD FRAUD CONTROL TO CANADIAN AND 809 NUMBERS - VRCP" FEATURE(S). SPECIFY ONE LIST TCD PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCD	51 52 53	DA	TCD									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "DIOR ANNOUNCEMENT CHANGES FOR COLLECT CALLS" FEATURE(S). SPECIFY ONE LIST TCE PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCE	51 52 53	DA	TCE									

TABLE-A CONTINUED

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE
C2

ISSUE
31

LUCENT TECHNOLOGIES INC

J5D008AC-1

SHEET All
OF 14

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "ASAP AUTOMATION OF COLLECT CALLS TO MEXICO" FEATURE(S). SPECIFY ONE LIST TCF PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCF	51 52 53	DA	TCF								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "VRCP AUTOMATED SU PROCESS" FEATURE(S) SPECIFY ONE LIST TCG PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCT	51 52 53	DA	TCG								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "VRCP SSP BOARD" FEATURE(S). SPECIFY ONE LIST TCJ() PER SWITCH AS REQUIRED. (THIS FEATURE REQUIRES "VRCP - RELEASE N9.2, LIST TAU) APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTJ	51 52 53	DA	TCJ								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "AATLSOS AUTOMATED ACCESS PROMPTING ANNOUNCEMENT HANDLING FOR COLLECT CALLS" FEATURE(S). SPECIFY ONE LIST TCK() PER SWITCH AS REQUIRED. (THIS FEATURE REQUIRES "VRCP - REL N9.2" LIST TAU. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCK	51 52 53	DA	TCK								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "AUTOMATION OF TCS/CPS OVERRIDE" FEATURE(S). SPECIFY ONE LIST TCL() PER SWITCH AS REQUIRED. (THIS FEATURE REQUIRES 5E FEATURE "AUTOMATION OF TCS/CPS OVERRIDE" (98-5E-3218), LIST PDK AND THE VRCP FEATURE "VRCP - REL N9.2", LIST TAU). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCL	51 52 53	DA	TCL								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "CICADA - REL 3" FEATURE(S). SPECIFY ONE LIST TCM() PER SWITCH AS REQUIRED. (THIS FEATURE REQUIRES 5E FEATURE "CICADA - REL 3" (98-5E-3914), LIST PPC AND "VRCP - REL N9.2", LIST TAU). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCM	51 52 53	DA	TCM								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "800 UNIVERSAL INTERNATIONAL NUMBERING" FEATURE(S). SPECIFY ONE LIST TCN() PER SWITCH AS REQUIRED. (THIS FEATURE REQUIRES SWITCH FEATURE "800 UNIVERSAL INTERNATIONAL NUMBERING" LIST PPO (98-5E-3961)). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCN	51 52 53	DA	TCN								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "DIOR IN-LANGUAGE AUTOMATION" FEATURE(S). SPECIFY ONE LIST TCO() PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTO	51 52 53	DA	TCO								

TABLE-A CONTINUED

J5D008AC-1

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "DIOR WITH COMMERCIAL CREDIT CARD CAPABILITY" FEATURE(S). SPECIFY ONE LIST TCT PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCT	51 52 53	DA	TCT								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "AMA - RECORD ANI II DIGITS" FEATURE SPECIFY ONE LIST TCU PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTU	51 52 53	DA	TCU								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "VRCP NON-AUTO DIOR COUNTRY - R2" FEATURE(S). SPECIFY ONE LIST TCV PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTV	51 52 53	DA	TCV								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "NATIONAL DA 00- ACCESS INFORMATION MENU" FEATURE(S). SPECIFY ONE LIST TCW PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTW	51 52 53	DA	TCW								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "AMA RECORD ANI II DIGITS - RELEASE 2" FEATURES. SPECIFY ONE LIST TCX PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTX	51 52 53	DA	TCX								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "ASAP - ALLOW LEADING 1/011 FOR AUTOMATED PHONE NUMBER COLLECTION" FEATURES. SPECIFY ONE LIST TCY PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTY	51 52 53	DA	TCY								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE "NATIONAL DIRECTORY ASSISTANCE 00- ACCESS FLEXIBLE MENU" FEATURES. SPECIFY ONE LIST TCZ PER SWITCH AS REQUIRED. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AC-3,LTCTZ	51 52 53	DA	TCZ								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE
C2

ISSUE
31

LUCENT TECHNOLOGIES INC

J5D008AC-1

SHEET A12
OF 14

TABLE AC

AP RELEASE	5E7	SWITCH 5E8(1) (NO NSD FEATS.)	GENERIC 5E8(1) (WITH NSD FEATS.)	SWITCH 5E9(1) (NO NSD FEATS.)	GENERIC 5E9(1) (WITH NSD FEATS.)	SWITCH 5E9(2) (NO NSD FEATS.)	GENERIC 5E9(2) (WITH NSD FEATS.)
NJB (A1,B1,B2,B3, B4,B5,C1,D1)	Y	Y	N	Y	N	N	N
A_8.1 (SITE: ONE OF (A1...A10),B6, B7,B8,B9,B10, C2,D2; FACTORY: H1,H2, L1, ONE OF (A1...A10),B7, B8,B10,C2)	Y	Y	N	Y	N	N	N
VRCP 8.1 (SITE: P2,R7,R8 R9,R10,R11,R12, S2; FACTORY: V1,V2, L1,P2,R8,R9, R10,R12)	N/A	Y	Y	Y	N	N/A	N/A
VRCP 8.2 (SITE: R13,R14, R15; FACTORY: NOT LOADED)	N/A	Y	Y	Y	N	N/A	N/A
VRCP 9.1.1 (SITE: R16,R17, R20,R21,S3; FACTORY: K1,V3, V4,R17,R21)	N/A	N/A	N/A	Y	Y	Y	N
N9.2 (SITE: R22,R23, R24,R25,R26;S4 FACTORY: V5,V6, V7,K1,R23,R26)	N/A	N/A	N/A	N/A	N/A	Y	Y

SEE PROPRIETARY NOTICE ON SHEET ONE

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, AUTOMATED POSITION SYSTEM
AP CLUSTER PROGRAM SOFTWARE
FOR GENERIC 5E10(1)

DWG SIZE
C2

ISSUE
31

J5D008AC-1

LUCENT TECHNOLOGIES INC J5D008AC-1

SHEET D2
OF 14

PRINTED IN U.S.A.