

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ONE (1) FLOPPY DISKETTE. DOUBLE SIDED, HIGH DENSITY, 1.44 MBYTE FORMATTED DISKETTE. DA EFF:03/28/00 FE:J5D008AD-3,L1		DA	1								
ONE BLANK 2.5GB CARTRIDGE TAPE 1/4 INCH, 10K BPI, 2.5 GIGABYTE UNCOMPRESSED. DA EFF:03/28/00 FE:J5D008AD-3,L2		DA	2								
SET OF ON-SITE 5ESS(TM) AND 5ESS (TM)-2000 SWITCH OSPS AUTOMATED POSITION (AP) DOCUMENTATION FOR THE L10.1 RELEASE: OSPS AP, DESCRIPTION 250-600-300 OSPS AP, ADMINISTRATION, REPORTING, RECENT CHANGE, AND SOFTWARE MAINTENANCE 250-600-301 OSPS AP, CONFIGURATION AND EQUIPMENT MAINTENANCE 250-600-302 OSPS AP, SYSTEM MESSAGES 250-600-303 OSPS AP, FAULT ISOLATION 250-600-304 OSPS AP, COMMAND REFERENCE 250-600-305 OSPS AP, BASE AND UTILITIES APPLICATION 250-600-306 SOURCE - IDG2 DA EFF:03/28/00 FE:J5D008AD-3,L20	54	DA	20	1							
SET OF ON-SITE 5ESS(TM) AND 5ESS (TM)-2000 SWITCH OSPS AUTOMATED POSITION (AP) DOCUMENTATION FOR THE L10.1 RELEASE: OSPS AP, LISTING SERVICES, RECORD AND PLAYBACK APPLICATION 250-600-310 SOURCE - IDG2 DA EFF:03/28/00 FE/RA:NONE	54 56	DA	21	1							

TABLE-A CONTINUED

ENGINEERING NOTES

51. FOR ORDERING PURPOSES ALL RTU LISTS REFERENCED TO THIS NOTE MUST ALWAYS BE SUFFIXED WITH AN APPLICATION CODE LETTER OF THESE INITIAL CODE LETTERS:

R - INITIAL ORDERS, SM GROWTH AND/OR FEATURE ADDITIONS IN EXISTING OFFICES

S - RETROFIT OR FEATURES PURCHASED THE FIRST TIME WHEN RETROFITTING.

FOR INITIAL ORDERS OF RSM GROWTH ('R' SUFFIX), RTU FEES MUST BE SHIPPED AT HARDWARE MAIN SHIP DATE (MSD), (I.E., 3B20 DUPLEX COMPUTER FOR NEW OFFICES AND SWITCHING MODULE FOR GROWTH OFFICES).

52. DO NOT SPECIFY ANY RTU LISTS WITH DUPLICATE, SPARE OR REPLACEMENT TAPES.

53. CUSTOMERS ORDERING THE ADAS FEATURE MUST ALSO INCLUDE LISTS 20, 23 AND B5.

54. NEW AND UPGRADING LEC CUSTOMERS SHOULD ORDER LISTS 20, B1 THROUGH B4, AND THE APPROPRIATE 'A' LIST FOR THE CUSTOMER. (ONLY ONE 'A' LIST SHOULD BE ORDERED). IN ADDITION TO LIST 20, ONE OF LIST 21, 22, 23 OR 24 SHOULD BE ORDERED BASED ON FEATURES ORDERED.

55. LIST 20, A1, B1 THROUGH B5, AND C1 SHOULD BE ORDERED TOGETHER. THESE SHOULD ONLY BE PROVIDED TO NEW JERSEY BELL AS EXTRA SETS OF TAPES FOR THEIR EXISTING SYSTEMS.

56. CUSTOMERS ORDERING THE RAP FEATURE MUST ALSO INCLUDE LIST 20.

57. CUSTOMERS ORDERING THE AABS FEATURE MUST ALSO INCLUDE LIST 20.

58. EACH APS CLUSTER CONSISTS OF ONE (1) CLUSTER SUPPORT SYSTEM (CSS) AND UP TO 25 AUTOMATED POSITION SYSTEMS (APS).

59. FOR GROWTH ORDERS, NO ADDITIONAL SOFTWARE IS REQUIRED.

60. LEXI-LIST REQUIRES A CUSTOMER PROVIDE PC. SEE ASSOCIATED DOCUMENTATION IN LIST 23 FOR DETAILS ON COMPATIBLE EQUIPMENT.

ISSUE NOTES				
THIS NEW DRAWING IS BEING INITIATED DUE TO THE PLATFORM UPGRADE REQUIRED FOR THE LEC L9.2 RELEASE. THIS MAKES ALL FORMER A 8.1 LEC ITEMS OBSOLETE.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: EJZ	CERTIFIED: 06/23/97	ISSUE: 1
IN TABLE A, A SENTENCE WAS ADDED TO LIST EAI.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: EJZ	CERTIFIED: 08/12/97	ISSUE: 2
IN TABLE A, LISTS A1 AND A5 ARE ORDERABLE AND NOT 'NRTO'. IN TABLE A, LISTS EAK AND EAL ADDED.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: EJZ	CERTIFIED: 11/19/97	ISSUE: 3
IN TABLE A, THE "NRTO" RATING WAS REMOVED FROM LIST A8.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: FNG	CERTIFIED: 05/11/98	ISSUE: 4
IN TABLE A, THE TELEPHONE COMPANY WAS CHANGED IN LIST A1, THE VERSIONS WERE CHANGED IN LISTS A2 AND A3, AND LIST A13 WAS ADDED.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: FNG	CERTIFIED: 07/02/98	ISSUE: 5
IN TABLE A, L9.2 CHANGED TO L10.1, LIST 2 CHANGED QTY TO '2', LISTS 21, 22, 23, B5, EAK AND EAL RATED 'NRTO', 'NRTO' REMOVED FROM LISTS A4, A6, A7, A9 AND A10 AND LIST B3 RATED 'DA'.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: RGM	CERTIFIED: 04/02/99	ISSUE: 6
IN TABLE A, QUANTITY CHANGED FROM '2' TO '1'.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: RGM	CERTIFIED: 05/18/99	ISSUE: 7
IN TABLE A, LIST A14 ADDED, LISTS A6, A7, A9 AND A10 RATED 'DA', LIST A13 RATED 'NRTO' AND LIST B1 QUANTITY CHANGED FROM '1' TO '2'.				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: RRH	ENGR: RRH	SUPV: RGM	CERTIFIED: 07/07/99	ISSUE: 8
IN TABLE A, LIST & GROUP (WITH DA EFF 03/28/00) WERE RATED DA & LA, PER 1999 DRAWING RESTRUCTURING MANDATE				
ORIG ISS: 06/23/97		CHANGE CLASS: M		
DRAFT: SMM	ENGR: SMM	SUPV: RGM	CERTIFIED: 03/27/00	ISSUE: 9

SHEET INDEX											
SHT NBR	A1	THRU	A4	ISSUE	9						
SHT NBR	D1	THRU	D2	ISSUE	9						
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											

J5D008AD-1

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, L10.1 AP CLUSTER PROGRAM
SOFTWARE FOR
5E10(1), 5E11(1) AND 5E12(1)

DWG SIZE C2	ISSUE 9
----------------	------------

LUCENT TECHNOLOGIES INC J5D008AD-1 SHEET A1 OF 6

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
SET OF ON-SITE 5ESS(TM) AND 5ESS (TM)-2000 SWITCH OSPS AUTOMATED POSITION (AP) DOCUMENTATION FOR THE L10.1 RELEASE: OSPS AP, LISTING SERVICES, AUTOMATED DIRECTORY ASSISTANCE APPLICATION 250-600-311 SOURCE - IDG2 DA EFF:03/28/00 FE/RA:NONE	53 54	DA	22	1								
SET OF ON-SITE 5ESS(TM) AND 5ESS (TM)-2000 SWITCH OSPS AUTOMATED POSITION (AP) DOCUMENTATION FOR THE L10.1 RELEASE: OSPS AP, LISTING SERVICES, AUTOMATED DIRECTORY ASSISTANCE APPLICATION, LEXI-LIST FEATURE 250-600-312 SOURCE - IDG2 DA EFF:03/28/00 FE/RA:NONE	53 54 60	DA	23	1								
SET OF ON-SITE 5ESS(TM) AND 5ESS (TM)-2000 SWITCH OSPS AUTOMATED POSITION (AP) DOCUMENTATION FOR THE L10.1 RELEASE: OSPS AP, TOLL AND ASSISTANCE, AABS-AP APPLICATION 250-600-320 SOURCE - IDG2 DA EFF:03/28/00 FE:J5D008AD-3,L24	54 57	DA	24	1								
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR BELL ATLANTIC FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA1	54 58 59	DA	A1	1	TP-5D008AD-A1 (L10.1-A1.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR U.S. WEST FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA2	54 58 59	DA	A2	1	TP-5D008AD-A2 (L10.1-A2.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR SOUTHERN NEW ENGLAND TELEPHONE FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA3	54 58 59	DA	A3	1	TP-5D008AD-A3 (L10.1-A3.1.02) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR GTE CALIFORNIA FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA4	54 58 59	DA	A4	1	TP-5D008AD-A4 (L10.1-A4.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR GTE NORTHWEST FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA5	54 58 59	DA	A5	1	TP-5D008AD-A5 (L10.1-A5.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR NEVADA BELL FOR THE L10.1 RELEASE. DA EFF:07/07/99 FE/RA:NONE	54 58 59	DA	A6	1	TP-5D008AD-A6 (L10.1-A6.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR NEW JERSEY BELL FOR THE L10.1 RELEASE. DA EFF:07/07/99 FE/RA:NONE	54 58 59	DA	A7	1	TP-5D008AD-A7 (L10.1-A7.1.01) VOL. 1							

TABLE-A CONTINUED

J5D008AD-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT-ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR ROSEVILLE TELEPHONE (CALIFORNIA) FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA8	54 58 59	DA	A8	1	TP-5D008AD-A8 (L10.1-A8.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR ALASCOM (IC IN ALASKA) FOR THE L10.1 RELEASE. DA EFF:07/07/99 FE/RA:NONE	54 58 59	DA	A9	1	TP-5D008AD-A9 (L10.1-A9.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR LINCOLN TELEPHONE (NEBRASKA) FOR THE L10.1 RELEASE. DA EFF:07/07/99 FE/RA:NONE	54 58 59	DA	A10	1	TP-5D008AD-A10 (L10.1-A10.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR CODETEL (DOMINICAN REPUBLIC) FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA11	54 58 59	DA	A11	1	TP-5D008AD-A11 (L10.1-A11.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) ANNOUNCEMENTS FOR GCI (ALASKA) FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA12	54 58 59	DA	A12	1	TP-5D008AD-A12 (L10.1-A12.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) RATE QUOTE ANNOUNCEMENTS FOR BELL ATLANTIC FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE/RA:NONE	54 58 59	DA	A13	1	TP-5D008AD-A13 (L10.1-A13.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) SELECTOR ANNOUNCEMENTS FOR BELL ATLANTIC FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE:J5D008AD-3,LA14	54 58 59	DA	A14	1	TP-5D008AD-A14 (L10.1) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION (AP) CLUSTER RELEASE L10.1 BOOT PROGRAM. DA EFF:03/28/00 FE:J5D008AD-3,LB1	54 58 59	DA	B1	2	TP-5D008AD-B1 (10.1.01) VOL. 1							

TABLE-A CONTINUED

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, L10.1 AP CLUSTER PROGRAM
SOFTWARE FOR
5E10(1), 5E11(1) AND 5E12(1)

RT13

DWG SIZE
C2

ISSUE
9

LUCENT TECHNOLOGIES INC

J5D008AD-1

SHEET
OF

A2
6

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS CLUSTER SUPPORT SYSTEM (CSS) RELEASE L10.1 APPLICATION SOFTWARE FOR AABS-AP. DA EFF:03/28/00 FE:J5D008AD-3,LB2	54 58 59	DA	B2	1	TP-5D008AD-B2 (10.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR OSPS AUTOMATED POSITION (AP) CLUSTER RELEASE L10.1 BOOT PROGRAM. DA EFF:04/02/99 FE:J5D008AD-1,LB1	54 58 59	DA	B3	1	TP-5D008AD-B3 (10.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 2, TAPE INFORMATION FOR OSPS AUTOMATED POSITION SYSTEM (APS) RELEASE L10.1 APPLICATION SOFTWARE FOR AABS-AP. DA EFF:03/28/00 FE:J5D008AD-3,LB4	54 58 59	DA	B4	1	TP-5D008AD-B4 (10.1.01) VOL. 1							
REQUIRED IN ADDITION TO LIST 1, DISKETTE INFORMATION FOR AUTOMATED DIRECTORY ASSISTANCE INTUITY(TM) CONVERSANT(R) LEXI-LIST FOR THE L10.1 RELEASE. DA EFF:03/28/00 FE/RA:NONE	53 54 60	DA	B5	1	PG-5Y400-01 (1.0)	B5						
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AUTOMATED POSITION - 1 STAGE (4 OR 8 POSITION)" FEATURE. SPECIFY ONE LIST EAA() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAA	51 52	DA	EAA									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "AUTOMATED POSITION - 2 STAGE (4 OR 8 POSITION)" FEATURE. SPECIFY ONE EAB() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAB	51 52	DA	EAB									

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "BLOCK ACCESS TO OPERATORS FROM APS" FEATURE. SPECIFY ONE LIST EAC() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS, AUTOMATED POSITION SYSTEM (LIST MTV), OR AUTOMATED POSITION - 1 STAGE (4 OR 8 POSITION) FEATURE (LIST EAA) ON J5D008AC-1 OR AUTOMATED POSITION - 2 STAGE (4 OR 8 POSITION) FEATURE (LIST EAB) ON J5D008AC-1. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAC	51 52	DA	EAC									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "BRAND FIRST FOR THE AUTOMATED POSITION SYSTEM (APS)" FEATURE. SPECIFY ONE LIST EAD() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM EITHER J5D008M-1 OR J5D008N-1. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAD	51 52	DA	EAD									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "CUSTOMIZED LEC AUTOMATED POSITION ANNOUNCEMENT SET". SPECIFY ONE LIST EAE PER EACH ANNOUNCEMENT SET. AN ANNOUNCEMENT SET CONTAINS 1 TO 10 ANNOUNCEMENTS. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAE	51 52	DA	EAE									
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "LOCALITY BY ANI/DOUBLE ANNOUNCEMENT ON OSPS" FEATURE. SPECIFY ONE LIST EAF() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES - SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW) FROM J5D008M-1 (GENERIC 5E7.1) OR SUBSEQUENT SWITCH GENERIC DRAWINGS. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAF	51 52	DA	EAF									

TABLE-A CONTINUED

J5D008AD-1

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
RT13	
5ESS OSPS SWITCHING SYSTEMS 5ESS OPERATOR SERVICES POSITION SYSTEM, L10.1 AP CLUSTER PROGRAM SOFTWARE FOR 5E10(1), 5E11(1) AND 5E12(1)	
DWG SIZE C2	ISSUE 9
LUCENT TECHNOLOGIES INC	J5D008AD-1
SHEET A3 OF 6	

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE "CALLING CARD SCREENING FOR THE AUTOMATED POSITION SYSTEM (APS)" FEATURE. SPECIFY ONE LIST EAG() PER AP POSITION AS REQUIRED. THIS FEATURE REQUIRES THE FOLLOWING LISTS FROM EITHER J5D008M-1 OR J5D008N-1. SWITCH CHANGES FOR AUTOMATED POSITION (LIST MXG), IMPROVED AUTOMATED POSITION CALL SELECTION (LIST MXJ) AND AUTOMATED SEQUENCE DIALING FOLLOWING OPERATOR RELEASE (LIST MUW). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAG	51 52	DA	EAG								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR THE LEC UPGRADE FROM 386-BASED APS PLAT-FROM (L8.1 SOFTWARE RELEASE) TO 486-BASED APS PLATFORM (L9.2 SOFTWARE RELEASE). RTU IS CHARGED ONE PER APS CHANNEL (8-CHANNELS PER APS UNIT). THIS RTU IS CHARGED FOR ONE-STAGE OR TWO-STAGE APS. DO NOT APPLY TO NEW CUSTOMERS: APPLY TO UPGRADES OF AABS SYSTEMS ONLY. APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAH	51 52	DA	EAH								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FOR APS WITH SPANISH PROMPTS AND DIGIT RESPONSE, FEATURE 98-5E-3979. CUSTOMERS PURCHASING THIS FEATURE MUST ALSO PROVIDE SPANISH-LANGUAGE ANNOUNCEMENT TAPES (CREATING A NEW A LIST). RTU FOR CUSTOM ANNOUNCEMENT TAPES WILL ALSO APPLY. APPLY ONE PER APS POSITION (CHANNEL). APPCODES:R,S DA EFF:03/28/00 FE:J5D008AD-3,LEAI	51 52 54	DA	EAI								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE OSPS FEATURE AUTOMATED DIRECTORY ASSISTANCE SYSTEM (ADAS). ORDER ONE PER APS POSITION (CHANNEL). APPCODES:R,S DA EFF:03/28/00 FE/RA:NONE		DA	EAK								
REQUIRED TO PROVIDE THE RIGHT-TO-USE (RTU) LICENSE FEE FOR THE OSPS FEATURE RECORD AND PLAYBACK ORDER ONE PER APS POSITION (CHANNEL). DO NOT ORDER THIS RTU IF LIST EAK HAS BEEN ORDERED. APPCODES:R,S DA EFF:03/28/00 FE/RA:NONE		DA	EAL								
END OF TABLE-A											

J5D008AD-1

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
RT13			
5ESS OSPS SWITCHING SYSTEMS 5ESS OPERATOR SERVICES POSITION SYSTEM, L10.1 AP CLUSTER PROGRAM SOFTWARE FOR 5E10(1), 5E11(1) AND 5E12(1)			
DWG SIZE C2	ISSUE 9		
LUCENT TECHNOLOGIES INC		J5D008AD-1	
		SHEET OF	A4 6

TABLE AC

AP RELEASE	5E7	SWITCH 5E8(1) (NO NSD FEATS.)	GENERIC 5E8(1) (WITH NSD FEATS.)	SWITCH 5E9(1) (NO NSD FEATS.)	GENERIC 5E9(1) (WITH NSD FEATS.)	SWITCH 5E9(2) (NO NSD FEATS.)	GENERIC 5E9(2) (WITH NSD FEATS.)
NJB (A1,B1,B2,B3, B4,B5,C1,D1)	Y	Y	N	Y	N	N	N
A_8.1 (SITE: ONE OF (A1...A10),B6, B7,B8,B9,B10, C2,D2; FACTORY: H1,H2, L1, ONE OF (A1...A10),B7, B8,B10,C2)	Y	Y	N	Y	N	N	N
VRCP 8.1 (SITE: P2,R7,R8 R9,R10,R11,R12, S2; FACTORY: V1,V2, L1,P2,R8,R9, R10,R12)	N/A	Y	Y	Y	N	N/A	N/A
VRCP 8.2 (SITE: R13,R14, R15; FACTORY: NOT LOADED)	N/A	Y	Y	Y	N	N/A	N/A
VRCP 9.1.1 (SITE: R16,R17, R20,R21,S3; FACTORY: K1,V3, V4,R17,R21)	N/A	N/A	N/A	Y	Y	Y	N
N9.2 (SITE: R22,R23, R24,R25,R26;S4 FACTORY: V5,V6, V7,K1,R23,R26)	N/A	N/A	N/A	N/A	N/A	Y	Y

COPYRIGHT © 2000 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

RT13

5ESS OSPS SWITCHING SYSTEMS
5ESS OPERATOR SERVICES POSITION
SYSTEM, L10.1 AP CLUSTER PROGRAM
SOFTWARE FOR
5E10(1), 5E11(1) AND 5E12(1)

DWG SIZE
C2

ISSUE
9

J5D008AD-1

LUCENT TECHNOLOGIES INC J5D008AD-1

SHEET D2
OF 6

PRINTED IN U.S.A.