



TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ONE BLANK MAGNETIC TAPE (FULL REEL) 9 TRACK, 6250 BPI. DA EFF:02/23/00 FE:J5D008S-3,L1		DA	1								
ONE BLANK MAGNETIC TAPE (MINI REEL) 9 TRACK, 6250 BPI. DA EFF:02/23/00 FE:J5D008S-3,L2		DA	2								
FOUR DOUBLE-SIDED, DOUBLE DENSITY, 96 TRACK PER INCH, 5 1/4 INCH DISKETTES. DA EFF:02/23/00 FE:J5D008S-3,L3		DA	3								
ONE DOUBLE-SIDED, HIGH DENSITY, 135 TRACK PER INCH, 3 1/2 INCH DISKETTES. DA EFF:02/23/00 FE:J5D008S-3,L4		DA	4								
THREE BLANK MAGNETIC TAPES REQUIRED WHEN RETROFITTING THE 5E11 GENERIC (SEE TABLE AB) (6250 BPI). DA EFF:02/23/00 FE:J5D008S-3,L5		DA	5								
ONE DOUBLE-SIDED, DOUBLE DENSITY, 96 TRACK PER INCH, 5 1/4 INCH DISKETTES. DA EFF:02/23/00 FE:J5D008S-3,L6		DA	6								
ONE (1) BLANK 4MM DIGITAL AUDIO TAPE (DAT) CARTRIDGE. DA EFF:02/23/00 FE:J5D008S-3,L7		DA	7								
TWO BLANK MAGNETIC TAPES (FULL REEL) 9 TRACK, 6250 BPI. DA EFF:02/23/00 FE:J5D008S-3,L8		DA	8								
ONE (1) BLANK 4MM DIGITAL AUDIO TAPE (DAT) CARTRIDGE. DA EFF:02/23/00 FE:J5D008S-3,L9		DA	9								
TWO (2) BLANK 4MM DIGITAL AUDIO TAPE (DAT) CARTRIDGE. DA EFF:02/23/00 FE:J5D008S-3,L10		DA	10								
THREE (3) BLANK 4MM DIGITAL AUDIO TAPE (DAT) CARTRIDGE. DA EFF:02/23/00 FE:J5D008S-3,L11		DA	11								
ONE BLANK MAGNETIC TAPE (MINI REEL) 9 TRACK, 6250 BPI. DA EFF:02/23/00 FE:J5D008S-3,LA		DA	A								
TWO BLANK MAGNETIC TAPES (FULL REEL) 9 TRACK, 6250 BPI. DA EFF:02/23/00 FE:J5D008S-3,LB		DA	B								
REQUIRED IN ADDITION TO LIST 2 FOR THE 5E11 GENERIC (TOP) TAPE OPERATING PROGRAM. DA EFF:02/23/00 FE:J5D008S-3,LM1	53 55 61	DA	M1	1	TP-5D008S-01 (ZZ.ZZ) VOL.1						
REQUIRED IN ADDITION TO LIST 8 FOR THE TEXT DATA FOR ADMINISTRATION MODULE (AM) GENERIC PROGRAM. (REQUIRED ONCE PER INITIAL OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LM2	53 55 58 61	DA	M2	1	TP-5D008S-02 (ZZ.ZZ) VOL.1						
				1	TP-5D008S-02 (ZZ.ZZ) VOL.2						

TABLE-A CONTINUED

J5D008S-1

ENGINEERING NOTES

\*\*\*\*\* CONTINUED \*\*\*\*\*

4TH QTR/97 ADDITIONS AND MAINTENANCE  
4TH QTR/98 LIMITED AVAILABILITY  
4TH QTR/99 DISCONTINUED AVAILABILITY

78. WHEN ORDERING THE SUN SPARC CLASSIC, VERIFY THE OPERATING SYSTEM SUPPLIED IS SOLARIS 2.3. THE OPERATING SYSTEM SOFTWARE IS BUNDLED WITH THE HARDWARE. IF THE OAP-2 IS TO INTERFACE TO AN EXTERNAL OPERATOR TROUBLE REPORT ANALYSIS SYSTEM (EOAS) (SUCH AS NOTIS), THE X.25 SOFTWARE MUST ALSO BE ORDERED FROM SUN. ORDER PART NUMBER X25-P, "SUN LINK X.25 8.0".

79. THE ENGINEER MUST CONFIGURE THE SWITCH AS PART OF THE AUTOPLEX 1000. REFER TO APPLICABLE NWSBU ENGINEERING RULES.

80. SOFTWARE REQUIRED FOR "CDX" AND "VCDX" FOR RELEASE 5E11 ARE TO BE ORDERED ON J5D052D-1.

ENGINEERING NOTES

\*\*\*\*\* CONTINUED \*\*\*\*\*

S 1 L-MA  
J5D008S-1 L-1  
E/W  
L-MB  
S 13 J5D008EZ-1 L-MAGR  
S 13 J5D008EZ-1 L-MDER

66. THIS RTU FEATURE PACKAGE IS APPLICABLE ONLY TO LUCENT TECHNOLOGIES - NSD OFFICES.

67. BEGINNING IN 5E9(2), "PER GROWTH SWITCH" RTU FEE MUST BE ORDERED WHEN THE FIRST SM2000 IS ADDED TO AN UPGRADED SWITCH THAT HAD PREVIOUSLY LICENSED THIS FEATURE ON EXISTING CLASSIC SM(S). IF CLASSIC SM(S) ARE ADDED RATHER THAN SM2000, EITHER THE "PER GROWTH SWITCH" FEE OR THE "PER SM" FEE MAY BE ORDERED. THE "PER GROWTH SWITCH" FEE IS A ONE-TIME PER SWITCH FEE THAT COMPLETES PAYMENT OF RTU FEES FOR THIS FEATURE ON A SWITCH (E.G., NO FURTHER RTU FEES ARE APPLICABLE UPON FUTURE GROWTH TO THAT SWITCH).

68. OPTIONAL FEATURE. IF FEATURE IS ORDERED, IT IS REQUIRED ONCE PER OFFICE.

69. RTU LISTS SHALL BE ORDERED AS MAIN ITEMS IN THE 'B' SECTION OF THE JOB SPEC FOR RETROFIT ORDERS.

EXAMPLE:

S 1 J5D008S-1 L-1  
E/W  
1 L-M2  
S 1 J5D008S-1 L-2  
E/W  
1 L-M1  
S 21 J5D008EZ-1 L-NAES  
S 21 J5D008EZ-1 L-MAGS  
S 1 J5D008S-1 L-1  
E/W  
1 L-M3  
S 1 J5D008S-1 L-1  
E/W  
1 L-MB  
S 1 J5D008S-1 L-1  
E/W  
1 L-MC

70. VTOC TAPES WERE ORIGINALLY ORDERED AS A SEPARATE ENTITY. THEY NOW HAVE BEEN INTEGRATED INTO THE 'AM ODD' TAPE.

71. A. MZE( ) IS REQUIRED FOR THE OPERATING SYSTEM PORTION (INITIAL ORDER OR SM GROWTH) AND LIST MZF( ) FOR THE APPLICATIONS SYSTEMS PORTION (INITIAL ORDER, SM GROWTH).  
B. WHEN RETROFITTING MZF(R) AND MZH(R) TO THE NEXT HIGHER LEVEL SOFTWARE RELEASE, LIST MJZ OR MZK(S) WHICH APPLIES ONCE PER SWITCH IS TO BE ORDERED.

72. THIS IS A SECURED FEATURE.

73. AN X.25 PACKAGE IS REQUIRED FOR EACH FMC/OSC THAT IS EQUIPPED WITH AN INTELLIGENT SERIAL CONTROLLER (ISC) FEATURE CARD IN THE OAP; USUALLY THE ISC BOARD (REQUIRED ONLY IF A LINK TO AN EXTERNAL OPERATOR TROUBLE SYSTEM (E.G., NOTIS)) IS EQUIPPED IN THE FMC; HOWEVER, IT CAN BE PRESENT IN EITHER THE FMC OR OSC. THE LUCENT TECHNOLOGIES X.25 NETWORK INTERFACE PACKAGE IS ORDERED FROM THE ED5D522-33 DRAWING.

74. SEE J5D008AB-1 FOR "COMBINED SERVICE TERMINAL" (CST) ORDERING INFORMATION.

75. SEE J5D008AC-1 FOR "AUTOMATIC POSITION SYSTEM" (APS) ORDERING INFORMATION.

76. LIST M11, M14 AND M15 REQUIRED A SPECIAL SOFTWARE SCHEDULE TWO WEEKS PRIOR TO RETROFIT. THIS INTERVAL REQUIRED ONLY FOR RETROFIT ORDERS.

77. EFFECTIVE NOVEMBER, 1996, THE 5ESS SWITCH SOFTWARE SUPPORT PLAN PRODUCT RATINGS FOR THE 5E11 SOFTWARE RELEASE ARE AS FOLLOWS:

RELEASE	PROPOSED DATES	SOFTWARE PRODUCT RATING
5E11	11/96	STANDARD

----- CONTINUED TO THE LEFT -----

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
5ESS SWITCH, 5ESS WIRELESS  
FOR U.S. APPLICATIONS FOR SOFTWARE  
RELEASE 5E11

DWG SIZE C2  
ISSUE 12

LUCENT TECHNOLOGIES INC J5D008S-1

SHEET A2  
OF 7

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 8 FOR THE TEXT DATA FOR (SM) SWITCHING MODULE GENERIC PROGRAM. (REQUIRED ONCE PER OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LM3	53 55 58 61	DA	M3	1	TP-5D008S-03 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST 7, DAT TAPE FOR THE 5E11 GENERIC (TOP) TAPE OPERATING PROGRAM. DA EFF:02/23/00 FE:J5D008S-3,LM4	53 55	DA	M4	1	TP-5D008S-04 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST 7, DAT TAPE FOR THE TEXT DATA FOR ADMINISTRATION MODULE (AM) GENERIC 5E11 PROGRAM. (REQUIRED ONCE PER OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LM5	53 55	DA	M5	1	TP-5D008S-05 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST 7, DAT TAPE FOR THE TEXT DATA FOR SWITCHING MODULE (SM) GENERIC 5E11 PROGRAM. (REQUIRED ONCE PER OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LM6	53 55	DA	M6	1	TP-5D008S-06 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST 3 FOR THE (OSPSAP) OSPS ADMINISTRATIVE PROCESSOR SOFTWARE. DA EFF:02/23/00 FE:J5D008S-3,LM11	53 73 76	DA	M11	1	TP-5D008S-11 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST A FOR THE AMA BILLING TEST DATA MEMORY. DA EFF:02/23/00 FE:J5D008S-3,LM12	53 68	DA	M12	1	TP-5D008S-12 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST 9, DAT TAPE FOR THE AMA BILLING TEST DATA MEMORY. DA EFF:02/23/00 FE:J5D008S-3,LM13	53 68	DA	M13	1	TP-5D008S-13 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST 9, DAT TAPE FOR THE (OSPS OAP-2/OAP-3) OSPS ADMINISTRATIVE PROCESSOR-2/ADMINISTRATIVE PROCESSOR-3 SOFTWARE. DA EFF:02/23/00 FE:J5D008S-3,LM14	53 73 76 78	DA	M14	1	TP-5D008S-14 (ZZ.ZZ) VOL.1							
REQUIRED IN ADDITION TO LIST 9, DAT TAPE FOR THE (OSPS OAP-3) OSPS ADMINISTRATION PROCESSOR-3 SOFTWARE FOR AT&T CUSTOMERS ONLY.			M15	1	TP-5D008S-15 (ZZ.ZZ) VOL. 1							
REQUIRED IN ADDITION TO LIST 1 FOR THE OFFICE DEPENDENT DATA (ODD) SLATTS. (INITIAL OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LMA	53 54 55	DA	MA	1	TP-ODD-XXXX-YY-ZZ (SLATTS)							
REQUIRED IN ADDITION TO LIST 1 FOR THE OFFICE DEPENDENT DATA (ODD) FULLS. (INITIAL OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LMB	53 54 55	DA	MB	1	TP-ODD-XXXX-YY-ZZ (FULLS)							
REQUIRED IN ADDITION TO LIST B TO PROVIDE "AM ODD", "EVOLVED ECD", "SM ODD" AND "VTOC" FOR RETROFIT TO GENERIC 5E11. PROVIDES 63/66 TAPE. (2 COPIES REQUIRED). DA EFF:02/23/00 FE:J5D008S-3,LMC	53 54 55 70	DA	MC	2	TP-ECD-XXXX-YY-ZZ (EVOLVED ECD)							

TABLE-A CONTINUED

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
REQUIRED IN ADDITION TO LIST 7, DAT TAPE FOR THE OFFICE DEPENDENT DATA (ODD) SLATTS. (INITIAL OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LMD	53 54 55	DA	MD	1	TP-DOD-XXXX-YY-ZZ (SLATTS)							
REQUIRED IN ADDITION TO LIST 7, DAT TAPE FOR THE OFFICE DEPENDENT DATA (ODD) FULLS. (INITIAL OFFICE). DA EFF:02/23/00 FE:J5D008S-3,LME	53 54 55	DA	ME	1	TP-DOD-XXXX-YY-ZZ (FULLS)							
REQUIRED IN ADDITION TO LIST 10, DAT TAPE TO PROVIDE "AM ODD", "EVOLVED ECD", "SM ODD" AND "VTOC" FOR RETROFIT TO GENERIC 5E11. (2 COPIES REQUIRED). DA EFF:02/23/00 FE:J5D008S-3,LMF	53 54 55 70	DA	MF	1	TP-CED-XXXX-YY-ZZ (EVOLVED ECD)							
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LMZE APPCODES:R,S		DA	MZE									
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LMZF APPCODES:R,S		DA	MZF									
SEE MISCELLANEOUS TABLE AA. DA EFF:10/23/97 FE:J5D008EZ-1,LMZG APPCODES:R		DA	MZG									
SEE MISCELLANEOUS TABLE AA. DA EFF:10/23/97 FE:J5D008EZ-1,LMZH APPCODES:R		DA	MZH									
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LMZK APPCODES:R,S		DA	MZK									
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LNSB APPCODES:R,S		DA	NSB									
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LNSC APPCODES:R,S		DA	NSC									
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LNSD APPCODES:R,S		DA	NSD									
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LNSE APPCODES:R,S		DA	NSE									

TABLE-A CONTINUED

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
5ESS SWITCH, 5ESS WIRELESS  
FOR U.S. APPLICATIONS FOR SOFTWARE  
RELEASE 5E11

DWG SIZE  
C2

ISSUE  
12

J5D008S-1

LUCENT TECHNOLOGIES INC J5D008S-1

SHEET A3  
OF 7

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LNSF APPCODES:R,S		DA	NSF								
SEE MISCELLANEOUS TABLE AA. DA EFF:02/23/00 FE:J5D008S-3,LNSG APPCODES:R,S		DA	NSG								
END OF TABLE-A											

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
5ESS SWITCH, 5ESS WIRELESS  
FOR U.S. APPLICATIONS FOR SOFTWARE  
RELEASE 5E11

DWG SIZE C2 ISSUE 12

J5D008S-1

LUCENT TECHNOLOGIES INC J5D008S-1

SHEET A4 OF 7

PRINTED IN U.S.A.

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1000	1	1	405526922		TAPE, MAGNETIC 9 TRACK FULL REEL 6250 BPI			1 4	
1010	2	1	405654021		TAPE, MAGNETIC 9 TRACK MINI REEL 6250 BPI			2 4	
1020	3	4	404056350		DISKETTE 5-1/4 IN. DOUBLE SIDED DENSITY SOFT SECTOR 96 TPI BETTER BUSINESS			3 5	
1030	4	1	405915786		DISK, FLOPPY #3231020F 3-1/2 IN MICRO 2MB			5 6	
1040	5	3	405526922		TAPE, MAGNETIC 9 TRACK FULL REEL 6250 BPI			1 5	
1050	6	1	404056350		DISKETTE 5-1/4 IN. DOUBLE SIDED DENSITY SOFT SECTOR 96 TPI BETTER BUSINESS			3 5	
1055	7	1	407131747		TAPE, MAGNETIC #84-9801-9344-9 (4 MM) 3M CO.			4 7	
1058	8	2	405526922		TAPE, MAGNETIC 9 TRACK FULL REEL 6250 BPI			1 4	
1059	9	1	407131747		TAPE, MAGNETIC #84-9801-9344-9 (4 MM) 3M CO.			5 7	
1070	10	2	407131747		TAPE, MAGNETIC #84-9801-9344-9 (4 MM) 3M CO.			4 7	
1075	11	3	407131747		TAPE, MAGNETIC #84-9801-9344-9 (4 MM) 3M CO.			5 7	
1080	A	1	405654021		TAPE, MAGNETIC 9 TRACK MINI REEL 6250 BPI			2 5	
1090	B	2	405526922		TAPE, MAGNETIC 9 TRACK FULL REEL 6250 BPI			1 4	

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

S H O P T	I N S T	MANUFACTURING NOTES	
		SYM	NBR
X			1. MAGNETIC TAPES ARE 9 TRACK, FULL REEL, WITH AN INFORMATION DENSITY OF 6250 BITS PER INCH WITH A PHYSICAL FORMAT CONFORMING WITH THE U.S.A. STANDARDS INSTITUTE (USASI) SPECIFICATION X3.22-1967.
X			2. MAGNETIC TAPES ARE 9 TRACK, MINI REEL, WITH AN INFORMATION DENSITY OF 6250 BITS PER INCH WITH A PHYSICAL FORMAT CONFORMING WITH THE U.S.A. STANDARDS INSTITUTE (USASI) SPECIFICATION X3.22-1967.
X			3. DISKETTES ARE DOUBLE SIDED, DOUBLE DENSITY 96 TRACK PER INCH, 5 1/4 INCH DISKETTES.
X	X		4. SPECIFY "NWQ" FOR ITEMS TO BE SOURCED AT THE NETWORK SOFTWARE CENTER.
X	X		5. SPECIFY "WNT" FOR ITEMS TO BE SOURCED AT THE WESTWOOD SOFTWARE REPLICATION CENTER.
X			6. DISKETTES ARE DOUBLE SIDED, HIGH DENSITY 135 TRACK PER INCH, 3-1/2 INCH DISKETTES.
X	X		7. CARTRIDGE - MAGNETIC, DAT (4MM X 90M).

TABLE AA

TABLE AA RIGHT-TO-USE (RTU) FEATURES									
LIST	FEATURE DESCRIPTION	NOTE	RAT-ING	MARKET-ABLE ITEMS	STARS CODE	SCURD Y(YES)	FEAT ID	PREREQ REQ RTU	APPL RTU PER
2,M1	TAPE OPERATING PROGRAM (5E11) (TOP)		DA		T11				
8,M2	TEXT DATA FOR ADMINISTRATION MODULE (5E11) - (AM)		DA		G11				
8,M3	TEXT DATA FOR SWITCHING MODULE (5E11) - (SM)		DA		G11				
7,M4	DAT TAPE OPERATING PROGRAM (5E11) - (TOP)		DA		TC11				

\*\*\* CONTINUED \*\*\*

J5D008S-1

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
RT13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR 5ESS SWITCH, 5ESS WIRELESS FOR U.S. APPLICATIONS FOR SOFTWARE RELEASE 5E11	
DWG SIZE C2	ISSUE 12
LUCENT TECHNOLOGIES INC	J5D008S-1
SHEET OF	D1 7

\*\* CONTINUED \*\*  
TABLE AA

TABLE AA RIGHT-TO-USE (RTU) FEATURES									
LIST	FEATURE DESCRIPTION	NOTE	RAT- ING	MARKET- ABLE ITEMS	STARS CODE	SCURD Y(YES)	FEAT ID	PREREQ REQ RTU	APPL RTU PER
7,M5	DAT TAPE DATA FOR ADMINISTRATION MODULE (5E11) - (AM)		DA		GC11				
7,M6	DAT TAPE DATA FOR SWITCHING MODULE (5E11) - (SM)		DA		GC11				
3,M11	OSPS ADMINISTRATIVE PROCESSOR (OSPSAP)		DA		OS11				
A,M12	AMA BILLING TEST DATA		DA		AB11				
9,M13	DAT TAPE FOR AMA BILLING TEST DATA		DA		AC11				
9,M14	DAT TAPE FOR OSPS ADMINISTRATIVE PROCESSOR -2 (OSPS OAP-2)		DA		SO11				
1,MA	OFFICE DEPENDENT DATA (ODD) - (SLATTS)	53,54,55	DA		OD00 TO 14				
1,MB	OFFICE DEPENDENT DATA (ODD) - FULLS	53,54,55	DA		OD00 TO 14				
B,MC	RETROFIT TO 5E11	53,54,55,70	DA		EC00 TO 14				
7,MD	DAT TAPE FOR OFFICE DEPENDENT DATA (ODD) - SLATTS	53,54,55	DA		DO00 TO 14				
7,ME	DAT TAPE FOR OFFICE DEPENDENT DATA (ODD) - FULLS	53,54,55	DA		DO00 TO 14				
10,MF	DAT TAPE FOR RETROFIT TO 5E11	53,54,55,70	DA		CE00 TO 14				
MZE	OPERATING SYSTEM PORTION OF THE BASE GENERIC SFTW 5E11. THIS LIST IS REQ'D ON ONLY THE FIRST 10 SM'S/Slice OF EVERY SWITCH	56,71,77	DA	MBAS11CR	5E11			MZF	SM/SLICE (MAX 10 PER SW)
MZF	BASE APPLICATION SYSTEM PORTION OF THE BASE GENERIC SOFTWARE 5E11. THIS LIST IS REQ'D ON ONLY THE FIRST 10 SM'S/Slice OF EVERY SWITCH.	56,71,77	DA	MBAS11RT	5E11			MZE	SM/SLICE (MAX 10 PER SW)
MZG	OPERATING SYSTEM PORTION OF THE CUSTOMER PREMISES SOFTWARE THIS LIST IS REQ'D ON ONLY THE FIRST 10 SM'S/Slice OF EVERY SWITCH USED AS CUSTOMER PREMISE EQPT	56	DA	MCPE7CRT	5E11			MZF	SM/SLICE (MAX 10 PER SW)
MZH	BASE APPLICATION PORTION OF THE CUSTOMER PREMISES SOFTWARE THIS LIST IS REQ'D ON ONLY THE FIRST 10 SM'S/Slice OF EVERY SWITCH USED AS CUSTOMER PREMISE EQPT	56,71	DA	MCPE7RTU	5E11			MZG	SM/SLICE (MAX 10 PER SW)
MZK	PLATFORM UPGRADE PACKAGE FROM 5E10 TO 5E11 RETROFIT	56	DA	CPUP11	PUP3			--	SW
NSB	MARCH SYSTEM FOR 5E11 (INITIAL ORDERS ONLY)		DA	MMARCH11	MS11			--	SW

\*\*\* CONTINUED \*\*\*

\*\* CONTINUED \*\*  
TABLE AA

TABLE AA RIGHT-TO-USE (RTU) FEATURES									
LIST	FEATURE DESCRIPTION	NOTE	RAT- ING	MARKET- ABLE ITEMS	STARS CODE	SCURD Y(YES)	FEAT ID	PREREQ REQ RTU	APPL RTU PER
NSC	MARCH SYSTEM UPDATE FOR 5E11 (RETROFIT ORDERS ONLY)		DA	MMARCH11U	MU11			--	SW
NSD	CCRS SYSTEM FOR 5E11 (INITIAL ORDERS ONLY)		DA	MCCRS11	CS11			--	SW
NSE	CCRS SYSTEM UPDATE FOR 5E11 (RETROFIT ORDERS ONLY)		DA	MCCRS11U	CU11			--	SW
NSF	NMA SWITCH SYSTEM FOR 5E11 (INITIAL ORDERS ONLY)		DA	MNMASW11	NM11			--	SW
NSG	NMA SWITCH SYSTEM UPDATE FOR 5E11 (RETROFIT ORDERS ONLY)		DA	MNMASW11U	NU11			--	SW

TABLE AB

TABLE AB		
BLANK TAPES REQUIRED WHEN RETROFITTING TO 5E11		
NO. OF SM'S	*QTY L-5/11	NUMBER OF 'TOTAL TAPES' BLANK MAGNETIC TAPES REQUIRED
1-15	1	3
16-35	2	6
36-55	3	9
56-75	4	12
76-95	5	15
96-115	6	18
116-135	7	21
136-155	8	24
156-175	9	27
176-192	10	30

\* LIST 5 - 9-TRACK TAPES  
LIST 11 - DAT TAPES

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
5ESS SWITCH, 5ESS WIRELESS  
FOR U.S. APPLICATIONS FOR SOFTWARE  
RELEASE 5E11

DWG SIZE  
C2

ISSUE  
12

J5D008S-1

LUCENT TECHNOLOGIES INC J5D008S-1

SHEET D2  
OF 7

PRINTED IN U.S.A.

TABLE AC

.  
.

HOW ARE WE DOING?

DOCUMENT TITLE: 5ESS SWITCH

DOCUMENT NUMBER: J5D008S-1

AT&T WELCOMES YOUR FEEDBACK ON THIS DOCUMENT. YOUR COMMENTS CAN BE OF GREAT VALUE IN HELPING US IMPROVE OUR DOCUMENTATION.

1. PLEASE RATE THE EFFECTIVENESS OF THIS DOCUMENT IN THE FOLLOWING AREAS:

	EXCELLENT	GOOD	FAIR	POOR
EASE OF USE				
CLARITY				
COMPLETENESS				
ACCURACY				
ORGANIZATION				
APPEARANCE				
OVERALL SATISFACTION				

2. PLEASE CHECK THE WAYS YOU FEEL WE COULD IMPROVE THIS DOCUMENT:

- IMPROVE THE TABLE OF CONTENTS
- ADD MORE DETAILS
- MAKE IT MORE CONCISE/BRIEF
- ADD MORE STEP-BY-STEP PROCEDURES
- MAKE IT LESS TECHNICAL
- ADD MORE/BETTER QUICK REFERENCE AIDS

PLEASE PROVIDE DETAILS FOR THE SUGGESTED IMPROVEMENT:-----

-----

3. WHAT DID YOU LIKE MOST ABOUT THIS DOCUMENT? -----

-----

4. FEEL FREE TO WRITE ANY COMMENTS BELOW OR ON AN ATTACHED SHEET: -----

-----

IF WE MAY CONTACT YOU CONCERNING YOUR COMMENTS, PLEASE COMPLETE THE FOLLOWING:

NAME: ----- TELEPHONE NUMBER: (-----)-----

COMPANY/ORGANIZATION:----- DATE:-----

ADDRESS:-----

WHEN YOU HAVE COMPLETED THIS FORM, PLEASE FOLD, TAPE, AND RETURN TO ADDRESS ON BACK OR FAX TO: R.R. HOBAN (630) 224-4585.

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

RT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
5ESS SWITCH, 5ESS WIRELESS  
FOR U.S. APPLICATIONS FOR SOFTWARE  
RELEASE 5E11

DWG SIZE C2 ISSUE 12

J5D008S-1

LUCENT TECHNOLOGIES INC J5D008S-1

SHEET D3 OF 7

PRINTED IN U.S.A.