

ISSUE NOTES (CONTINUED)				
TABLE A LIST 6A RERATED DA, LIST 6B ADDED. STOCKLIST ITEM 1642 ADDED, NOTE 13 MODIFIED. CHGTAG EFG6309. NOTE 61 ADDED, LIST 3B REFERENCE NEW NOTE. CHGTAG 17PT1. STOCKLIST ITEMS 1061 THRU 1063 MODIFIED.				
ORIG ISS: 03/31/88		CHANGE CLASS: AU		
DRAFT: MLG	ENGR: MLG	SUPV: PK	CERTIFIED: 04/13/94	ISSUE: 18
ENGINEERING NOTE 61 MODIFIED. REFERENCE TO THIS NOTE FROM TBL A LIST 3B REMOVED. LIST 6B REFERENCE ADDED TO SL ITEM 1650. TBL JJ CHANGED TO COMCODE NOS. INCLUDED IN SL.				
ORIG ISS: 03/31/88		NDD NBR: NDD5D024NW-1		
CHANGE CLASS: M				
DRAFT: MLG	ENGR: MLG	SUPV: PK	CERTIFIED: 05/06/94	ISSUE: 19
H7242. ADDED ENGR NOTE 62. H7275. ADDED ENGR NOTES 151-155. TBL A ADDED LISTS 500-519, B1, B2, B3, F1, F2, F3, G1 AND G2. SL ITEMS 5000-5270 ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: B		
DRAFT: MLG	ENGR: MLG	SUPV: PK	CERTIFIED: 08/11/94	ISSUE: 20
ADDED CLEI TO SL ITEMS 1601 AND 5140.				
ORIG ISS: 03/31/88		CHANGE CLASS: AC		
DRAFT: MLG	ENGR: MLG	SUPV: PK	CERTIFIED: 12/20/94	ISSUE: 21
H7265. TBL A LISTS 8 AND 520 ADDED. ENGR NOTE 152 MODIFIED. SL ITEMS 1660, 1670 AND 5280 ADDED. TBL A LIST 1 MODIFIED, ENG NOTE 62 MODIFIED. H7334. TBL A LIST J MODIFIED, 'MOUNTED IN 5ESS CLASSIC CABINET' ADDED. TBL A LIST K ADDED. LIST K ADDED TO SL ITEM 1520. SL ITEMS 1570 THRU 1585 ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: B		
DRAFT: MLG	ENGR: MLG	SUPV: PK	CERTIFIED: 01/06/95	ISSUE: 22
H7429. TABLES D1, D2, D4 THROUGH D8 AND D10 ADDED.				
ORIG ISS: 03/31/88		NDD NBR: NDD5D024NW-3		
CHANGE CLASS: M				
DRAFT: MLG	ENGR: MLG	SUPV: PK	CERTIFIED: 01/27/95	ISSUE: 23
SL ITEMS 1020,1360,1510 LINED OUT. SL ITEMS 1021,1022 REMOVE LINE OUT.				
ORIG ISS: 03/31/88		CHANGE CLASS: MF		
DRAFT: JRK	ENGR: JRK	SUPV:	CERTIFIED: 06/01/95	ISSUE: 24

ISSUE NOTES (CONTINUED)				
PORTION OF NOTE 16 LINED OUT PER OC PT ISS 10.1. CHG H6828=LIST H & J ADDED. LIST H PREVIOUSLY PART OF LIST 1. NOTE 60 ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: B		
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 09/25/92	ISSUE: 11
CHG TAG H6975=LISTS 4 & 5 ADDED.NOTE 13 REVISED. CHG TAG PT12=SL ITEMS 1067 & 1077 ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: B		
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 04/30/93	ISSUE: 12
CHG TAG H7001=LIST 6 ADDED, NOTE 13 REVISED.				
ORIG ISS: 03/31/88		CHANGE CLASS: B		
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 05/12/93	ISSUE: 13
CHG TAG CN34547NW=IN TABLE A LISTS 4 AND 5 RATED "DA". ADDED LISTS 4A AND 5A. IN ST ADDED ITEMS 1601 AND 1621.				
ORIG ISS: 03/31/88		CHANGE CLASS: AU		
DRAFT: PKK	ENGR: PKK	SUPV:	CERTIFIED: 08/27/93	ISSUE: 14
CHG TAG=34556=IN TABLE A LIST 6 DA'ED AND ADDED LIST 6A. IN ST ADDED ITEM 1641.				
ORIG ISS: 03/31/88		CHANGE CLASS: AU		
DRAFT: PKK	ENGR: PKK	SUPV:	CERTIFIED: 08/27/93	ISSUE: 15
CHG TAG=PT16=ADDED LIST INFORMATION TO ST ITEMS 1610,1630 AND 1650.				
ORIG ISS: 03/31/88		CHANGE CLASS: M		
DRAFT: PKK	ENGR: PKK	SUPV:	CERTIFIED: 08/31/93	ISSUE: 16
CHG TAG H7100. ADDED LIST 7 AND STOCKLIST ITEMS 1051,1052, AND 1053.				
ORIG ISS: 03/31/88		NDD NBR: NDD5D003NW-451		
CHANGE CLASS: B				
DRAFT: MLG	ENGR: PKK	SUPV: PK	CERTIFIED: 02/11/94	ISSUE: 17

ISSUE NOTES				
ORIG ISS: 03/31/88		CHANGE CLASS: B		
DRAFT: RJW	ENGR: RJW	SUPV: JFM	CERTIFIED: 03/31/88	ISSUE: 1
SL ITEMS 1405 & 1510 ADDED. 1410 & 1420 POS CHG'D. 1360 QTY, IDENT,DESCR WAS 6, 840059075,SCREW,PAN HEAD MACHINE, 164-32X7/16 STEEL, 289A FINISH. 1430 IDENT & CODE WAS 103752721,150A. POS 45 ADDED TO NOTE 17. NOTE 15 KEY CODE WAS B-02378 & B-01589. DESCRIPTION OF LIST 1 REVISED TO REFERENCE GENERIC 5ES.				
ORIG ISS: 03/31/88		CHANGE CLASS: M		
DRAFT: DSL	ENGR: JRK	SUPV:	CERTIFIED: 07/21/88	ISSUE: 2
LISTS A,B AND SL ITEMS 1061,1062,1063 ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: A		
DRAFT: RJW	ENGR: RJW	SUPV:	CERTIFIED: 12/27/88	ISSUE: 3
LIST C AND SL ITEMS 1071,1072 ADDED. NOTE 57 CHANGED AND ADDED TO LIST 3 DESCRIPTION.				
ORIG ISS: 03/31/88		CHANGE CLASS: A		
DRAFT: JRK	ENGR: JRK	SUPV:	CERTIFIED: 02/07/89	ISSUE: 4
LIST D AND SL ITEM 1073 ADDED. LIST C RATING WAS STD. SL ITEM 1071 LIST D ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: A		
DRAFT: JRK	ENGR: JRK	SUPV:	CERTIFIED: 05/22/89	ISSUE: 5
LIST E AND SL ITEM 1064 ADDED. LIST B RATING WAS STD. SL ITEM 1061 LIST E ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: A		
DRAFT: JRK	ENGR: JRK	SUPV:	CERTIFIED: 05/24/89	ISSUE: 6
SL ITEM 1021 ADDED. 1020,1360,1510 LINED-OUT. FIG 1 CHANGED ACCORDINGLY.				
ORIG ISS: 03/31/88		CHANGE CLASS: M		
DRAFT: PKK	ENGR: JRK	SUPV:	CERTIFIED: 10/06/89	ISSUE: 7
SL ITEM 1022 ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: M		
DRAFT: PKK	ENGR: JJR	SUPV:	CERTIFIED: 03/16/90	ISSUE: 8
LISTS 3 & D READ STD. LIST 3A ADDED & SL ITEM 1069 ADDED.				
ORIG ISS: 03/31/88		CHANGE CLASS: AU		
DRAFT: PKK	ENGR: JJR	SUPV:	CERTIFIED: 10/23/90	ISSUE: 9
CHG H6778=LISTS 2,3A & E READ STD. LISTS 2A & 3B ADDED. NOTE 13 REVISED. LISTS F & G ADDED FOR RESTRICTED APPLICATIONS.				
ORIG ISS: 03/31/88		CHANGE CLASS: B		
DRAFT: JJR	ENGR: JJR	SUPV:	CERTIFIED: 01/09/92	ISSUE: 10

SHEET INDEX									
SHT NBR	A1 THRU A6								
ISSUE	ISSUE 31								
SHT NBR	D1 THRU D4								
ISSUE	ISSUE 31								
SHT NBR	B1	B2							
ISSUE	26	26							
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A2
TABLE A	A3
B SECTION GRAPHICS	B1
MANUFACTURING NOTES	D1
STOCKLIST	D2
MISCELLANEOUS TABLES	D4

COPYRIGHT @ 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED			
		BT13	
		5ESS SWITCHING EQUIPMENT SPECIFICATION FOR DIGITAL LINE TRUNK UNIT MODEL 2	
DWG SIZE	C2	ISSUE	31
LUCENT TECHNOLOGIES INC		J5D024AA-1	SHEET A1 OF 12

ENGINEERING NOTES

- 52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.
- 53. LINE ENGINEER MUST SPECIFY DLTU IDENTIFICATION, I.E. DLTU2 0, DLTU2 1, ETC., AND FRAME VERTICAL EQL OF EACH SHELF, ON JOB SPECIFICATION.
- 54. LINE ENGINEER SHALL ORDER INTRA FRAME CONNECTORIZED CABLING AND MAKE FUSE ASSIGNMENTS PER ED-5D651-15 NOTE 71 FOR CABINETS.
- 55. DOLLAR SIGNS (\$) IN FRONT OF AND BEHIND WORDS, SENTENCES, PARAGRAPHS AND/OR CHARACTERS INDICATE HORIZONTALLY LINED OUT INFORMATION.
- 56. WHEN TWO T1 FACILITIES SERVE AS CONTROL TIME SLOT (CTS) UMBILICALS BETWEEN A HOST SWITCH MODULE (HSM) AND A PARTICULAR REMOTE SWITCH MODULE (RSM), THEY MUST NOT BOTH BE EQUIPPED ON A SINGLE DFI-2R CIRCUIT PACK.
- 57. WHEN THE DLTU2 UNIT IS INSTALLED IN A REMOTE SWITCH MODULE (RSM) ALL T1 FACILITIES SERVING AS CONTROL TIME SLOT (CTS) UMBILICALS BETWEEN THE HOST SWITCH MODULE (HSM) AND THE RSM MUST BE EQUIPPED ON THE FIRST FOUR (4) CIRCUIT PACK POSITIONS. TWO OR FOUR CTS UMBILICALS MAY BE EQUIPPED PER RSM. IF ONLY TWO CTS UMBILICALS ARE EQUIPPED ON THE DLTU2 UNIT, THEY MUST BE EQUIPPED IN DFI-2R CIRCUIT PACK POSITIONS 1 AND 2, IF FOUR CTS UMBILICALS ARE EQUIPPED ON THE DLTU2 UNIT, THEN THEY MUST BE EQUIPPED IN DFI-2R CIRCUIT PACK POSITIONS 1-4. FACILITY 1 IN CIRCUIT PACK POS 1-4 CAN ONLY BE USED FOR NON-CTS UMBILICALS. CIRCUIT PACKS IN POS 5-10 MAY TERMINATE NON-CTS UMBILICALS OR ICLS; MIXING OF NON-CTS UMBILICALS OR ICLS ON THE SAME DFI2-R IS NOT PERMITTED.
- 58. LINE ENGINEER MUST SPECIFY LOCATIONS OF MC5D223A1 (LIST 2), MC5D223A1B (LIST 2A), MC5D223A2C (LIST 2B OR 2C) OR MC5D224A1 (LIST 3 OR 3A), MC5D224A1B (LIST 3B OR 3C). THE MAXIMUM NUMBER OF DFI PACKS MAY NOT EXCEED THE QUANTITY OF 10.
- 59. THE NUMERIC/ALPH LISTS CREATED ARE FUNCTIONALLY EQUIVALENT TO ITS ASSOCIATED NUMERIC LIST.
- 60. FOR FUSE ASSIGNMENTS SEE ED5D693-10.
- 61. \$BOTH ENDS OF THE HOST/REMOTE COMMUNICATION LINKS MUST BE TERMINATED ON THE SAME TYPE OF DFI PACK (I.E. DFI, DFI2 OR DFI3). THE DFI PACK TYPE USED TO TERMINATE THE HOST/REMOTE COMMUNICATION LINK MUST BE THE SAME AS USED FOR THE CONTROL TIME SLOT HOST/REMOTE COMMUNICATION LINK.  
  
DFI1 PACKS ARE NOT COMPATABLE WITH THIS UNIT.\$
- 62. \$LOCAL CLOCK CABLING REQUIRED FOR THE CENTRALIZED CLOCK INTERFACE (TN4011) IS PROVIDED BY ED5D503-20, G-120.\$
- 63. LOOSE LABELS CAN BE ORDERED THROUGH THE CONTROLLING ED DRAWING ONLY. REFERENCE TABLE A, TABLE D9 AND MANUFACTURING NOTES IN J DRAWING TO DETERMINE APPROPRIATE ED GROUPS.
- 64. ON ALL ORDERS, A HORIZONTAL EQL MUST BE SPECIFIED FOR EACH J LIST WHICH PROVIDES A CIRCUIT PACK EQUIPPED IN A MULTI-PURPOSE CIRCUIT PACK POSITION AND FOR EACH ASSOCIATED D( ) LIST.
- 65. VERTICAL EQL AND UNIT NUMBER MUST BE SPECIFIED WHEN ORDERING NON-X OR CABINET MOUNTED UNITS. THIS INFORMATION IS INCLUDED ON THE DESIGNATION STRIP LABELS.
- 66. EACH DESIGNATION STRIP LABEL HAS TWO COMPONENTS; STAMPING INFORMATION AND LABEL MATERIAL. TABLE D9 PROVIDES REFERENCES TO APPROPRIATE STAMPING INFORMATION ONLY. DESIGNATION STRIP MATERIAL IS PROVIDED IN THE FINAL ASSEMBLY KIT FOR EACH UNIT.
- 67. WHEN MULTIPLE FEATURES ASSOCIATED WITH A GIVEN CIRCUIT PACK ARE BEING SPECIFIED, ONLY ONE D LIST SHOULD BE ORDERED. SPECIFY ONLY THE HIGHEST D LIST NUMBER APPROPRIATE FOR THE DESIRED FEATURE SET.
- 68. MICROCODED CIRCUIT PACK MC5D223A2C (J5D024AA-1, L2B OR 2C) IS DOWNWARD COMPATIBLE WITH MICROCODED CIRCUIT PACK MC5D223A1B (J5D024AA-1, L2A) EXCEPT WHEN USED FOR JAPAN.
- 151. \$THIS LIST IS NOT GENERALLY AVAILABLE, BUT IS INTENDED TO SUPPORT FACTORY OFFLOADS FROM NETWORK SYSTEMS INTERNATIONAL (NSI).\$
- 152. \$A) MAXIMUM OF 10 CIRCUIT PACKS PER SHELF ALLOWED.  
B) TN1415 PROVIDES NETWORK CLOCK TIMING FOR 30 CHANNEL APPLICATIONS.  
C) TN1421 PROVIDES NETWORK CLOCK TIMING FOR CMI 30 CHANNEL APPLICATIONS.  
D) TN4011 PROVIDES 64 KB/S CENTRALIZED CLOCK INTERFACE CONNECTING TO DIGITAL CLOCK SUPPLY FOR TIMING REFERENCE VIA INTERCABINET CABLING. TWO TN4011 ARE REQUIRED PER SHELF AT POSITIONS 022 AND 112.\$  
----- CONTINUED ON NEXT SHEET -----

ISSUE NOTES (CONTINUED)

THIS DRAWING WAS EDITED USING J-MANAGER. THIS DRAWING HAS BEEN UPDATED TO SATISFY POINT ISSUE 30.1. TABLES D1 AND D2 HAVE BEEN ELIMINATED WITH THE USE OF J-MANAGER AND WILL NO LONGER APPEAR ON THIS DRAWING.  
(H09027)

ORIG ISS: 03/31/88

CHANGE CLASS: MF

DRAFT: DSL	ENGR: DSL	SUPV: RMB	CERTIFIED: 06/02/00	ISSUE: 31
------------	-----------	-----------	---------------------	-----------

ISSUE NOTES (CONTINUED)

64509-LIST 8A, 521, SL ITEMS 1661, 5281 ADDED. TABLES D4, D5, D10 CHANGED ACCORDINGLY. LIST 8, 520 RATING WAS STD.

ORIG ISS: 03/31/88

CHANGE CLASS: AU

DRAFT: JRK	ENGR: JRK	SUPV:	CERTIFIED: 04/09/96	ISSUE: 25
------------	-----------	-------	---------------------	-----------

(H8255)TABLE A, LISTS 501,502,507,512,516,519,521,B1 THRU B3 RATED DA. TABLES D4 THRU D8, D10 REMOVED.  
TITLE BOX CHANGED TO REFLECT LUCENT TECHNOLOGIES ON ALL SHEETS.

ORIG ISS: 03/31/88

CHANGE CLASS: ME

DRAFT: DSL	ENGR: DSL	SUPV: RMB	CERTIFIED: 09/26/97	ISSUE: 26
------------	-----------	-----------	---------------------	-----------

(CN84517) IN STOCKLIST ITEMS 1065, 1075, 5070 AND 5120, NEW CLEI CODE ADDED.

ORIG ISS: 03/31/88

CHANGE CLASS: AC

DRAFT: DSL	ENGR: DSL	SUPV: RMB	CERTIFIED: 09/29/98	ISSUE: 27
------------	-----------	-----------	---------------------	-----------

(H8321) IN TABLE A, LISTS 2B AND P ADDED. LIST 2A RATED DA. STOCKLIST ITEMS 1680 AND 1690 ADDED. IN MANUFACTURING NOTE 13, MC5C223A2C AND LIST 2B ADDED. IN STOCKLIST ITEM 1230, REFERENCE TO LIST 2B ADDED. IN STOCKLIST ITEM 1067, REFERENCE TO LIST P ADDED.

ORIG ISS: 03/31/88

CHANGE CLASS: B

DRAFT: DSL	ENGR: DSL	SUPV: RMB	CERTIFIED: 04/08/99	ISSUE: 28
------------	-----------	-----------	---------------------	-----------

H8454 - IN TABLE A: RERATE LISTS 1,2B,3B,4A,5A,6B,7,F,G,H,J,K,P TO DA. RERATE LISTS 500,F1,F2,F3,G1,G2 TO GA. ADD LISTS 2C,3C, 4B,5B,6C,7A,9,D1,D2,D3,F4,L,M,N. REMOVE "INCLUDES LABELS" AND CHANGE LIST "1" TO "500" IN LIST 8A DESCRIPTION.  
IN ENGINEERING NOTES: ADD NOTES 63,64,65,66,67,499,500. ADD 60 NOTE REFERENCE TO TABLE A LISTS F1,F2,F3. ADD 500 NOTE REFERENCE TO TABLE A LISTS 8A,F1,F2,F3,G1,G2. ADD 63,65,66 NOTE REFERENCE TO TABLE A LIST 500. LINEOUT NOTES 62,151,152,153,154,155 ADD "MC5D223A1B (LIST 2A), MC5C223A2C (LIST 2B OR 2C) AND MC5D224A1B (LIST 3B OR 3C)" TO NOTE 58.  
IN MANUFACTURING NOTES: ADD NOTES 22,23,24,25,26,27,28. ADD LISTS 2C,3C,4B,5B,6C TO NOTE 13.  
IN STOCKLIST: ADD ITEM 1441. ADD LIST 9 TO ITEM 1050. ADD LIST 7A TO ITEMS 1052. ADD LIST 3C TO ITEM 1075. ADD LIST L TO ITEMS 1450,1460,1470,1480. ADD LIST M TO ITEMS 1530,1540, 1550,1560. ADD LIST N TO ITEMS 1570,1575,1580,1585. ADD LIST 4B TO ITEM 1601. ADD LIST 5B TO ITEM 1621. ADD LIST 6C TO ITEM 1642. ADD LIST 2C TO ITEM 1680.  
ADD D9 TABLE.

ORIG ISS: 03/31/88

CHANGE CLASS: B

DRAFT: DSL	ENGR: DSL	SUPV: RMB	CERTIFIED: 06/04/99	ISSUE: 29
------------	-----------	-----------	---------------------	-----------

(H8720) ENGINEERING NOTE 68 ADDED. IN TABLE A LISTS 2C,D1 & D2, REFERENCE TO NOTE 68 ADDED. IN LIST 7A DESCRIPTION "<SEE 4.2 OR LATER>" REMOVED. IN LISTS D1,D2 & D3, REFERENCE TO NOTE 500 REMOVED. IN LIST D2 DESCRIPTION, "MC5D223A2C" READ "TN1611C".

ORIG ISS: 03/31/88

CHANGE CLASS: ME

DRAFT: DSL	ENGR: DSL	SUPV: RMB	CERTIFIED: 08/13/99	ISSUE: 30
------------	-----------	-----------	---------------------	-----------

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE C2	ISSUE 31
----------------	-------------

LUCENT TECHNOLOGIES INC J5D024AA-1

SHEET A2  
OF 12

J5D024AA-1

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ASSEMBLY, WIRING AND EQUIPMENT FOR ONE DIGITAL LINE TRUNK UNIT MODEL 2 ARRANGED FOR ANY COMBINATION OF TRUNK OR REMOTE CIRCUITS UP TO 20. MINIMUM GENERIC 5E5. <5E5 OR LATER> DA EFF:06/11/99 RA:J5D024AA-1,L500 RA:J5D024AA-1,L9 RA:J5D024AA-1,LF1 RA:J5D024AA-1,LF2 RA:J5D024AA-1,LF3 RA:J5D024AA-1,LF4		DA	1	1	SD5D205-01	1					
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 2 T1 FACILITY INTERFACES, DFI2-T (MC5D223A1). MAX 10 LIST 2'S. DA EFF:01/09/92 FE:J5D024AA-1,L2A		DA	2	1	SD5D205-01	3 THRU 12		Z			
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 2 T1 FACILITY INTERFACES, DFI2-T (MC5D223A1B). MAX 10 LIST 2A'S. DA EFF:04/19/99 FE:J5D024AA-1,L2B		DA	2A	1	SD5D205-01	3 THRU 12		Z			
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 2 T1 FACILITY INTERFACES, DFI2-T (MC5D223A2C). MAX 10 LIST 2B'S. REPL:J5D024AA-1 L2A DA EFF:06/11/99 FE:J5D024AA-1,L2C		DA	2B	1	SD5D205-01	3 THRU 12		H			
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE 2 T1 FACILITY INTERFACES, DFI2-T (MC5D223A2C). MAX 10 LIST 2C'S. REPL:J5D024AA-1,L2B	64 68 500		2C	1	SD5D205-01	3 THRU 12		H			
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 2 T1 FACILITY INTERFACES, DFI2-R (MC5D224A1). MAX 10 LIST 3'S. (SEE NOTE 57). DA EFF:01/09/92 FE:J5D024AA-1,L3A		DA	3	1	SD5D205-01	3 THRU 12		Y			
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 2 T1 FACILITY INTERFACES DFI2-R (MC5D224A1). MAX 10 LIST 3A'S. (SEE NOTE 57). DA EFF:01/09/92 FE:J5D024AA-1,L3B		DA	3A	1	SD5D205-01	3 THRU 12		Y			
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 2 T1 FACILITY INTERFACES DFI2-R (MC5D224A1B). MAX 10 LIST 3B'S. (SEE NOTE 57). DA EFF:06/11/99 FE:J5D024AA-1,L3C		DA	3B	1	SD5D205-01	3 THRU 12		Y			
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE 2 T1 FACILITY INTERFACES DFI2-R (MC5D224A1B). MAX 10 LIST 3C'S. REPL:J5D024AA-1,L3B	57 64 500		3C	1	SD5D205-01	3 THRU 12		Y			
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 30 CHANNEL TRUNK FACILITY INTERFACES DFI2-XT (TN1414). MAX 10 LIST 4S. SEE6.1 OR LATER. DA EFF:08/27/93 FE:J5D024AA-1,L4A		DA	4								
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 30 CHANNEL TRUNK FACILITY INTERFACES, DFI2-XT (TN1414 SERIES 3 OR LATER). MAX 10 LIST 4A'S PER DLTU2 UNIT. SEE6 OR LATER. REPL:J5D024AA-1 L4 DA EFF:06/11/99 FE:J5D024AA-1,L4B		DA	4A								

TABLE-A CONTINUED

J5D024AA-1

ENGINEERING NOTES

\*\*\*\*\* CONTINUED \*\*\*\*\*

153. \$SEE6.1 MINIMUM SOFTWARE RELEASE REQUIRED.\$

154. \$A) POWER CABLING SHALL BE ORDERED FROM ED5D693-10.  
B) FUSE ASSIGNMENTS ARE MADE PER ED5D693-10.  
C) T1 FACILITY AND NETWORK CLOCK CABLING SHALL BE ORDERED PER ED5D500-21 FOR HOST SWITCHING MODULES. NETWORK CLOCK CABLING FOR REMOTE SWITCHING MODULES IS ORDERED FROM ED5D651-10.  
D) LOCAL CLOCK CABLING REQUIRED FOR CENTRALIZED CLOCK INTERFACE IS PROVIDED BY ED5D503-30,G120.\$

155. \$FUSE LABELS SHALL BE ORDERED FROM ED5D088-12.\$

499. - REPLACEMENT APPARATUS BLANKS CAN BE ORDERED FROM ED5D868-30, 5ESS SWITCH COMMON USE HARDWARE AND MATERIAL.  
- POWER CABLING SHALL BE ORDERED FROM ED5D693-10.  
- T1 FACILITY AND NETWORK CLOCK CABLING SHALL BE ORDERED FROM ED5D500-21 FOR HOST SWITCHING MODULES. NETWORK CLOCK CABLING FOR REMOTE SWITCHING MODULES SHALL BE ORDERED FROM ED5D651-10.  
- LOCAL CLOCK CABLING FOR CENTRALIZED CLOCK INTERFACE SHALL BE ORDERED FROM ED5D503-20,G120.

500. THIS LIST MAY BE SPECIFIED AS A MAIN OR SUPPLEMENTAL ITEM.

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE C2  
ISSUE 31

LUCENT TECHNOLOGIES INC J5D024AA-1

SHEET A3  
OF 12

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE 30 CHANNEL TRUNK FACILITY INTERFACES, DFI2-XT (TN1414 SERIES 3 OR LATER). MAX 10 LIST 4B'S PER DLTU2 UNIT. 5EE6 OR LATER. REPL:J5D024AA-1,L4A	64 500		4B	1	SD5D205-01	3 THRU 12		R				
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 30 CHANNEL RSM OR SYNCHRONIZATION TRUNK INTERFACES DFI2-X. (TN1415) MAX 10 LIST 5S. 5EE6.1 OR LATER. DA EFF:08/27/93 FE:J5D003FN-1,L5A		DA	5									
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE 30 CHANNEL RSM OR SYNCHRONIZATION TRUNK INTERFACES, DFI2-X (TN1415 SERIES 3 OR LATER). 5EE6 OR LATER. REPL:J5D003FN-1 L5 DA EFF:06/11/99 FE:J5D024AA-1,L5B		DA	5A									
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE 30 CHANNEL RSM OR SYNCHRONIZATION TRUNK INTERFACES, DFI2-X (TN1415 SERIES 3 OR LATER). 5EE6 OR LATER. REPL:J5D003FN-1,L5A	64 500		5B	1	SD5D205-01	3 THRU 12		Q				
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE ONE DIGITAL FACILITY INTERFACE PACK FOR 30 CHANNEL JAPAN CMI. (TN1421) MAX 10 PER DLTU2 UNIT. DA EFF:08/27/93 FE:J5D024AA-1,L6A		DA	6									
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE ONE DIGITAL FACILITY INTERFACE PACK FOR 30 CHANNEL JAPAN CMI. (TN1421) SERIES 3 OR LATER). MAX 10 PER DLTU2 UNIT. 5EE6 OR LATER. REPL:J5D024AA-1 L6 FE:J5D024AA-1,L6B DA EFF:04/13/94		DA	6A									
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE ONE DIGITAL FACILITY INTERFACE PACK FOR 30 CHANNEL JAPAN CMI. (TN1421) 5EE6 OR LATER. REPL:J5D024AA-1 L6A DA EFF:06/11/99 FE:J5D024AA-1,L6C		DA	6B	1	SD5D205-01	3 THRU 12		P				
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE ONE DIGITAL FACILITY INTERFACE PACK FOR 30 CHANNEL JAPAN CMI. (TN1421) 5EE6 OR LATER. REPL:J5D024AA-1,L6B	64 500		6C	1	SD5D205-01	3 THRU 12		P				
APPARATUS REQUIRED IN ADDITION TO LIST 1 WHEN AUTO RESTART FEATURE IS REQUIRED FOR 24 OR 30 CHANNEL APPLICATIONS. PROVIDES AUTO POWER RESTART CIRCUIT PACK (SN730) <5EE4.2 OR LATER> REPL:NONE DA EFF:06/11/99 FE:J5D024AA-1,L7A		DA	7	1	SD5D205-01	2		K				
APPARATUS REQUIRED IN ADDITION TO LIST 500 WHEN AUTO RESTART FEATURE IS REQUIRED FOR 24 OR 30 CHANNEL APPLICATIONS. PROVIDES AUTO POWER RESTART CIRCUIT PACK (SN730) REPL:J5D024AA-1,L7	500		7A	1	SD5D205-01	2		K				

TABLE-A CONTINUED

J5D024AA-1

TABLE A-FEATURES (CONTINUED)												
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT	
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE ONE 64 KB/S CENTRALIZED CLOCK INTERFACE FOR JAPAN NTT ONLY. (TN4011) INCLUDES LABELS. REPL:NONE DA EFF:04/09/96 FE:J5D024AA-1,L8A	62	DA	8	2	SD5D205-01	13	L					
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE ONE 64 KB/S CENTRALIZED CLOCK INTERFACE FOR JAPAN NTT ONLY. (TN4011) REPL:J5D024AA-1,L8	62 500		8A	2	SD5D205-01	13	L					
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE POWER START CIRCUIT PACK SN346B. (PREVIOUSLY PART OF LIST 1) REPL:NONE	500		9	1	SD5D205-01	2		J				
EQUIPMENT FOR DIGITAL LINE AND TRUNK UNIT, MODEL 2. REPL:J5D024AA-1,L1	63 65 66		500	1	SD5D205-01	1						
APPARATUS FOR POWER START. REPL:NONE DA EFF:12/12/97 FE/RA:NONE	151	DA	501	1	SD5D205-01	2		J				
APPARATUS FOR POWER START WITH AUTO POWER RESTART. REPL:NONE DA EFF:12/12/97 FE/RA:NONE	151	DA	502	1	SD5D205-01	2		K				
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL TRUNK APPLICATIONS. (MC5D223A1 (TN1611)) DA EFF:08/11/94 FE:J5D024AA-1,L504		DA	503	1	SD5D205-01	3 THRU 12		Z				
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL TRUNK APPLICATIONS. (MC5D223A1 (TN1611)) REPL:J5D024AA-1,L503 DA EFF:08/11/94 FE:J5D024AA-1,L505		DA	504	1	SD5D205-01	3 THRU 12		Z				
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL TRUNK APPLICATIONS. (MC5D223A1 (TN1611)) REPL:J5D024AA-1,L504 DA EFF:08/11/94 FE:J5D024AA-1,L506		DA	505	1	SD5D205-01	3 THRU 12		Z				
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL TRUNK APPLICATIONS. (MC5D223A1 (TN1611)) REPL:J5D024AA-1,L505 DA EFF:08/11/94 FE:J5D024AA-1,L507		DA	506	1	SD5D205-01	3 THRU 12		Z				

TABLE-A CONTINUED

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J5D024AA-1

SHEET A4 OF 12

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL TRUNK APPLICATIONS. (MC5D223A1B (TN1611B)) REPL:J5D024AA-1,L506 DA EFF:12/12/97 FE/RA:NONE	151	DA	507	1	SD5D205-01	3 THRU 12		T			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL REMOTE APPLICATIONS. (MC5D224A1 (TN1612)) DA EFF:08/11/94 FE:J5D024AA-1,L509		DA	508	1	SD5D205-01	3 THRU 12		Y			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL REMOTE APPLICATIONS. (MC5D224A1 (TN1612)) REPL:J5D024AA-1,L508 DA EFF:08/11/94 FE:J5D024AA-1,L510		DA	509	1	SD5D205-01	3 THRU 12		Y			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL REMOTE APPLICATIONS. (MC5D224A1 (TN1612)) REPL:J5D024AA-1,L509 DA EFF:08/11/94 FE:J5D024AA-1,L511		DA	510	1	SD5D205-01	3 THRU 12		Y			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL REMOTE APPLICATIONS. (MC5D224A1 (TN1612)) REPL:J5D024AA-1,L510 DA EFF:08/11/94 FE:J5D024AA-1,L512		DA	511	1	SD5D205-01	3 THRU 12		Y			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 24 CHANNEL REMOTE APPLICATIONS. (MC5D224A1B (TN1612B)) REPL:J5D024AA-1,L511 DA EFF:12/12/97 FE/RA:NONE	151	DA	512	1	SD5D205-01	3 THRU 12		S			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 30 CHANNEL TRUNK APPLICATIONS. (TN1414) DA EFF:08/11/94 FE:J5D024AA-1,L514		DA	513	1	SD5D205-01	3 THRU 12		R			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 30 CHANNEL TRUNK APPLICATIONS. (TN1414) REPL:J5D024AA-1,L513 DA EFF:12/12/97 FE/RA:NONE	151 152 153	DA	514	1	SD5D205-01	3 THRU 12		R			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 30 CHANNEL APPLICATIONS. (TN1415) DA EFF:08/11/94 FE:J5D024AA-1,L516		DA	515	1	SD5D205-01	3 THRU 12		Q			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 30 CHANNEL APPLICATIONS. (TN1415) REPL:J5D024AA-1,L515 DA EFF:12/12/97 FE/RA:NONE	151 152 153	DA	516	1	SD5D205-01	3 THRU 12		Q			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 30 CHANNEL APPLICATIONS. (TN1421) DA EFF:08/11/94 FE:J5D024AA-1,L518		DA	517	1	SD5D205-01	3 THRU 12		P			
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 30 CHANNEL APPLICATIONS. (TN1421) REPL:J5D024AA-1,L517 DA EFF:08/11/94 FE:J5D024AA-1,L519		DA	518	1	SD5D205-01	3 THRU 12		P			

TABLE-A CONTINUED

J5D024AA-1

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS FOR DIGITAL FACILITY INTERFACE FOR 30 CHANNEL APPLICATIONS. (TN1421) REPL:J5D024AA-1,L518 DA EFF:12/12/97 FE/RA:NONE	151 152 153	DA	519	1	SD5D205-01	3 THRU 12		P			
APPARATUS FOR 64 KB/S CENTRAL- IZED CLOCK INTERFACE FOR JAPAN NTT ONLY. (TN4011) REPL:NONE DA EFF:04/09/96 FE:J5D024AA-1,L521	151 152 154	DA	520	1	SD5D205-01	13	L				
APPARATUS FOR 64 KB/S CENTRAL- IZED CLOCK INTERFACE FOR JAPAN NTT ONLY. (TN4011) REPL:J5D024AA-1,L520 DA EFF:12/12/97 FE/RA:NONE	151 152 154	DA	521	1	SD5D205-01	13	L				
ALWAYS REQUIRED IN ADDITION TO LIST 2. PROVIDES MC5D223A1 ISSUE 2. (ONE LIST A PER EACH LIST 2).		DA	A								
ALWAYS REQUIRED IN ADDITION TO LIST 2. PROVIDES MC5D223A1 ISSUE 2.A. (ONE LIST B PER EACH LIST 2).		DA	B								
ALWAYS REQUIRED IN ADDITION TO LIST 3. PROVIDES MC5D224A1 ISSUE 1.A. (ONE LIST C PER EACH LIST 3).		DA	C								
ALWAYS REQUIRED IN ADDITION TO LIST 3. PROVIDES MC5D224A1 ISSUE 2. (ONE LIST D PER EACH LIST 3). (REPLACED BY 3A).		DA	D								
ALWAYS REQUIRED IN ADDITION TO LIST 2. PROVIDES MC5D223A1 ISSUE 3. (ONE LIST E PER EACH LIST 2). DA EFF:01/09/92 FE:J5D024AA-1,L2A		DA	E								
EQUIPMENT REQUIRED IN ADDITION TO LIST 2A OR 2B WHEN LENGTH OF 1249A CABLE BETWEEN THIS UNIT AND THE DSX1 FRAME IS GREATER THAN 90 FT. EXCEPT WHEN APPLICATION IS FOR JAPAN. (PROVIDES LABEL MC5D223A1B) DA EFF:06/11/99 FE:J5D024AA-1,LD1		DA	F								
EQUIPMENT REQUIRED IN ADDITION TO LIST 3B WHEN LENGTH OF 1249A CABLE BETWEEN THIS UNIT AND THE DSX1 FRAME IS GREATER THAN 90 FT (PROVIDES LABEL MC5D224A1B) DA EFF:06/11/99 FE:J5D024AA-1,LD3		DA	G								

TABLE-A CONTINUED

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE  
C2

ISSUE  
31

LUCENT TECHNOLOGIES INC

J5D024AA-1

SHEET A5  
OF 12

PRINTED IN U.S.A.

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE FUSES FOR USE WITH J5D003AU, J5D003BJ, J5D003BT OR J5D003FM FUSE/FILTER UNITS. (PREVIOUSLY PART OF LIST 1). DA EFF:06/11/99 RA:J5D024AA-1,LL		DA	H								
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE FUSES FOR USE WITH J5D003FJ FUSE/FILTER UNIT MOUNTED IN 5ESS CLASSIC CABINET. DA EFF:06/11/99 RA:J5D024AA-1,LM	60	DA	J								
APPARATUS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE FUSES FOR USE WITH J5D003FJ FUSE/FILTER UNIT MOUNTED IN 5ESS-2000 CABINET. REPL:NONE DA EFF:06/11/99 RA:J5D024AA-1,LN	60	DA	K								
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE FUSE LABELS FOR FUSES USED WITH J5D003AU, J5D003BJ, J5D003BT OR J5D003FM FUSE/FILTER UNITS. (PREVIOUSLY PART OF LIST H). REPL:NONE	500		L								
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE FUSE LABELS FOR FUSES USED WITH J5D003FJ FUSE/FILTER UNIT MOUNTED IN 5ESS CLASSIC CABINET. (PREVIOUSLY PART OF LIST J) REPL:NONE	500		M								
APPARATUS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE FUSE LABELS FOR FUSES USED WITH J5D003FJ FUSE/FILTER UNIT MOUNTED IN 5ESS-2000 CABINET. (PREVIOUSLY PART OF LIST K) REPL:NONE	500		N								
EQUIPMENT REQUIRED IN ADDITION TO LIST 2B WHEN APPLICATION IS FOR JAPAN. (PROVIDES LABEL, MC5D223A2C) REPL:NONE DA EFF:06/11/99 FE/RA:NONE		DA	P								
APPARATUS BLANK 158H. REPL:NONE DA EFF:12/12/97 FE/RA:NONE	151	DA	B1								
APPARATUS BLANK 158A. REPL:NONE DA EFF:12/12/97 FE/RA:NONE	151	DA	B2								
APPARATUS BLANK 158C. REPL:NONE DA EFF:12/12/97 FE/RA:NONE	151	DA	B3								
EQUIPMENT REQUIRED IN ADDITION TO LIST 2C WHEN LENGTH OF 1249A CABLE BETWEEN THIS UNIT AND THE DSX1 FRAME IS GREATER THAN 90 FT (PROVIDES LABEL MC5D223A1B) REPL:J5D024AA-1,LF	64 67 68		D1								
EQUIPMENT REQUIRED IN ADDITION TO LIST 2C WHEN APPLICATION IS FOR JAPAN. (PROVIDES LABEL MC5D223A2C) REPL:NONE	64 67 68		D2								
TABLE-A CONTINUED											

J5D024AA-1

TABLE A-FEATURES (CONTINUED)											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
EQUIPMENT REQUIRED IN ADDITION TO LIST 3C WHEN LENGTH OF 1249A CABLE BETWEEN THIS UNIT AND THE DSX1 FRAME IS GREATER THAN 90 FT (PROVIDES LABEL MC5D224A1B) REPL:J5D024AA-1,LG	64		D3								
FINAL ASSEMBLY KIT FOR MOUNTING DLTU2 IN NS CABINET EQUIPPED WITH CLASSIC FUSE/FILTER UNIT. REPL:NONE	60 151 500		F1								
FINAL ASSEMBLY KIT FOR MOUNTING DLTU2 IN NS CABINET EQUIPPED WITH MODULAR FUSE/FILTER UNIT. REPL:NONE	60 151 500		F2								
FINAL ASSEMBLY KIT FOR MOUNTING DLTU2 IN 5ESS-2000 CABINET EQUIPPED WITH MODULAR FUSE/FILTER UNIT. REPL:NONE	60 151 500		F3								
EQUIPMENT ALWAYS REQUIRED IN ADDITION TO LIST 500 TO PROVIDE APPARATUS BLANK KIT FOR DLTU2. REPL:NONE	499		F4								
GUIDE KIT TO MOUNT DLTU2 IN 5ESS CABINET. REPL:NONE	151 500		G1								
GUIDE KIT TO MOUNT DLTU2 IN 5ESS-2000 CABINET. REPL:NONE	151 500		G2								
END OF TABLE-A											

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13



5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J5D024AA-1

SHEET A6 OF 12


D



PROJ-EGEDFORM.FRM-FEB-96

J5D024AA-1


FOR PROPRIETARY NOTICE SEE SHEET A1			
DLTU-R		THIRD ANGLE PROJ 	
(P) DWG SIZE C2		ISSUE 26	
LUCENT TECHNOLOGIES		SHEET NO. B1	
		MODEL NAME J5D024AA-1	



DETAIL AA

FRONT OR APPARATUS SIDE


KEYS ( 843436171 ) ARE INSERTED FROM REAR, LOOKING AT DETAIL AA, PER KEY CODE NUMBERING SCHEME FOR DETERMINING LOCATION OF KEYS IS INDICATED IN DETAIL ABOVE E.G. KEY CODE B-14579 WILL HAVE KEYS INSERTED IN LOCATIONS 1, 4, 5, 7 & 9 ASSEMBLED KEY CODE SHALL BE INSTALLED ON CIRCUIT PACK SIDE OF BACKPLANE IN THE EOL'S INDICATED IN TABLE CA USING LOWER LEFTMOST TERMINAL AS THE LOCATING TERMINAL FOR EACH EOL, ALWAYS TERMINAL 023.



SECT. A-A

PROJ-EGEDFORM.FRM-FEB 96

J5D024AA-1

FOR PROPRIETARY NOTICE SEE SHEET A1			
DLTU MODEL 2		THIRD ANGLE PROJ 	
DWG SIZE C2		ISSUE 26	
LUCENT TECHNOLOGIES		J5D024AA-1	SHEET NO. B2
MODEL NAME			

S  
H  
O  
P  
P  
I  
N  
S  
T

MANUFACTURING NOTES

\*\*\*\*\* CONTINUED \*\*\*\*\*

BE LABELED PER GROUPS 131,132,145,146,155,156,157,179,186.  
MULTIPLE PURPOSE POSTIONS ARE ONLY LABELED WHEN THE EQUIPMENT  
ORDER SPECIFIES THAT A CIRCUIT PACK IS TO BE INSTALLED  
AT THAT LOCATION.

X 28. HORIZONTAL EQL 006 IS A MULTIPLE PURPOSE POSITION THAT CAN BE  
LABELED PER GROUPS 142,188. MULTIPLE PURPOSE POSITIONS ARE  
ONLY LABELED WHEN THE EQUIPMENT ORDER SPECIFIES THAT A CIRCUIT  
PACK IS TO BE INSTALLED AT THAT LOCATION.

S  
H  
O  
P  
P  
I  
N  
S  
T

MANUFACTURING NOTES

\*\*\*\*\* CONTINUED \*\*\*\*\*

04-070 23467  
04-086 23467  
04-112 23467  
04-128 23467  
04-144 23467  
04-160 23467  
04-176 23467

- X X 16. FUSE POS SHALL BE ASSIGNED BY THE LINE ENGINEER.  
FUSES AND DESIGNATION PINS MAY BE EQUIPPED IN ANY OF THE  
FOLLOWING POSITIONS:  
9T & 21T 9B & 21B 6B & 18B 8X & 16X  
10T & 22T 10B & 22B 5X & 13X  
11T & 23T 11B & 23B 6X & 14X  
12T & 24T 12B & 24B 7X & 15X\$
- X 17. ONE CARD GUIDE COVERS POSITIONS SHOWN, SUCH AS 45T-66T.  
UNIVERSAL CARD GUIDES REQUIRE CIRCUIT PACK SLOT IN THE FOLLOWING  
POSITIONS (TOP AND BOTTOM):1,9,17,25,33,41,45,54,62,70,78,86.
- X X 18. OMIT APPARATUS BLANKS FOR POS EQUIPPED WITH CIRCUIT PACKS.
- X 19. APPARATUS BLANK 149A (.25) AND 151A (.50) ARE RIGHT SIDE (FRONT  
VIEW) HOUSING END FILLERS. APPARATUS BLANK 150A (.50) AND 150B  
(.25) ARE LEFT SIDE (FRONT VIEW) HOUSING END FILLERS.
- X X 20. FUSE LABELS SHALL BE AFFIXED TO THE PANEL FASTENED TO THE REAR  
OF THE BEZEL LOCATED AT THE TOP FRONT OF THE CABINET BY  
MANUFACTURING WHEN SHOP MOUNTED OR BY THE INSTALLER WHEN FIELD  
MOUNTED.
- X X 21. THE COMCODES SHOWN IN THE STOCKLIST IDENTIFICATION FIELD  
REFERENCE BY THIS NOTE ARE NOT THE INDIVIDUAL OR SINGULAR COMCODE  
FOR THE PART DESCRIBED BUT ARE THE FACTORY'S ORDERING COMCODE.  
TABLE JJ CONTAINS THE FACTORY'S ORDERING COMCODE FOR THE  
DESCRIBED PART AND THE EQUIVLENT SINGULAR/INDIVIDUAL COMCODE  
THAT MAY BE REQUIRED BY AN INSTALLER, CUSTOMER, REGIONAL LINE  
ENGINEER, OR A CLASS A CHANGE NOTICE.

POSITION NUMBER	APPARATUS BLANK TYPE	COMCODE
NOTE 19	149A	103752713
NOTE 19	150B	104013743
87	158A	104042106
4	158C	104042122
8	158C	104042122
12	158C	104042122
16	158C	104042122
20	158C	104042122
24	158C	104042122
28	158C	104042122
32	158C	104042122
36	158C	104042122
40	158C	104042122
49	158C	104042122
53	158C	104042122
57	158C	104042122
61	158C	104042122
65	158C	104042122
69	158C	104042122
73	158C	104042122
77	158C	104042122
81	158C	104042122
85	158C	104042122
45	158H	104167531

- X X 23. BASIC FRONT AND REAR INFORMATION THAT IS ALWAYS REQUIRED FOR  
DLTU2 WHEN THE UNIT IS ACCOMPANIED BY A FINAL ASSEMBLY KIT.
- X X 24. WHEN LIST 2C IS SPECIFIED, THE REAR DESIGNATION STRIP LABEL WILL  
BE PRINTED PER GROUP 131. HOWEVER, IF LIST D1 IS SPECIFIED IN  
ADDITION TO LIST 2C, THE REAR DESIGNATION STRIP LABEL WILL BE  
PRINTED PER GROUP 145. IF LIST D2 IS SPECIFIED IN ADDITION TO  
LIST 2C, THE REAR DESIGNATION STRIP LABEL WILL BE PRINTED PER  
GROUP 186.
- X X 25. WHEN LIST 3C IS SPECIFIED, THE REAR DESIGNATION STRIP LABEL WILL  
BE PRINTED PER GROUP 132. HOWEVER, IF LIST D3 IS SPECIFIED IN  
ADDITION TO LIST 3C, THE REAR DESIGNATION STRIP LABEL WILL BE  
PRINTED PER GROUP 146.
- X 26. HORIZONTAL EQL'S 038,054,070,086,128,144,160,176 ARE  
MULTIPLE PURPOSE POSTIONS THAT CAN BE LABELED PER GROUPS 131,  
132,145,146,155,156,157,186. MULTIPLE PURPOSE  
POSITIONS ARE ONLY LABELED WHEN THE EQUIPMENT ORDER SPECIFIES  
THAT A CIRCUIT PACK IS TO BE INSTALLED AT THAT LOCATION.
- X 27. HORIZONTAL EQL'S 022,112 ARE MULTIPLE PURPOSE POSITIONS THAT CAN  
----- CONTINUED TO THE LEFT -----

S  
H  
O  
P  
P  
I  
N  
S  
T

MANUFACTURING NOTES

- 1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT  
IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE  
EQUIPMENT IS TO BE FIELD MOUNTED.
- \* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR  
ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED  
ASSEMBLED ITEM.
- \*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN  
EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE  
SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME  
CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN  
FIELD MOUNTED.
- ( ) INDICATES DESIGNATIONS TO BE STAMPED IN  
ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION  
ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION  
PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT  
IS MOUNTED.
- "W\*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH  
CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT  
IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR  
ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED  
EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH  
STOCKLISTS.

- 12. UNASSIGNED.
- X X 13. MC5D223A1, MC5D224A1, MC5D223A1B, MC5D224A1B, TN1414, TN1415, TN1421,  
MC5D223A2C CIRCUIT PACKS MAY BE EQUIPPED AS FOLLOWS:  
LIST SPECIFIED EQL  
-----  
1ST L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 022  
2ND L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 038  
3RD L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 054  
4TH L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 070  
5TH L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 086  
6TH L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 112  
7TH L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 128  
8TH L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 144  
9TH L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 160  
10TH L2, 2A, 2B, 2C, 3, 3A, 3B, 3C, 4, 4B, 5, 5B, 6, 6A, 6B, 6C 176
- X 14. 127 TYPE APP MTGS ARE TO BE MOUNTED AS INDICATED BELOW AFTER UNIT  
WIRING. APP MTGS ARE LOCATED BY THEIR LOWER LEFT MOST TERMINAL AS  
VIEWED FROM THE WIRING SIDE.  
EQL TERMINAL  
---  
04-022 100,300  
04-038 100,300  
04-054 100,300  
04-070 100,300  
04-086 100,300  
04-099 100,300  
132,332  
04-112 100,300  
04-128 100,300  
04-144 100,300  
04-160 100,300  
04-176 100,300
- X X 15. KEY CODES ARE EQUIPPED AS FOLLOWS:  
EQL KEY CODE  
---  
04-006 B-14569  
04-022 B-23467  
04-038 23467  
04-054 23467  
----- CONTINUED TO THE LEFT -----

COPYRIGHT @ 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE C2 ISSUE 31

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1000	1	1	103316097	1080A	PLATE,MOUNTING				
1010	1	1	ED5D208-30,G2,GA,GB		BACKPLANE				
1020	1	1	104192968	132G	MOUNTING,APPARATUS				
1021	1	1	104391586	132J	MOUNTING,APPARATUS				
1022	1	2	845050475		BAFFLE,AIR				
1030	1	4	845216100		GUIDE, TOP CARD				17
1040	1	4	845217108		GUIDE,BOTTOM CARD				17
1050	1,9	1	104044987	SN346B	PACK,CIRCUIT CLEI = E5PQ08CAXX EQPT POS 006				
1051	7	OMIT 1	104044987	SN346B	PACK,CIRCUIT CLEI = E5PQ08CAXX EQPT POS 006				
1052	7,7A	1	106389224	SN730	PACK,CIRCUIT,AUTOMATIC POWER START CLEI = E5PQ95CA EQPT POS 006				
1053	7	1	ED5D077-10,G142		LABEL				
1060	2	1	105364657	MC5D223A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ92LA (TN1611)				13
1061	A,B,E	OMIT 1	105364657	MC5D223A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ92LA (TN1611)				13
1062	A	1	10555809	MC5D223A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQAALA (TN1611)				13
1063	B	1	105639041	MC5D223A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ66AA (TN1611)				13
1064	E	1	105704118	MC5D223A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ66CA (TN1611)				13
1065	2A	1	106658339	MC5D223A-1B	PACK,CIRCUIT,MICROCODED USED ON TN1611B FE CLEI = E5MQAG5A (TN1611B)	CLEI=E5MQAB3A			13
1066	F	1	ED5D077-10,G145		LABEL				
1067	F,P	OMIT 1	ED5D077-10,G131		LABEL				
1069	3A	1	106379415	MC5D224A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ9MCA (TN1612)				13
1070	3	1	105364665	MC5D224A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ92KA (TN1612)				13
1071	C,D	OMIT 1	105364665	MC5D224A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ92KA (TN1612)				13
1072	C	1	105563365	MC5D224A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ9MAA (TN1612)				13
1073	D	1	105688683	MC5D224A-1	PACK,CIRCUIT,MICROCODED CLEI = E5MQ9MBA (TN1612)				13
1075	3B,3C	1	106658347	MC5D224A-1B	PACK,CIRCUIT,MICROCODED USED ON TN1612B FE CLEI = E5MQAG6A (TN1612B)	CLEI=E5MQAB4A			13
1076	G	1	ED5D077-10,G146		LABEL				
1077	G	OMIT 1	ED5D077-10,G132		LABEL				
1170	1	3	843245044		BAR,CLAMPING				
1180	1	3	843583915		STIFFENER				
1190	1	24	103342119	127C	MOUNTING,APPARATUS				14

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

J5D024AA-1

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1200	1	1	104226600	151C	STRIP, DESIGNATION				
1210	1	1	ED5D077-10,G129		LABEL				
1220	1	1	ED5D077-10,G130		LABEL				
1230	2,2A,2B	1	ED5D077-10,G131		LABEL				
1240	3,3A,3B	1	ED5D077-10,G132		LABEL				
1300	1	8	103316287	8A	SPACER				
1310	1	2	103316295	9A	SPACER				
1320	1	12	842058539		SCREW,SLOT HEXAGON WASHER HEAD .112-40 X 1/4 IN.				
1330	1	14	901104307		SCREW,HEXAGON WASHER HEAD .112-40 X 1/2 IN. SEMS				
1340	1	4	840026835		SCREW,TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH				*/
1350	1	12	843584160		SCREW, SOCKET HEAD CAP .112-40 X 1/2 THREAD ROLLING TYPE W TAPTITE ZINC PLATED				
1360	1	12	900820077		SCREW,SLOT HEXAGON WASHER HEAD .164-32 X 5/16				
1370	1	9	901104315		SCREW, SOCKET HEAD CAP .112-40 X 3/8 IN.				
1380	1	11	842397796		HOLDER, KEY				15
1390	1	55	843436171		KEY, TUBULAR				15
1400	1	1	104167531	158H	BLANK, APPARATUS POS 45				
1405	1	1	104042106	158A	BLANK, APPARATUS POS 87				
1410	1	20	104042122	158C	BLANK, APPARATUS POS 4,8,12,16,20,24, 28,32,36,40,49, 53,57,61,65,69, 73,77,81,85				
1420	2,2A,3,3A,3B	OMIT 1	104042122	158C	BLANK, APPARATUS POS 8,16,24,32,40, 53,61,69,77,85				18
1430	1	1	104013743	150B	BLANK, APPARATUS				19
1440	1	1	103752713	149A	BLANK, APPARATUS				19
1441	F4	1	848250106		KIT, APPARATUS BLANK				22
1450	H,L	1	ED5D088-10,G285		LABEL, FUSE				*/ 20
1460	H,L	1	ED5D088-10,G286		LABEL, FUSE				*/ 20
1470	H,L	1	ED5D088-10,G287		LABEL, FUSE				*/ 20
1480	H,L	1	ED5D088-10,G288		LABEL, FUSE				*/ 20
1490	H	4	100203348	70C	FUSE 3 AMP				*/ 16

STOCKLIST CONTINUED ON SHEET D3

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE C2 ISSUE 31

LUCENT TECHNOLOGIES INC J5D024AA-1

SHEET D2 OF 12

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1500	H	4	401922075	KS14174L3	PIN, DESIGNATION NYLON BLUE		*/	16
1510	L	2	843079948		BRACKET, MOUNTING			
1520	J,K	4	406693895	WP91768L108	FUSE, 3.00 AMP FAST ACTING		*/	21
1530	J,M	1	ED5D088-10,G441		LABEL, FUSE		*/	
1540	J,M	1	ED5D088-10,G442		LABEL, FUSE		*/	
1550	J,M	1	ED5D088-10,G443		LABEL, FUSE		*/	
1560	J,M	1	ED5D088-10,G444		LABEL, FUSE		*/	
1570	K,N	1	ED5D088-12,G162		LABELS, FUSE		*/	
1575	K,N	1	ED5D088-12,G163		LABELS, FUSE		*/	
1580	K,N	1	ED5D088-12,G164		LABELS, FUSE		*/	
1585	K,N	1	ED5D088-12,G165		LABELS, FUSE		*/	
1600	4	1	104046669	TN1414	PACK, CIRCUIT CLEI = E5PQABHA			13
1601	4A, 4B	1	107078156	TN1414	PACK, CIRCUIT FE CLEI=E5PQAJGA CLEI = E5PQANLA			13
1610	4, 4A	1	ED5D077-10,G155		LABEL			
1620	5	1	104046677	TN1415	PACK, CIRCUIT CLEI = E5PQABJA			13
1621	5A, 5B	1	107091225	TN1415	PACK, CIRCUIT CLEI = E5PQAJWA			13
1630	5, 5A	1	ED5D077-10,G156		LABEL			
1640	6	1	104046735	TN1421	PACK, CIRCUIT CLEI = E5PQAFAA			13
1641	6A	1	107096851	TN1421	PACK, CIRCUIT CLEI = E5PQAJXA			
1642	6B, 6C	1	107249054	TN1421	PACK, CIRCUIT CLEI = E5PQALVA			
1650	6, 6A, 6B	1	ED5D077-10,G157		LABEL			
1660	8	2	107144701	TN4011	PACK, CIRCUIT CLEI = E5PQAL5A EQPT POS 022,112			
1661	8A	2	107762460	TN4011	PACK, CIRCUIT, CENTRALIZED CLOCK INTRFC CLEI = E5PQASRA EQPT POS 022,112			
1670	8	2	ED5D077-10,G179		LABEL			
1680	2B, 2C	1	106902620	MC5D223A-2C	PACK, CIRCUIT, MICROCODED USED ON TN1611C CLEI = E5MQADHA			13
1690	P	1	ED5D077-10,G186		LABEL			
5000	500	1	847047354		ASSEMBLY, SHELF			
5010	501	1	104044987	SN346B	PACK, CIRCUIT CLEI = E5PQ08CAXX			
5020	502	1	106389224	SN730	PACK, CIRCUIT, AUTOMATIC POWER START CLEI = E5PQ95CA			
5030	503	1	105364657	MC5D223A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQ92LA (TN1611)			
5040	504	1	105555809	MC5D223A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQA1A (TN1611)			
5050	505	1	105639041	MC5D223A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQ66AA (TN1611)			
5060	506	1	105704118	MC5D223A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQ66CA (TN1611)			

\*\*\*\*\* STOCKLIST CONTINUED AT RIGHT \*\*\*\*\*

J5D024AA-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
5070	507	1	106658339	MC5D223A-1B	PACK, CIRCUIT, MICROCODED USED ON TN1611B FE CLEI = E5MQAG5A (TN1611B)			
5080	508	1	105364665	MC5D224A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQ92KA (TN1612)			
5090	509	1	105563365	MC5D224A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQ9MAA (TN1612)			
5100	510	1	105688683	MC5D224A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQ9MBA (TN1612)			
5110	511	1	106379415	MC5D224A-1	PACK, CIRCUIT, MICROCODED CLEI = E5MQ9MCA (TN1612)			
5120	512	1	106658347	MC5D224A-1B	PACK, CIRCUIT, MICROCODED USED ON TN1612B FE CLEI = E5MQAG6A (TN1612B)			
5130	513	1	104046669	TN1414	PACK, CIRCUIT CLEI = E5PQABHA			
5140	514	1	107078156	TN1414	PACK, CIRCUIT FE CLEI=E5PQAJGA CLEI = E5PQANLA			
5150	515	1	104046677	TN1415	PACK, CIRCUIT CLEI = E5PQABJA			
5160	516	1	107091225	TN1415	PACK, CIRCUIT CLEI = E5PQAJWA			
5170	517	1	104046735	TN1421	PACK, CIRCUIT CLEI = E5PQAFAA			
5180	518	1	107096851	TN1421	PACK, CIRCUIT CLEI = E5PQAJXA			
5190	519	1	107249054	TN1421	PACK, CIRCUIT CLEI = E5PQALVA			
5200	B1	1	104167531	158H	BLANK, APPARATUS POS 45			
5210	B2	1	104042106	158A	BLANK, APPARATUS POS 87			
5220	B3	1	104042122	158C	BLANK, APPARATUS POS 4, 8, 12, 16, 20, 24, 28, 32, 36, 40, 49, 53, 57, 61, 65, 69, 73, 77, 81, 85			
5230	F1	1	847047370		KIT, FINAL ASSEMBLY			
5240	F2	1	847047362		KIT, FINAL ASSEMBLY			
5250	F3	1	847272671		KIT, FINAL ASSEMBLY			
5260	G1	1	847196748		KIT, MOUNTING UNIT GUIDE FOR 132 TYPE APP MTG			
5270	G2	1	847286721		KIT, MOUNTING			
5280	520	1	107144701	TN4011	PACK, CIRCUIT CLEI = E5PQAL5A			
5281	521	1	107762460	TN4011	PACK, CIRCUIT, CENTRALIZED CLOCK INTRFC CLEI = E5PQASRA			

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

COPYRIGHT © 2000 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
BT13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR DIGITAL LINE TRUNK UNIT MODEL 2	
DWG SIZE C2	ISSUE 31
LUCENT TECHNOLOGIES INC	J5D024AA-1
SHEET D3 OF 12	

JJ

TABLE JJ STOCKLIST ORDERING COMCODES TO INDIVIDUAL/SINGULAR COMCODE CROSS REFERENCE

STOCKLIST ORDERING COMCODE	INDIVIDUAL/SINGULAR COMCODE	COMMENTS
406693895	406747535	3 AMP FAST ACTING FUSE

TABLE D9 DESIGNATION STRIP TABLE

LIST	ASSOCIATED D LIST	ED GROUP FOR LABEL	MFG NOTE
500		ED5D077-10,G129 ED5D077-10,G187	23
2C		ED5D077-10,G131	24,26,27
2C	D1	ED5D077-10,G145	24,26,27
2C	D2	ED5D077-10,G186	24,26,27
3C		ED5D077-10,G132	25,26,27
3C	D3	ED5D077-10,G146	25,26,27
4B		ED5D077-10,G155	26,27
5B		ED5D077-10,G156	26,27
6C		ED5D077-10,G157	26,27
7A		ED5D077-10,G142	28
8A		ED5D077-10,G179	27
9		ED5D077-10,G188	28

COPYRIGHT © 2000 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
DIGITAL LINE TRUNK UNIT  
MODEL 2

DWG SIZE C2	ISSUE 31
----------------	-------------

J5D024AA-1

LUCENT TECHNOLOGIES INC J5D024AA-1

SHEET D4 OF 12
----------------------