

TABLE A-FEATURES											
EQUIPMENT			EQUIPMENT OR CIRCUIT DATA					SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
FRAMEWORK, ASSEMBLY AND EQUIPMENT FOR ONE CUSTOMER NETWORK OPTION. APPLICATION PROCESSOR CABINET (CNO-AP).			1						SD5D170-01	AS-1	
END OF TABLE-A											

**ENGINEERING NOTES**

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES-NONE.

52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.

53. TRANSCEIVERS MAY BE LOCATED IN CABINET OR ON CABLE RACK.

54. POWER STRIP & ASSOCIATED BRACKET MAY BE LOCATED ON LEFT OR RIGHT UPRIGHTS.

ISSUE NOTES				
ORIG ISS: 07/12/88		CHANGE CLASS:		
DRAFT: DSL	ENGR: RFK	SUPV: RSZ	CERTIFIED: 07/12/88	ISSUE: 1
STOCKLIST ITEM 1030 LINED-OUT; ITEM 1031 ADDED.				
ORIG ISS: 07/12/88		CHANGE CLASS: M		
DRAFT: PEW	ENGR: PEW	SUPV: PK	CERTIFIED: 01/11/94	ISSUE: 2

SHEET INDEX										
SHT NBR	A1 THRU A1		ISSUE 2							
ISSUE	D1 THRU D2		ISSUE 2							
SHT NBR	B1	B2								
ISSUE	1	1								
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										
SHT NBR										
ISSUE										

J5D030A-1

COPYRIGHT © 1994 AT&T ALL RIGHTS RESERVED	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR CUSTOMER NETWORK OPTION APPLICATION PROCESSOR CABINET	7T13  DWG SIZE C2 ISSUE 2
AT&T	J5D030A-1 SHEET A1 OF 5

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	ED5D579-73,G2		ASSEMBLY, CABINET		S	
1010	1	2	843077900		BEZEL		S	
1020	1	2	845310507		ASSEMBLY, DOOR PERFORATED		S	
1030	1	2	996096970		SCREW, SHOULDER #4327 PIC DESIGN CORP.		S	
1031	1	2	406763276		SCREW, HEX HEAD SLOTTED .190-32 #ATT04034SP STAINLESS STEEL CAMCAR TEXTRON		S	
1040	1	2	900559121		WASHER, SPRING #UN250-0110 ASSOCIATED SPRING CO.		S	
1050	1	1	845081967		LABEL, BLANK		S	
1060	1	1	845081983		LABEL, BEZEL		S	
1070	1	1	403020324	KS22100L1	FAN, BLOWER ATTIS		S	12
1080	1	2	843082637		BRACKET, MOUNTING		S	12
1090	1	8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S	
1100	1	3	846166338		ASSEMBLY, SHELF		S	
1110	1	6	846163905		BRACKET		S	
1120	1	36	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S	
1130	1	1	846163913		BRACKET		S	12
1140	1	1	402574156	KS22291L1	STRIP, POWER		S	12
1150	1	1	401448121	KS14532L24	CORD		S	12
1160	1	8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S	
1170	1	1	846163921		LABEL UPS AC		S	
1180	1	2	ED5D508-70,G9		ASSEMBLY, END GUARD		S	
1190	1	1	105449714	3B2/600	COMPUTER ED3T023-30,G1P,A		S	
1200	1	1	105252407	3B2/600	PACKAGE SOLUTION 'A' DOMESTIC		S	
1210	1	1	105393045	3.1.1V3	PACKAGE SVR3.1.1 V3 SOFTWARE/ DOCUMENTATION-ISSUE 2		S	
1220	1	1	105253264	3B2/MEM	PACKAGE, MEMORY 4 MB WITH ERROR CORRECTION CODE ECC SOLUTION CLEI = NCGQ020AAA		S	
1230	1	2	103924072	3B2	PACKAGE, FEATURE 3B NETWORKING		S	
1240	1	2	105563019		CABLE ASSEMBLY, TRANSCEIVER DROP 2.5 METERS COAX		S	
1250	1	2	105422984	3B2	PACKAGE, NETWORK INTERFACE DRIVER AT&T 10 BASE5 RELEASE 1.1		S	
1260	1	1	104245956	3B2	KIT, CONTROLLER INTELLIGENT SERIAL CLEI = NCGQ018AAA		S	
1270	1	1	103981718	2796B-L1	UNIT, SERVICE DATA		S	
1280	1	1	501002349	55C715AAAA	CONTROLLER 615BCT TELETYPE INC.		S	

STOCKLIST CONTINUED ON SHEET D2

J5D030A-1

S  
H  
O  
P

I  
N  
S  
T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- \* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- \*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- ( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "W\*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
- X 12. MATERIAL TO BE MOUNTED IN ACCORDANCE WITH INFORMATION SHOWN IN SKETCHES A & B.
- X 13. ACC 2120 BOARDS REQUIRE (1) SPARE PER OFFICE.


COPYRIGHT © 1994 AT&T  
ALL RIGHTS RESERVED

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
CUSTOMER NETWORK OPTION  
APPLICATION PROCESSOR CABINET


7T13

DWG SIZE C2 ISSUE 2


AT&T J5D030A-1 SHEET OF D1 5



SK. A  
LEFT INSIDE VIEW  
OF CABINET



SK. C  
TOP VIEW



SK. B  
TOP VIEW

COPYRIGHT 1988 AT&T, ALL RIGHTS RESERVED		
CUSTOM NETWORK OPTION- APPLICATION PROCESSOR CABINET		DWG SIZE C2
		ISSUE 1
AT&T TECHNOLOGIES, INC.	J5D030A-1	SHEET B2

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	ED5D579-73,G2		ASSEMBLY, CABINET		S	
1010	1	2	843077900		BEZEL		S	
1020	1	2	845310507		ASSEMBLY, DOOR PERFORATED		S	
1030	1	2	996096970		SCREW, SHOULDER #4327 PIC DESIGN CORP.		S	
1031	1	2	406763276		SCREW, HEX HEAD SLOTTED .190-32 #ATT04034SP STAINLESS STEEL CAMCAR TEXTRON		S	
1040	1	2	900559121		WASHER, SPRING #UN250-0110 ASSOCIATED SPRING CO.		S	
1050	1	1	845081967		LABEL, BLANK		S	
1060	1	1	845081983		LABEL, BEZEL		S	
1070	1	1	403020324	KS22100L1	FAN, BLOWER ATTIS		S	12
1080	1	2	843082637		BRACKET, MOUNTING		S	12
1090	1	8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S	
1100	1	3	846166338		ASSEMBLY, SHELF		S	
1110	1	6	846163905		BRACKET		S	
1120	1	36	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S	
1130	1	1	846163913		BRACKET		S	12
1140	1	1	402574156	KS22291L1	STRIP, POWER		S	12
1150	1	1	401448121	KS14532L24	CORD		S	12
1160	1	8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S	
1170	1	1	846163921		LABEL UPS AC		S	
1180	1	2	ED5D508-70,G9		ASSEMBLY, END GUARD		S	
1190	1	1	105449714	3B2/600	COMPUTER ED3T023-30,G1P,A		S	
1200	1	1	105252407	3B2/600	PACKAGE SOLUTION 'A' DOMESTIC		S	
1210	1	1	105393045	3.1.1V3	PACKAGE SVR3.1.1 V3 SOFTWARE/ DOCUMENTATION-ISSUE 2		S	
1220	1	1	105253264	3B2/MEM	PACKAGE, MEMORY 4 MB WITH ERROR CORRECTION CODE ECC SOLUTION CLEI = NCGQ020AAA		S	
1230	1	2	103924072	3B2	PACKAGE, FEATURE 3B NETWORKING		S	
1240	1	2	105563019		CABLE ASSEMBLY, TRANSCEIVER DROP 2.5 METERS COAX		S	
1250	1	2	105422984	3B2	PACKAGE, NETWORK INTERFACE DRIVER AT&T 10 BASE5 RELEASE 1.1		S	
1260	1	1	104245956	3B2	KIT, CONTROLLER INTELLIGENT SERIAL CLEI = NCGQ018AAA		S	
1270	1	1	103981718	2796B-L1	UNIT, SERVICE DATA		S	
1280	1	1	501002349	55C715AAAA	CONTROLLER 615BCT TELETYPE INC.		S	

STOCKLIST CONTINUED ON SHEET D2

J5D030A-1

S  
H  
O  
P

I  
N  
S  
T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- \* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- \*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- ( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "W\*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
- X 12. MATERIAL TO BE MOUNTED IN ACCORDANCE WITH INFORMATION SHOWN IN SKETCHES A & B.
- X 13. ACC 2120 BOARDS REQUIRE (1) SPARE PER OFFICE.

COPYRIGHT © 1994 AT&T  
ALL RIGHTS RESERVED

7T13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
CUSTOMER NETWORK OPTION  
APPLICATION PROCESSOR CABINET

DWG SIZE C2  
ISSUE 2

AT&T J5D030A-1 SHEET OF D1 5

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1290	1	1	501002232	56K470ADJ	KEYBOARD 4425 600 SERIES TELETYPE		S	
1300	1	1	501006464	53D410YAA	MONITOR, AMBER 14 IN. 110VAC		S	
1310	1	1	524605524	TP460552	CARTRIDGE 4425 EMULATION		S	
1320	1	4	403600976		CABLE ASSEMBLY #DKH-14 14 FT SHIELDED ANDIRONDACK WIRE & CABLE		S	
1330	1	1	105563027		CABLE ASSEMBLY TRANSCIEVER COAX 2.5 METERS		S	
1340	1	1	105147185	3B2/310-400	PACKAGE, REMOTE MANAGEMENT		S	
1350	1	2	105422976	3B2	PACKAGE TCP/IP WIN R 2.1		S	
1360	1	1	105265300	NSU	PACKAGE, NETWORK SUPPORT		S	
1370	1	1	105265052	RFS	PACKAGE, REMOTE FILE SHARING		S	
1380	1	2	105467450	7A	UNIT, INTERFACE CLEI = NATAE00AXX		S	
1390	1	2	405748716		MODEM #N2420/30S NEC DATA COMMUNICATIONS		S	
1400	1	2	405748823		BOARD #ACC2120 ADVANCED COMPUTER COMM.		S	13
1410	1	2	403417538		PLUG, ACU MODEM F/3B2 #232-21-25-005 TRW INC.		S	
1420	1	4	403602717		PLUG, TERMINAL PRINTER F/3B2 #232-21-25-010 TRW INC.		S	
1430	1	2	403417512		RECEPTACLE #232-22-25-006 FEMALE TRW INC.		S	
1440	1	2	405131566		TRANSCIEVER #ST-500-02 3B NETWORK CABLETRON CORP		S	
1450	1	2	403804636		TERMINATOR #4240 50 OHM POMONA ELECTRONICS CO.		S	
1460	1	1	403644867	MS-3	SPLITTER, MODEM 3 PORT BLACK BOX		S	
1470	1	1	405786260	DD-EL08MS-07	CABLE, MODULAR 7 FT RJ45		S	
1480	1	1	102269602	M25A-87	CORD 5 FT		S	

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

COPYRIGHT © 1994 AT&T  
ALL RIGHTS RESERVED

7T13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
CUSTOMER NETWORK OPTION  
APPLICATION PROCESSOR CABINET

DWG SIZE C2 ISSUE 2

J5D030A-1

AT&T

J5D030A-1

SHEET OF D2 5

PRINTED IN U.S.A.