

TABLE A-FEATURES

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
UNIT SHELF ASSEMBLY FOR ONE RAC UNIT. ML	54	LA	1	1							
CIRCUIT PACK, PM4-SMM, SYSTEM MANAGEMENT MODULE. REQUIRED IN ADDITION TO LIST 1. MAX QTY, 1 PER RAC. DA EFF:11/01/99 FE:J5D061AA-1,L2A	54 500	DA	2								
CIRCUIT PACK, PM4-SMM, SYSTEM MANAGEMENT MODULE. REQUIRED IN ADDITION TO LIST 1. MAX QTY, 1 PER RAC. REPL:J5D061AA-1,L2	54 500	LA	2A								
CIRCUIT PACK, PM4-4T1-98M, QUAD T1/PRI 98 MODEM MODULE. REQUIRED IN ADDITION TO LIST 1. MAX QTY, 8 PER RAC. DA EFF:07/20/99 FE:J5D061AA-1,L3A	54 500	DA	3								
CIRCUIT PACK, PM4-4T1-98M, QUAD T1/PRI 98 MODEM MODULE. REQUIRED IN ADDITION TO LIST 1. MAX QTY, 8 PER RAC. REPL:J5D061AA-1,L3	54 500	LA	3A								
CIRCUIT PACK, PM4-3E1-98M, TRI E1/PRI 98 MODEM MODULE. REQUIRED IN ADDITION TO LIST 1. MAX QTY, 8 PER RAC. INTERNATIONAL APPLICATIONS ONLY. DA EFF:11/01/99 FE:J5D061AA-1,L4A	500	DA	4								
CIRCUIT PACK, PM4-3E1-98M, TRI E1/PRI 98 MODEM MODULE. REQUIRED IN ADDITION TO LIST 1. MAX QTY, 8 PER RAC. INTERNATIONAL APPLICATIONS ONLY. REPL:J5D061AA-1,L4	500	LA	4A								
CIRCUIT PACK, PM4-ST51 MAX QTY, 1 PER RAC. DA EFF:11/01/99 FE:J5D061AA-1,L5A	54 500	DA	5								
CIRCUIT PACK, PM4-ST51 MAX QTY, 1 PER RAC. REPL:J5D061AA-1,L5		LA	5A								
CIRCUIT PACK, PM4-T3-ATM. REQD IN ADDITION TO LIST 1. MAX QTY 1 PER RAC. REPL:NONE	500	LA	6								
CIRCUIT PACK, PM4-E3-ATM. REQD IN ADDITION TO LIST 1. MAX QTY 1 PER RAC. INTERNATIONAL APPLICATIONS ONLY. REPL:NONE	500	LA	7								
CIRCUIT PACK, PM4-PCTFI. REQD IN ADDITION TO LIST 1. MAX QTY 1 PER RAC. INTERNATIONAL APPLICATIONS ONLY. REPL:NONE	500	LA	8								
MMFU FUSE POSITION LABELS.	60 499 500	LA	E1								
FINAL ASSEMBLY KIT REQUIRED TO MOUNT THE RACU IN THE 5ESS-2000 MSM CABINET EQUIPPED WITH A MODULAR FUSE FILTER UNIT. REQD. IN ADDITION TO LIST 1.		LA	F1								
APPARATUS BLANKS REQUIRED FOR RACU. DA EFF:11/01/99 FE:J5D061AA-1,LF3	61 500	DA	F2								
APPARATUS BLANKS REQUIRED FOR RACU. REPL:J5D061AA-1,LF2	61 500	LA	F3								
END OF TABLE-A											

SEE PROPRIETARY NOTICE ON SHEET ONE COPYRIGHT © 1999 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED	
BT13	
5ESS(R) SWITCHING EQUIPMENT SPECIFICATION FOR REMOTE ACCESS CONCENTRATOR (RACU)	
DWG SIZE C2	ISSUE 5
LUCENT TECHNOLOGIES INC J5D061AA-1	
SHEET A2 OF 6	

J5D061AA-1

1.4+
Create
COMMON_HARDWARE




FIG. 1
REMOTE ACCESS CONCENTRATOR UNIT
(RACU)

PROJ - EGEDFORM.FRM - FEB 96

J5D061AA-1

COPYRIGHT (C) 1999 Lucent Technologies Inc. All Rights Reserved			
5ESS (R) SWITCHING EQUIPMENT SPECIFICATION FOR REMOTE ACCESS CONCENTRATOR (RACU)		THIRD ANGLE PROJ 	
(P) DWG SIZE C2		ISSUE 1	
LUCENT TECHNOLOGIES	J5D061AA-1	SHEET NO. BI OF 2	

MODELED BY: M. ZHANG DATE: 8-Jan-99

DRAWING NAME=J5D061AA-1
MODEL/ASM NAME=848257283

1.4+
Create
COMMON_HARDWARE




FIG. A
FRONT VIEW
RACU MOUNTING RELATION
ON CABINET UPRIGHT

PROJ - EGEDFORM, FRM - FEB 96

J5D061AA-1

COPYRIGHT (C) 1999 Lucent Technologies Inc. All Rights Reserved		
5ESS (R) SWITCHING EQUIPMENT SPECIFICATION FOR REMOTE ACCESS CONCENTRATOR (RACU)	THIRD ANGLE PROJ 	
	DWG SIZE C2	ISSUE 1
LUCENT TECHNOLOGIES	J5D061AA-1	SHEET NO. B2 OF 2
MODELED BY: M. ZHANG	DATE: 8-Jan-99	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1010	1	1	848257283		ASSEMBLY, SHELF			
1020	2	1	300007267	#PM4SYSTEMMAN	ORDERABLE ITEM, HARDWARE AGER MODULE 750-2111 CIRCUIT PACK REFERENCE PM4-SMM			15
1021	2A	1	408176998		PACK,CIRCUIT #PM4-SMM RABU			15
1030	3	1	300007275	#PM4QUADT1/PR	ORDERABLE ITEM, HARDWARE I 98 MODEMS 750-2112 CIRCUIT PACK REFERENCE PM4-4T1-98M			15
1031	3A	1	408177004		PACK,CIRCUIT #PM4-4T1-98M RABU			15
1040	4	1	300014164	#PM4-3E1-98M75	ORDERABLE ITEM, HARDWARE 0-2113 CIRCUIT PACK REFERENCE PM4-3E1-98M			15
1041	4A	1	408177012		PACK,CIRCUIT #PM4-3E1-98M RABU			15
1050	5	1	300029220		ORDERABLE ITEM, HARDWARE PM4-ST51 MODULE 750-2120 CIRCUIT PACK REFERENCE PM4-ST51			15
1051	5A	1	408177020		PACK,CIRCUIT #PM4-ST51 RABU			
1070	F1	1	848265260		KIT, FINAL ASSEMBLY			
1080	F2	1	300023058	#PM4-BLNKCARD	ORDERABLE ITEM, APPLICATION BLANK CARDS RABU			15
1081	F3	1	408186856		BLANK, SLOT COVER #300023058 RABU			15
1090	E1	1	ED5D088-12, G291A,G291B, G291C		LABELS, FUSE			
1100	6	1	408181477		PACK,CIRCUIT #PM4-T3-ATM AN ATM DS3 CARD TO INSERT AND EXTRACT ATM CELLS FROM A T3 RABU			15
1110	7	1	408181485		PACK,CIRCUIT #PM4-E3-ATM AN ATM E3 CARD TO INSERT AND EXTRACT ATM CELLS FROM A T3 RABU			15
1120	8	1	408181501		PACK,CIRCUIT #PM4-PCTFI A MULTI USER INTERFACE THAT PROVISIONS E1'S ON A 5ESS SWITCH RABU			15

***** END OF STOCKLIST *****

S H O P P I N S T	MANUFACTURING NOTES																					
			<p>1. X PARTS REQUIRED FOR INSTALLATION.</p> <p>X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.</p> <p>* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.</p> <p>*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.</p> <p>() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.</p> <p>{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.</p> <p>< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.</p> <p>"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.</p> <p>"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.</p> <p>"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.</p> <p>A/R AS REQUIRED.</p> <p>"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.</p>																			
X		14. REFER TO TABLE BB FOR ORDERING INFORMATION ON REPLACEMENT FUSES.																				
X		<p>15. UNIT EQUIPPAGE INFORMATION: RAC 1 & 2 ARE DUPLICATES OF EACH OTHER WITH PACK LOCATIONS "0" TO "9" AND A BLANK POSITION.</p> <table border="0"> <tr> <td>CIRCUIT PACK</td> <td>LOCATION RAC 1 & 2</td> </tr> <tr> <td>-----</td> <td>-----</td> </tr> <tr> <td>PM4-SMM</td> <td>4</td> </tr> <tr> <td>PM4-4T1-98M</td> <td>0-3 AND 6-9 (AS REQD)</td> </tr> <tr> <td>PM4-3E1-98M</td> <td>0-3 AND 6-9 (AS REQD)</td> </tr> <tr> <td>PM4-ST5-1</td> <td>0</td> </tr> <tr> <td>PM4-T3-ATM</td> <td>9</td> </tr> <tr> <td>PM4-E3-ATM</td> <td>9</td> </tr> <tr> <td>PM4-PCTFI</td> <td>0</td> </tr> <tr> <td>APPARATUS BLANK</td> <td>FINAL ASSY KIT PROVIDES APPARATUS BLANKS FOR POSITION 5 OF RAC1 & 2 AND BLANK POSITION AFTER POSITION 9 IN RAC1 & 2. REMAINING APP. BLANKS SHOULD BE RETURNED TO A STOCKPILE FOR REUSE.</td> </tr> </table>	CIRCUIT PACK	LOCATION RAC 1 & 2	-----	-----	PM4-SMM	4	PM4-4T1-98M	0-3 AND 6-9 (AS REQD)	PM4-3E1-98M	0-3 AND 6-9 (AS REQD)	PM4-ST5-1	0	PM4-T3-ATM	9	PM4-E3-ATM	9	PM4-PCTFI	0	APPARATUS BLANK	FINAL ASSY KIT PROVIDES APPARATUS BLANKS FOR POSITION 5 OF RAC1 & 2 AND BLANK POSITION AFTER POSITION 9 IN RAC1 & 2. REMAINING APP. BLANKS SHOULD BE RETURNED TO A STOCKPILE FOR REUSE.
CIRCUIT PACK	LOCATION RAC 1 & 2																					
-----	-----																					
PM4-SMM	4																					
PM4-4T1-98M	0-3 AND 6-9 (AS REQD)																					
PM4-3E1-98M	0-3 AND 6-9 (AS REQD)																					
PM4-ST5-1	0																					
PM4-T3-ATM	9																					
PM4-E3-ATM	9																					
PM4-PCTFI	0																					
APPARATUS BLANK	FINAL ASSY KIT PROVIDES APPARATUS BLANKS FOR POSITION 5 OF RAC1 & 2 AND BLANK POSITION AFTER POSITION 9 IN RAC1 & 2. REMAINING APP. BLANKS SHOULD BE RETURNED TO A STOCKPILE FOR REUSE.																					

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

BT13

5ESS(R) SWITCHING EQUIPMENT
 SPECIFICATION FOR
 REMOTE ACCESS CONCENTRATOR
 (RACU)

DWG SIZE C2 ISSUE 5

J5D061AA-1

LUCENT TECHNOLOGIES INC J5D061AA-1

SHEET D1 OF 6

PRINTED IN U.S.A.

TABLE BB
REPLACEMENT FUSE ORDERING INFORMATION

COMCODE	DESCRIPTION
406759050	20 AMP FUSE.

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1999 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

BT13

5ESS(R) SWITCHING EQUIPMENT
 SPECIFICATION FOR
 REMOTE ACCESS CONCENTRATOR
 (RACU)

DWG SIZE C2	ISSUE 5
----------------	------------

J5D061AA-1

LUCENT TECHNOLOGIES INC J5D061AA-1

SHEET OF	D2 6
-------------	---------