


SECT. A-A



FLOOR MOUNTING TEMPLATE FOR ANCHORING FASTENERS

SECT. L-L









FIG. 8




SECT. C-C



FRONT VIEW

(SEE NOTE 3)
VIEW D-D



REAR VIEW

SHEET	ISSUE	17	16	7																
INDEX	SH	NO	CL	IC	2	CS														
COPYRIGHT © 1989 AT&T ALL RIGHTS RESERVED																				
POWER SYSTEMS-RECTIFIER-200/240 OR 480 VOLTS AC INLET 3 PH, 50HZ, 100KVA - 48V, 40 AMPERS OUTPUT																				
AT&T TECHNOLOGIES, INC.															DU		J85803C-1		C1 17 03	





FIG. C
(LIST 2 OR 4) OR (LISTS 2 AND C)
OR (LISTS 4 AND C)




FIG. D
(LIST B) OR (LISTS B AND D)




FIG. E (DA)
(LISTS 2 AND A) OR (LISTS 4 AND A) OR
(LISTS 2A AND C) OR (LISTS 4A AND C)







FIG. F (DA)
(LISTS B AND B) OR (LISTS B,B AND D)




VIEW F-F



SECT. G-G





VIEW H-H

<small> APPROVED FOR RELEASE DATE 11-18-2013 BY 60320 AUTHORITY 25X-10000 A-1 </small>	<small> J85503C-1 </small>	<small> 03 </small>	<small> 7 </small>	<small> 03 </small>
--	--	-----------------------------------	----------------------------------	-----------------------------------

