


REVISION	1	AS M.	2	RE S.
DATE	11-29-51	9-1-53		



ISSUE	1	1-28-51
DATE	2	9-1-53

SEQUENCE CHART




TABLE I
STEERING CIRCUIT PROGRESS

DIGIT	RA	EV	OD	AS	BS	CS	DS	ES	FS	GS	HS	JS	KS	LS	MX
KP			H+	H+											
A	O	R	O	R	O										
B	O	R	O	R	O										
C	O	R	O	R		O									
D	O	R	O	R			O								
E	O	R	O	R				O							
F	O	R	O	R					O						
G	O	R	O	R						O					
H	O	R	O	R							O				
J	O	R	O	R								O			
K	O	R	O	R									O		
L	O	R	O	R										O	
START	O	R	O	R											O

O DENOTES RELAY OPERATED.
H DENOTES RELAY HELD.
R DENOTES RELAY RELEASED.
+ DENOTES INITIALLY OPERATED AT SEIZURE FROM OFF-NORMAL GROUND.

SD OPTION	FEATURE OR OPTION	SD OPTION	SD
A	M.D.	G	68222-01
B	STD.	F	
C	M.D.	XC	
D	STD.	XD	
E	ALL LPD-20C CALLS REQUIRE 7 DIGITS REGISTERED IN THE SENDER	XE	