


MF CURRENT SUPPLY

ODD OSCILLATOR GROUP
SEE NOTES 1 & 2



TO SHEET 2

MF CURRENT SUPPLY
SENDERS AND KEYSETS

OS 224-1

3 SHEETS, SHEET 1

NO. 4A TOLL

ORDER AS BSP ITEM MP-11745






BELL TELEPHONE LABORATORIES, INC.
PRINTED IN U. S. A.

DATE	1 2 2 2
TIME	12:30

3 SHEETS, SHEET 1

MP-11745

ISSUE	1	222
DATE	12-5-51	



- NOTES:
1. UNDER NORMAL OPERATING CONDITIONS THE LOAD IS DIVIDED BETWEEN THE ODD AND EVEN OSCILLATORS. UNDER TRANSFER CONDITIONS EITHER OSCILLATOR CAN CARRY THE ENTIRE LOAD, EVEN AND ODD OSCILLATOR EQUIPMENT ARRANGEMENTS ARE IDENTICAL.
 2. DIRECT CURRENT SHOULD NOT BE USED TO TEST THIS CIRCUIT (EXCEPT RELAYS) BECAUSE THE APPARATUS MAY BE DAMAGED OR ITS CHARACTERISTICS PERMANENTLY ALTERED BY THE PASSAGE OF DIRECT CURRENT.

DP INCOMING SENDER CKT.	SD-66221-01,	ISS. 12
* MF CURRENT SUPPLY CKT.	SD-95391-01,	ISS. 12
MF INCOMING SENDER CKT.	SD-68222-01,	ISS. 12

**MF CURRENT SUPPLY
SENDERS AND KEYSETS**

