

TO SHEET 2

ISSUE	1
DATE	1-18-52


3 SHEETS, SHEET 1

MP-11767

ISSUE	1	1-18-52
DATE		

SEQUENCE CHART

TROUBLE CONDITIONS



NOTES:

OS OPTION	FEATURE OR OPTION	SD OPTION	SD
A	CONT. TEST CKT. IS NOT PROVIDED	YD	68028-01
B	CONT. TEST CKT. IS PROVIDED	YC	
C	WHEN MARKER IS ATTACHED	NONE	68340-01
D	WHEN MARKER IS NOT ATTACHED	NONE	

2 IF THE RECORDER IS RESEIZED IN LESS THAN 5 SECONDS AFTER RELEASE OF STR2, THAT RELAY WILL REOPERATE AND PREVENT THE MOTOR FROM STOPPING.

3 "M" SHAFT MAKES 1 REVOLUTION PER PERFORMING CYCLE (9 CYCLES).
"L" SHAFT MAKES 1 REVOLUTION PER CARD.

- DECODER CKT. SD-68340-01, ISS. 2
- *DECODER MARKER TEST AND TROUBLE RECORDER CKT. SD-68389-01, ISS. 3
- LINK CONTROLLER CKT. SD-68028-01, ISS. 24
- MARKER CKT. SD-68388-01, ISS. 2
- MARKER CONNECTOR CKT. SD-68395-01, ISS. 3
- MISC. CKT. FOR TRBL. REC. FR. SD-68392-01, ISS. 3

TROUBLE RECORDER
SEIZURE AND CONTROL
FOR TROUBLE RECORDING