



Succession Fault Management Logs Reference (volume 1)

ATTENTION

The Succession Fault Management Logs Reference document uses six volumes to describe logs that Succession Portfolio components can generate. Not all components apply to every solution.

A log report is a message about an important conditions or events related to Succession portfolio component(s) performance. Log reports include, but are not restricted to, the following information:

- state and activity reports
- changes in state
- hardware or software errors
- test results
- other events or conditions that affect performance

Note: Both system actions and manual overrides can generate log reports.

Log formats

The log formats shown in this volume display in either NT or SCC2 standard formats. Not every format that generates from the core appears in a log report. Consult the latest software load that accompanies your product for a complete list of log formats.

In this volume

Volume 1 contains the Succession [Audio Provisioning Server](#) logs. The table in this volume identifies and briefly describes the logs they use. Double-click on the log identifier to see the log details.

Audio Provisioning Server

The following table lists the individual logs that the Audio Provisioning Server (APS) generates.

APS logs (Sheet 1 of 7)

Log ID	Description
26625	Software exception
26626	SQL exception
26627	Error while accessing the DB
26628	Null value for: %s
26629	Error creating user: %s
26630	Error creating directory: %s
26631	Error creating node: %s
26632	Error removing node: %s
26633	Error updating host file: %s
26634	Node not enabled: %s
26635	Invalid program group: %s
26636	Invalid segment id: %s
26637	Invalid package id: %s
26638	Invalid PE Type: %s
26639	Invalid selector type: %s
26640	Invalid selector value: %s
26641	Invalid provisionable set: %s
26642	Invalid node id: %s
26643	Invalid user id: %s
26644	Invalid sys parm value: %s
26645	Invalid entity: %s of entity type: %s

APS logs (Sheet 2 of 7)

Log ID	Description
26646	Invalid old password for user: s%
26647	Callp Selector value: %s is not unique
26648	Program group: %s is not unique
26649	Provision set: %s is not unique
26650	Selector type display value: %s is not unique
26651	User: %s has no access to program group: %s
26652	Selector type: %s already exists
26653	Selector value: %s already exists
26654	Association already exists between %s and %s
26655	Exit code: % while changing permission on: %s
26656	Exit code: % while removing node: % from %s
26657	Exit code: % while removing userdir for user: %s
26658	Inconsistent array sizes between %s and %s
26659	CallP value: %s is not unique
26660	Selector value: %s is not unique
26661	Selector type display value: %s is not unique
26662	Invalid AE Type: %s
28673	Software exception: %s
28674	SQL exception: %s
28675	Error while accessing the DB
28676	User: %s, Group: %s - is beginning a session at: %s
28677	User: %s, Group: %s - is ending a session
28678	User: %s, Group: %s - status is not active

APS logs (Sheet 3 of 7)

Log ID	Description
28679	User: %s, is uploading files
28680	Error while reading from: %s
28681	Error while writing to file: %s
28682	Error while deleting: %s
28683	Invalid file or directory: %s
28684	Directory created: %s
28685	New generated seg id: %s
28686	Seg id released: %s
28687	New generated package id: %s
28688	Package id released: %s
28689	Max number of versions reached for physseg id: %s
28690	Max version number exceeded for physseg id: %s
28691	Max number of versions reached for pkg id: %s
28692	Max version number reached for pkg id: %s
28693	Max set depth reached for set id: %s
28694	Max sequence depth reached for seq id: %s
28695	No segments in the database
28696	Invalid segment id: %s
28697	Invalid phys segment id: %s, ver: %s
28698	Invalid package id: %s, ver: %s
28699	Invalid PE Type: %s
28700	Invalid program group: %s
28701	Invalid selector type: %s

APS logs (Sheet 4 of 7)

Log ID	Description
28702	Invalid selector value: %s
28703	Zip archive extracted: %s
28704	Infinite loop in set id: %s
28705	Infinite loop in sequence id: %s
28706	Seg id: %s is not unique
28707	Alias: %s is not unique
28708	Selector value: %s is not unique
28709	Seg id %s and alias %s are not unique
28710	No permission to set cache for user: %s
28711	No permission to change lock status for user: %s
28712	Seg id: %s cannot be added to locked package: %s
28713	Invalid package format, segment id: %s cannot be added to package: %s
43009	Software exception:
43010	SQL exception: %s
43011	IO file error: %s
43012	Connected to host IP: %s
43013	Could not connect to host IP: %s
43014	Could not change directory to: %s
43015	File %s could be not transferred
43016	ZIP archive extracted: %s
45058	Session timer expired: %s
45059	Software exception: %s

APS logs (Sheet 5 of 7)

Log ID	Description
45060	RMI exception: %s
45061	Error while accessing the DB
45062	Invalid OpCode: %s
47105	The langver.dat file was not able to be provisioned
47106	The provisioner experienced early termination
47107	A specified node was not provisioned
47135	A file cannot be accessed
47203	A segment was not able to be provisioned
The provisioner cannot run on \$(hostname) because it is not the primary server	The provisioner cannot run on \$(hostname)
The specified node (\$NODE_ID) is not a configured node on \$(hostname)	The specified node (\$NODE_ID) is not a configured node
Problems on \$(hostname) transferring files for node \$NODE	Problems on \$(hostname) transferring files
The last prov date for the node \$NODE cannot be updated on \$(hostname) because the database is not accessible	The last prov date for the node \$NODE cannot be updated

APS logs (Sheet 6 of 7)

Log ID	Description
<u>A full provisioner process cannot be run when another full provision is already in progress on \$(hostname)</u>	A full provisioner process cannot be run
<u>A full provisioner process has timed out waiting for a node-specific provisioner process to complete on \$(hostname)</u>	A full provisioner process has timed out
<u>A node-specific provisioner process cannot be run on \$(hostname) because a full provision is already in progress</u>	A full provisioner process in progress
<u>A node-specific provisioner process cannot be run on \$(hostname) because another provision process is already running for that node</u>	Another provisioner process is already running on a node

APS logs (Sheet 7 of 7)

Log ID	Description
The provisioner cannot run on \$(hostname) because the file system (\$IpsProvPath) is full	The provisioner cannot run because the file system is full
The \$IpsProvPath file system on \$(hostname) is almost full. The provisioner will not be able to run if corrective action isn't taken	The \$IpsProvPath file system on \$(hostname) is almost full
The provisioner cannot run on \$(hostname) because the database is inaccessible	The provisioner cannot run on \$(hostname) because the database is inaccessible
The specified node (\$NODE_ID) either does not have provisioning enabled or else does not have a provision set assigned to it on \$(hostname)	The specified node (\$NODE_ID) does not have provisioning enabled

Supplementary logs

The following documents reference logs and/or alarms that do not appear in this volume:

Note: The terms Passport, PVG and MDM have been re-branded in conjunction with the new Nortel Networks' brand simplified naming format. Passport is now referred to as the Nortel Networks Multiservice Switch, PVG is now the Nortel Networks Media Gateway 7480/15000, and MDM is now the Nortel Networks Multiservice Data Manager.

- For USP logs, refer to the *Log and Operational Measurement Descriptions for Universal Signaling Point (USP)*, version 3.0.3. These logs also appear on the Graphical User Interface (GUI).
- For XA-CORE logs, refer to the *XA-Core Reference Manual*, 297-8991-810.
- For information about Multiservice Switch alarms associated with your component, refer to *Nortel Networks Multiservice Switch 7400/15000/20000 Alarms Reference*, NN10600-500 and *Nortel Networks Multiservice Switch 15000, Media Gateway 15000 and Preside MDM in Succession Networks Fault Management Overview PT-AAL1/UA-AAL1/UA-IP*, NN10092-911.

For information about Passport 8600 logs and traps, refer to the following documents:

- *Preside Passport 8600 Device Integration Cartridge User Guide*, 241-6003-110.
- *Configuring Network Management- Passport 8000 Series Software Release 3.5*, 314723-B.
- *System Messaging Platform Reference Guide- Passport 8000 Series Software Release 3.5*, 315015-B.

26625

Format

Software exception: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26626

Format

SQL exception: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26627

Format

Error while accessing the DB.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26628

Format

Null value for: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26629

Format

Error creating user: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26630

Format

Error creating directory: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26631

Format

Error creating node: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26632

Format

Error removing node: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26633

Format

Error updating host file: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26634

Format

Node not enabled: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26635

Format

Invalid program group: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26636

Format

Invalid segment id: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26637

Format

Invalid package id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26638

Format

Invalid PE Type: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26639

Format

Invalid selector type: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26640

Format

Invalid selector value: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26641

Format

Invalid provisionable set: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26642

Format

Invalid node id: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26643

Format

Invalid user id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26644

Format

Invalid sys parm value: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26645

Format

Invalid entity: %s of entity type: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26646

Format

Invalid old password for user: s%

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26647

Format

Callp Selector value: %s is not unique

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26648

Format

Program group: %s is not unique

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26649

Format

Provision set: %s is not unique

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26650

Format

Selector type display value: %s is not unique

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26651

Format

User: %s has no access to program group: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26652

Format

Selector type: %s already exists

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26653

Format

Selector value: %s already exists

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26654

Format

Association already exists between %s and %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26655

Format

Exit code: % while changing permission on: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26656

Format

Exit code: % while removing node: % from %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26657

Format

Exit code: % while removing userdir for user: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26658

Format

Inconsistent array sizes between %s and %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26659

Format

CallP value: %s is not unique

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26660

Format

Selector value: %s is not unique

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26661

Format

Selector type display value: %s is not unique

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

26662

Format

Invalid AE Type: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28673

Format

Software exception: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28674

Format

SQL exception: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28675

Format

Error while accessing the DB.

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28676

Format

User: %s, Group: %s - is beginning a session at: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28677

Format

User: %s, Group: %s - is ending a session

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28678

Format

User: %s, Group: %s - status is not active

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28679

Format

User: %s, is uploading files.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28680

Format

Error while reading from: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28681

Format

Error while writing to file: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28682

Format

Error while deleting: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28683

Format

Invalid file or directory: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28684

Format

Directory created: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28685

Format

New generated seg id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28686

Format

Seg id released: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28687

Format

New generated package id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28688

Format

Package id released: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28689

Format

Max number of versions reached for physseg id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28690

Format

Max version number exceeded for physseg id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28691

Format

Max number of versions reached for pkg id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28692

Format

Max version number reached for pkg id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28693

Format

Max set depth reached for set id: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28694

Format

Max sequence depth reached for seq id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28695

Format

No segments in DB

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28696

Format

Invalid segment id: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28697

Format

Invalid phys segment id: %s, ver: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28698

Format

Invalid package id: %s, ver: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28699

Format

Invalid PE Type: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28700

Format

Invalid program group: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28701

Format

Invalid selector type: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28702

Format

Invalid selector value: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28703

Format

Zip archive extracted: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28704

Format

Infinite loop in set id: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28705

Format

Infinite loop in sequence id: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28706

Format

Seg id: %s is not unique

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28707

Format

Alias: %s is not unique

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28708

Format

Selector value: %s is not unique

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28709

Format

Seg id %s and alias %s are not unique

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28710

Format

No permission to set cache for user: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28711

Format

No permission to change lock status for user: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28712

Format

Seg id: %s cannot be added to locked package: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

28713

Format

Invalid package format, segment id: %s cannot be added to package:
%s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43009

Format

Software exception: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43010

Format

SQL exception: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43011

Format

IO file error: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43012

Format

Connected to host IP: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43013

Format

Could not connect to host IP: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43014

Format

Could not change directory to: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43015

Format

File %s could be not transferred.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

43016

Format

ZIP archive extracted: %s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

45058

Format

Session timer expired: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

45059

Format

Software exception: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

45060

Format

RMI exception: %s.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

45061

Format

Error while accessing the DB.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

45062

Format

Invalid OpCode: %s

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

47105

Format

The langver.dat file was not able to be provisioned. (severity = MAJOR)%s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

47106

Format

The provisioner experienced early termination. (severity = CRITICAL)%s ERROR: <date> <time> APS Data Base Instance <instance name> is down!

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

47107

Format

A specified node was not provisioned. (severity = MAJOR)%s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

47135

Format

A file cannot be accessed. Probable causes: incorrect file permissions or full filesystem. (severity = CRITICAL)%s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

47203

Format

A segment was not able to be provisioned. (severity = CRITICAL)%s

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

The provisioner cannot run on \$(hostname) because it is not the primary server

Format

The provisioner cannot run on \$(hostname) because it is not the primary server.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

The specified node (\$NODE_ID) is not a configured node on \$(hostname)

Format

The specified node (\$NODE_ID) is not a configured node on \$(hostname).

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

Problems on \$(hostname) transferring files for node \$NODE

Format

Problems on \$(hostname) transferring files for node \$NODE.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

The last prov date for the node \$NODE cannot be updated on \$(hostname) because the database is not accessible

Format

The last prov date for the node \$NODE cannot be updated on \$(hostname) because the database is not accessible.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

A full provisioner process cannot be run when another full provision is already in progress on \$(hostname)

Format

A full provisioner process cannot be run when another full provision is already in progress on \$(hostname)

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

A full provisioner process has timed out waiting for a node-specific provisioner process to complete on \$(hostname)

Format

A full provisioner process has timed out waiting for a node-specific provisioner process to complete on \$(hostname).

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

A node-specific provisioner process cannot be run on \$(hostname) because a full provision is already in progress

Format

A node-specific provisioner process cannot be run on \$(hostname) because a full provision is already in progress.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

A node-specific provisioner process cannot be run on \$(hostname) because another provision process is already running for that node

Format

A node-specific provisioner process cannot be run on \$(hostname) because another provision process is already running for that node.

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

The provisioner cannot run on \$(hostname) because the file system (\$IpsProvPath) is full

Format

The provisioner cannot run on \$(hostname) because the file system (\$IpsProvPath) is full.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

The \$IpsProvPath file system on \$(hostname) is almost full. The provisioner will not be able to run if corrective action isn't taken

Format

The \$IpsProvPath file system on \$(hostname) is almost full. The provisioner will not be able to run if corrective action isn't taken.

Action**Associated OM registers**

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

The provisioner cannot run on \$(hostname) because the database is inaccessible

Format

The provisioner cannot run on \$(hostname) because the database is inaccessible.

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.

The specified node (\$NODE_ID) either does not have provisioning enabled or else does not have a provision set assigned to it on \$(hostname)

Format

The specified node (\$NODE_ID) either does not have provisioning enabled or else does not have a provision set assigned to it on \$(hostname).

Action

Associated OM registers

This log report has no associated OM registers.

Additional information

This log report requires no additional information.