

**P0916157**

# **Nortel Networks Symposium Call Center Server**

for the DMS/MSL-100  
Master Index

Product release 3.0

Standard 1.0

April 2000

---

---

**NORTEL**  
**NETWORKS™**

*How the world shares ideas.*

P0916157

# Nortel Networks Symposium Call Center Server

for the DMS/MSL-100

## Master Index

---

Publication number:	P0916157
Product release:	3.0
Document release:	Standard 1.0
Date:	April 2000

---

Copyright © 2000 Nortel Networks, All Rights Reserved

Printed in the United States of America

Information is subject to change without notice. Nortel Networks reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

The process of transmitting data and call messaging between the Meridian 1 and the Nortel Networks Symposium Call Center Server is proprietary to Nortel Networks. Any other use of the data and the transmission process is a violation of the user license unless specifically authorized in writing by Nortel Networks prior to such use. Violations of the license by alternative usage of any portion of this process or the related hardware constitutes grounds for an immediate termination of the license and Nortel Networks reserves the right to seek all allowable remedies for such breach.

\*Nortel Networks, the Nortel Networks logo, the Globemark, How the World Shares Ideas, and Unified Networks, DMS, IVR, Meridian 1, Meridian Mail, MSL-100, and Symposium are trademarks of Nortel Networks.

MICROSOFT, MS-DOS, POWERPOINT, WINDOWS, and WINDOWS NT are trademarks of Microsoft Corporation.

CRYSTAL REPORTS is a trademark of Seagate Software, Inc.

PCANYWHERE is a trademark of Symantec Corporation.



# Publication history

**April 2000**

This document is the first standard release of the *Nortel Networks Symposium Call Center Server Master Index* for Release 3.0.



# Index

ADM = *Administrator's Guide*  
DMS = *Symposium and DMS Switch Guide*  
INS = *Software Installation and Upgrade Guide*  
MSL = *Symposium and MSL-100 Switch Guide*  
REP = *Historical Reporting and Data Dictionary*  
SCR = *Scripting Guide*  
SET = *Setup Guide*  
SUP = *Supervisor's Guide*

## Symbols

%\_Calls\_Abandoned threshold, ADM:127  
%Abandoned\_Aft\_Threshold threshold,  
ADM:127  
%Service Level for Ans Calls threshold,  
ADM:130  
%Service Level threshold, ADM:128  
@company\_name formula, REP:43  
@report\_interval formula, REP:43  
@report\_title formula, REP:43  
@report\_user formula, REP:43  
@site\_id formula, REP:43

## Numerics

1003t  
formatting the RAID drives on, ADM:332–334  
performing a consistency check on, ADM:323  
performing a RAID backup on, ADM:330–331  
rebuilding RAID drives on, ADM:328  
splitting the RAID drives on, ADM:324–327  
3WC key, REP:85  
4 mm DAT tape drive, ADM:288  
40593 event code, ADM:71, ADM:252  
702t  
performing a consistency check on,  
ADM:309–310  
performing a RAID backup on, ADM:318–319  
rebuilding the RAID drives on, ADM:316–317

702t (continued)  
splitting the RAID drives on, ADM:311–315

## A

abandoned call delays, REP:119  
application statistics, REP:110, REP:112  
DNIS statistics, REP:134, REP:138  
reports, REP:454–457, REP:617–619  
skillset statistics, REP:176, REP:177–178  
abandoned calls, SUP:3  
application statistics, REP:111–112, SUP:91–92  
CDN statistics, REP:130  
DNIS statistics, REP:134  
during presentation, REP:106  
IVR treatment, REP:119  
reports, REP:454–457, REP:617–619  
abandoned delay spectrum, REP:110  
AbdDelay fields, REP:110  
access  
levels, REP:214–217  
privileges, ADM:35–44  
to server, controlling, ADM:51–53  
Access Class  
box, ADM:49  
field, SET:9  
function, ADM:35  
Access Class Name, SET:7

- access classes, ADM:27–34, REP:317
  - adding, ADM:29–31
  - changing, ADM:34
  - deleting, ADM:34
  - previewing list of, ADM:34
  - printing list of, ADM:34
  - reports, REP:565–567
  - worksheet, SET:7–8
- Access field, SET:7
- AccessRights view, REP:214–217
- ACD, SUP:8
  - calls, REP:48, REP:64, SUP:84, SUP:104
  - configuring groups, MSL:51, DMS:51
  - groups and subgroups verification, MSL:85, DMS:85
  - groups for CDN, configuring, MSL:51, DMS:51
  - statistics, REP:48
  - subgroups, ADM:92, ADM:192
  - subgroups, configuring, MSL:59, DMS:59
  - verification, MSL:85, DMS:85
- ACD DN, ADM:114, SUP:8
  - ACD groups configuration, MSL:53, DMS:53
  - configuring, MSL:61, DMS:61
- ACDCallsAnswered field, REP:86
- ACDCallsConfToCDN field, REP:86
- ACDCallsConfToDN field, REP:86
- ACDCallsConfToIncalls field, REP:87
- ACDCallsConfToOther field, REP:87
- ACDCallsTalkTime field, REP:87
- ACDCallsTransferredToCDN field, REP:88
- ACDCallsTransferredToDN field, REP:88
- ACDCallsTransferredToIncalls field, REP:88
- ACDCallsTransferredToOther field, REP:89
- ACDLOGIN table, ADM:205
- Acquire field
  - CDN view, REP:232
  - IVRPort view, REP:247
  - SwitchPort view, REP:324
- acquired resources, SET:16
- acquiring
  - CDNs, ADM:82
  - phonesets, ADM:95
  - resources, ADM:74–75, SUP:7
  - voice ports, ADM:104
- acquisition state of a switch resource definition, SET:16
- Acrobat Reader, installing, INS:234
- activated scripts
  - changing, SCR:31
  - deactivating, SCR:115–119
  - maximum number allowed, SCR:115
  - saving changes, SCR:100–101
- activating
  - reports, SUP:159
  - scripts, SCR:115–119
- activation
  - description, SCR:30
  - subscripts, SCR:31
- Active Agents
  - parameter, ADM:156
  - field, SET:47
- Active threshold, ADM:126
- ActiveTime field, REP:173
- Activity Code box, ADM:154
- Activity Code By Agent report, REP:362–364
- Activity Code By Application report, REP:365–367
- Activity Code Name
  - box, ADM:110
  - field, SET:17
- Activity Code Number
  - box, ADM:110
  - field, SET:17
- Activity Code Properties report, REP:474–476
- activity code reports
  - configuration, REP:474–476
  - statistic, REP:361–370, REP:442–444
- activity code statistics, REP:67–71, REP:361–370
  - entity relationships, REP:343
  - linkages, REP:71
- activity codes, ADM:107–111, ADM:178, REP:67, SUP:14, SUP:47
  - adding, ADM:109–110
  - changing, ADM:111
  - deleting, ADM:111
  - field, SET:48
  - function, ADM:35
  - parameter, ADM:156
  - previewing list of, ADM:111
  - printing list of, ADM:111
  - properties, REP:218
  - worksheet, SET:17

- Activity LED, ADM:367
  - troubleshooting, ADM:367
- activity times, REP:49
- ActivityCode field
  - ActivityCode view, REP:218
  - ActivityCodeStat views, REP:68
  - HistoricalStatCollection view, REP:239
  - Skillset view, REP:302
- ActivityCode view, REP:218
- ActivityCodeName field, REP:68
- ActivityCodeStat views, REP:67–71
- ActivityTime field, REP:68
- ad hoc reports, printing, SUP:164–167
- Add Voice Port box, ADM:94
- add-in adapter, problems with, ADM:368
- adding
  - access classes, ADM:29–31
  - activity codes, ADM:109–110
  - advanced commands, SCR:91
  - agent to skillset assignments, ADM:233–236
  - agent to supervisor assignments, ADM:221–223
  - agents, ADM:205–213
  - associated supervisors, SUP:34
  - call presentation classes, ADM:165–166
  - CDNs, ADM:79–81
  - columns, SUP:74
  - commands, SCR:91
  - connection profile, ADM:345, INS:85
  - customized formulas to reports, REP:43–45
  - desktop users, ADM:47–50
  - Dial-Up Networking connection profile, ADM:344–346, INS:85–86
  - DNISs, ADM:115–116
  - event preferences, ADM:269–270
  - formulas, ADM:145–147
  - intrinsic, SCR:91
  - music routes, ADM:87–88
  - operators, SCR:92
  - phonesets, ADM:93–94
  - RAN routes, ADM:87–88
  - real-time display definitions, SUP:71–75
  - script elements, SCR:91, SCR:92
  - servers, ADM:18–20
  - skillset assignments, SUP:33–34, SUP:54–55
  - skillsets, ADM:182–184
  - SMI systems, ADM:18–20
- adding (continued)
  - supervisors, ADM:194–197
  - threshold classes, ADM:122–124
  - thresholds to a threshold class, ADM:123–124
  - variables, SCR:92
  - voice ports, ADM:100–103
  - See also* creating, defining
- addition expression, SCR:278
- admin mode, INS:256
- adminGroup access class, ADM:28
- Administrative Tools, Windows NT, ADM:12
- Administrator account, ADM:64
  - changing password for, ADM:65–66, INS:32–34
- advanced commands
  - adding, SCR:91
  - sample scripts and, SCR:292
- Age Of Call intrinsic, SCR:254
- Agent Available threshold, ADM:131
- Agent Average Calls Per Hour
  - Bottom 5 report, REP:375–376
  - Top 5 report, REP:377–378
  - report, REP:372–374
- Agent by Activity Code report, REP:379–381
- Agent By Application Performance report, REP:382–384
- agent by application statistics, REP:72–76, REP:382–384
  - entity relationships, REP:344
  - linkages, REP:76
- Agent By Skillset Performance report, REP:385–388
- agent by skillset statistics, REP:77–82, REP:385–388
  - entity relationships, REP:345
  - linkages, REP:81–82
- Agent By Supervisor Properties report, REP:477–479
- Agent Configuration worksheet, SET:34–35
- Agent DN Performance
  - Calls Answered, Bottom 5 report, REP:394–395
  - Calls Answered, Top 5 report, REP:396–397
  - report, REP:389–393
- Agent Events per Day
  - parameter, ADM:156
  - field, SET:48

- Agent
  - field, SET:47
  - view, REP:219–224
- Agent ID
  - data type, SCR:69
  - field, SUP:86
- agent idle time preference, ADM:172, ADM:173
  - configuring, ADM:185–187
- Agent In Service threshold, ADM:131
- agent keys and real-time displays, ADM:140
- Agent login and logout
  - box, ADM:158
  - field, SET:48
- Agent Login/Logout report, REP:398–400
- Agent Name field, SUP:86
  - Agent to Skillset Assignment worksheet, SET:39
  - Agent to Supervisor Assignment worksheet, SET:41
- Agent Not Ready threshold, ADM:131
- Agent On DN call threshold, ADM:131
- Agent on In call threshold, ADM:131
- Agent Performance
  - By Supervisor report, REP:411–416
  - Calls Answered, Bottom 5 report, REP:417–422
  - Calls Answered, Top 5 report, REP:423–424
  - report, REP:404–410
- agent
  - phoneset, ADM:92
  - position, ADM:204
- Agent Position ID report, REP:529–532
- Agent Positions
  - field, SET:47
  - parameter, ADM:156
- Agent Preference
  - box, SUP:49
  - field, SET:30
  - options, ADM:186
- Agent Properties report, REP:480–485
- agent real-time displays
  - filtering, 74
  - refresh rate for, ADM:144
  - real-time display template, SUP:117
- Agent Short Calls report, REP:425–430
- Agent Skillset Assignment report, REP:486–488
- Agent Skillset Properties report, REP:489–492
- agent statistics, SUP:86–89
  - by application, REP:72–76
  - by skillset, REP:77–82
  - data collection option, SUP:89
  - entity relationships, REP:344–346
  - linkages, REP:76, REP:81–82, REP:106
  - login and logout, REP:187–189
  - performance, REP:83–107
  - performance, entity relationships, REP:346
  - performance, linkages, REP:106
- Agent Statistics box, ADM:144
- Agent Supervisor Assignment report, REP:493–495
- Agent Threshold Classes function, ADM:35
- agent thresholds, ADM:126–127
- agent to skillset assignments, ADM:229–241, REP:288–290, REP:308–310, REP:486–488, SET:38
  - adding, ADM:233–236
  - changing, ADM:240
  - deleting, ADM:241
  - function, ADM:36
  - previewing list of, ADM:240
  - printing list of, ADM:240
  - running, ADM:239
  - scheduling, ADM:237–238
  - worksheet, SET:39–40
- agent to supervisor assignments, ADM:217–228, REP:291–293, REP:321–323, SUP:35–39, SET:38
  - adding, ADM:221–223
  - changing, ADM:227
  - deleting, ADM:228
  - function, ADM:36
  - previewing list of, ADM:227
  - printing list of, ADM:227
  - running, ADM:226
  - scheduling, ADM:224–225
  - worksheet, SET:41–42
- Agent Transferred/Conferenced Activity report, REP:431–437
- Agent Unavailable threshold, ADM:132
- AgentByApplication field, REP:239
- AgentByApplicationStat views, REP:72–76
- AgentBySkillsetStat views, REP:77–82

## AgentGivenName field

- ActivityCodeStat views, REP:68
- AgentByApplicationStat views, REP:73
- AgentBySkillsetStat views, REP:78
- AgentPerformance views, REP:89
- eAgentLoginStat view, REP:187
- SupervisorAgentAssignment view, REP:319

## AgentID field, REP:291, REP:321

## AgentLogin field

- ActivityCodeStat views, REP:69
- AgentByApplicationStat views, REP:73
- AgentBySkillsetStat views, REP:78
- AgentPerformance views, REP:89
- eAgentLoginStat view, REP:187
- HistoricalStatCollection view, REP:239

## AgentPerformance field, REP:239

## AgentPerformanceStat views, REP:83–107

## AgentReserveTimer field, REP:326

## agents, ADM:203–215

- adding, ADM:205–213
- assigned to a supervisor, viewing,
  - ADM:198–199
- assigning call presentation classes to,
  - ADM:209
- assigning supervisors to, ADM:212–213,
  - ADM:221–223
- assigning threshold classes to, ADM:210
- assigning to skillsets, ADM:211
- calls not presented, SCR:344, MSL:101,
  - DMS:101
- changing, ADM:214
- changing capabilities of, ADM:214
- changing properties of, SUP:27–34
- changing skillset priorities for, ADM:233–236
- configuring, SET:34
- configuring ACD groups, MSL:53, DMS:53
- configuring logon IDs, MSL:70, DMS:70
- configuring on the server, MSL:71, DMS:71
- configuring phoneset keys, MSL:63, DMS:63
- configuring phonesets, MSL:63, MSL:65,
  - MSL:66, DMS:63, DMS:65, DMS:66
- configuring phonesets on the server, MSL:66,
  - DMS:66
- deleting, ADM:215
- description, ADM:204
- keys and real-time displays, SUP:70

## agents (continued)

- lists, SCR:208
  - name, blank, REP:51
  - presenting calls to, ADM:172
  - previewing list of, ADM:214
  - printing list of, ADM:215
  - properties, REP:219–224
  - skillset assignments, REP:306–307
  - state timers, REP:49, REP:83
  - statistics by application, REP:72–76
  - statistics by skillset, REP:77–82
  - supervisor assignments, REP:319–320
  - threshold classes, REP:226, REP:331–332
  - unable to log on, MSL:100, DMS:100
  - verifying configuration, MSL:88, DMS:88
  - verifying phoneset configuration, MSL:86,
    - MSL:88, DMS:86, DMS:88
- Agents Available field, SUP:103
- Agents In Service field, SUP:103
- Agents included in this assignment box,
  - ADM:235
- Agents Not Ready field, SUP:103
- Agents On ACD-DN Call
  - field, SUP:104
  - threshold, ADM:131
- Agents On DN Call field, SUP:104
- Agents On In Call field, SUP:104
- Agents On Non-Skillset Call field, SUP:104
- Agents On Other In Call field, SUP:105
- Agents On Other Skillset Call
  - field, SUP:105
- Agents On Other Skillset Call threshold,
  - ADM:131
- Agents On Skillset Call field, SUP:105
- Agents On This Skillset Call
  - field, SUP:105
  - threshold, ADM:132
- Agents Unavailable field, SUP:105
- AgentSurName field
  - ActivityCodeStat views, REP:69
  - AgentByApplicationStat views, REP:73
  - AgentBySkillsetStat views, REP:78
  - AgentPerformanceStat views, REP:89
  - eAgentLoginStat view, REP:188
  - SupervisorAgentAssignment view, REP:319
- AgentTelsetLoginID field, REP:319

- AgentUserID field, REP:319
- Alarm Monitor, ADM:244, ADM:275–279
  - configuring background, ADM:279
  - configuring foreground, ADM:278
  - function, ADM:36
  - help, ADM:279
- alarms
  - clearing active, ADM:280–281
  - help, ADM:279
  - investigating, ADM:279
  - printing active, ADM:276
  - printing all, ADM:276
  - recovery path for, ADM:279
- Alias, REP:36
- Alias Name box, REP:36
- aliases. *See* database aliases
- AllAgentBusyTime field, REP:173
- AlternateCallAnswer field, REP:219, REP:328
- AND expression, SCR:275
- AnsDelay fields, REP:110
- Answered Call Count intrinsic, and data collection, SCR:209
- answered call delays
  - application statistics, REP:110, REP:113, REP:120
  - at skillset, REP:113, REP:120
  - DNIS statistics, REP:135, REP:139
  - reports, REP:458–461, REP:620–622
  - skillset statistics, REP:175
- answered calls
  - agent by application statistics, REP:74
  - agent by skillset statistics, REP:78
  - agent performance statistics, REP:91
  - application statistics, REP:112–113, SUP:92–93
  - CDN statistics, REP:130
  - DNIS statistics, REP:135
  - IVR port statistics, REP:142
  - nodal statistics, SUP:99
  - reports, REP:458–461, REP:620–622
  - short calls, REP:79, REP:102
  - skillset statistics, REP:174–176, SUP:106, SUP:108
- answered delay spectrum, REP:110
- Answering Skillset field, SUP:86
- Application box, ADM:153
- Application By Activity Code report, REP:442–444
- Application Call Treatment report, REP:448–453
- Application Delay
  - Before Abandon report, REP:454–457
  - Before Answer report, REP:458–461
- application events, ADM:251
- Application field
  - ActivityCodeStat views, REP:69
  - AgentByApplicationStat views, REP:73
  - ApplicationStat views, REP:111
  - HistoricalStatCollection view, REP:240
  - SkillsetStat views, REP:173
- Application ID field, SUP:91
- Application log, ADM:251
- Application Name field, SUP:91
- Application Performance report, REP:462–465
- application real-time display template, SUP:119–120
- application reports
  - configuration, REP:499–501, REP:608–610
  - statistics, REP:382–384, REP:441–468, REP:693–696
- Application Script Properties report, REP:496–498
- application scripts. *See* scripts
- application statistics, REP:108–128, REP:441–468, SUP:90–96
  - by agent, REP:72–76
  - data collection option, SUP:96
  - entity relationships, REP:346
  - linkages, REP:127–128
- Application Statistics box, ADM:144
- Application Template Properties report, REP:499–501
- application threshold classes, REP:109, REP:230–231
  - properties, REP:499–501
  - function, ADM:37
- application thresholds, ADM:127–130
- Application view, REP:225–226
- ApplicationByScript view, REP:227–229
- ApplicationID field
  - ActivityCodeStat views, REP:69
  - AgentByApplicationStat views, REP:74
  - Application view, REP:225

- ApplicationID field (continued)
    - ApplicationStat views, REP:111
    - SkillsetStat views, REP:173
  - applications, REP:108, SUP:90
    - definition, ADM:151
    - field, SET:48
    - function, ADM:37
    - measured value for, ADM:156
    - parameter, ADM:156
    - properties, SCR:287, REP:225–226
    - statistics by agent, REP:72–76
    - window, SCR:287
  - ApplicationStat views, REP:108–128
  - ApplicationTemplate view, REP:230
  - ApplicationThresholdTemplate view, REP:230–231
  - applying Microsoft hot fix, INS:36, INS:163
  - ASM service, INS:293
  - Assign command, SCR:126
  - Assign to Supervisor field, SET:41
  - AssignID field
    - ScheduledSkillsetAssignment view, REP:288
    - ScheduledSupervisorAssignment view, REP:291
    - SkillsetByAssignment view, REP:308
    - SupervisorByAssignment view, REP:321
  - assigning
    - agents to skillsets, ADM:211, SUP:33–34, SUP:54–55
    - agents to supervisors, ADM:221–223
    - associated supervisors, SUP:34
    - call presentation classes to agents, ADM:209
    - supervisors to agents, ADM:212–213
    - threshold classes to agents, ADM:210
    - values to variables, SCR:74–78
  - Assignment name field
    - Agent to Skillset Assignment worksheet, SET:39
    - Agent to Supervisor Assignment worksheet, SET:41
  - assignments
    - worksheets, SET:37–42
    - See also* agent to skillset assignments, agent to supervisor assignments
  - AssignName field
    - ScheduledSkillsetAssignment view, REP:288
    - ScheduledSupervisorAssignment view, REP:291
    - SkillsetByAssignment view, REP:308
    - SupervisorByAssignment view, REP:321
  - AssignType field, REP:291, REP:321
  - associated supervisors, ADM:192, SUP:12
    - assigning or removing, SUP:34
    - See also* reporting supervisors, supervisors
  - AssociatedData field, REP:191, REP:204
  - asynchronous events
    - description, SCR:174
    - Event Handler, SCR:174
  - attributes, REP:339
    - variables, SCR:82
  - AUDIT service, INS:293
  - automatic
    - call distribution. *See* ACD
    - setting pcANYWHERE service to, INS:76
    - setting RAS service to, INS:39
  - available agents, SUP:103
  - Average Speed Answer intrinsic, SCR:211
    - and data collection, SCR:212
  - Average\_Abandon\_Delay threshold, ADM:128
  - Average\_Answer\_Delay threshold, ADM:128
  - Average\_Answer\_Delay\_S threshold, ADM:132
- ## B
- background
    - colors for threshold display box, SUP:74, SUP:75
    - configuring Alarm Monitor to appear in, ADM:279
  - backing up the database, INS:344
  - Backup Definition box, ADM:293
  - Backup Scheduler, ADM:290
    - function, ADM:37
  - Backup tool, Windows NT, ADM:12
  - backups
    - and daily maintenance, ADM:287
    - database, ADM:286
    - full, ADM:285
    - logs, ADM:296–297

- backups (continued)
    - RAID, ADM:287
    - scheduling, ADM:291–295
    - starting, ADM:305
    - status, ADM:305, ADM:296–297
    - stopping, ADM:298, ADM:306
    - status window, ADM:296
    - tapes, ADM:287
    - tapes, formatting, ADM:304
    - tapes, rotating, ADM:288
    - tapes, viewing contents of, ADM:304
    - types, ADM:285
    - utility, ADM:300–306
  - bar formats, SUP:75
  - BGDATA
    - configuring, MSL:35, DMS:35
    - updating, MSL:35, DMS:35
  - blank
    - agent name, REP:51
    - lines in scripts, SCR:38
  - blind
    - conferences, REP:85
    - transfers, REP:85
  - blue database, REP:31
  - Boolean data type, SCR:69
  - BreakTime field, REP:90
  - Business Group, logon parameters, MSL:79, DMS:79
  - Business week contains
    - box, ADM:158
    - field, SET:49
  - BusinessDaysPerWeek field, REP:243
  - BusinessHoursPerDay field, REP:243
  - busy
    - Give Busy command, SCR:146
    - threshold, ADM:126
  - BusyMiscTime field, REP:90
  - BusyOnDNTime field, REP:90
  - By-Application box, ADM:154
  - By-Skillset box, ADM:154
- C**
- calculated data, REP:359
  - calculating disk space requirements, ADM:159
  - call
    - age, ADM:174
    - priority, ADM:174
  - Call age preference field, SET:29
  - Call by call
    - box, ADM:158
    - field, SET:49
  - Call By Call Statistics report, REP:470–472
  - Call Center Admin access class, ADM:28
  - call center summary real-time display. *See* nodal real-time display
  - call center summary statistics. *See* nodal statistics
  - call center summary threshold class. *See* nodal threshold class
  - Call Center User Configuration worksheets, SET:31–35
  - call defaulting, SCR:11
  - call events, REP:193–200, REP:207–210
  - call flow description, SCR:9
  - Call Flows
    - box, ADM:153
    - field, SET:47
  - Call Forward
    - Busy intrinsic, SCR:258
    - Do Not Disturb intrinsic, SCR:259
    - intrinsic, SCR:257
    - No Answer intrinsic, SCR:260
  - call intrinsics, SCR:253–271
    - decision making with, SCR:205
  - Call Present threshold, ADM:126
  - call presentation, ADM:162, SUP:45–46
    - box, ADM:166
    - properties, SET:34
  - Call Presentation Class for this Agent
    - box, ADM:209
    - field, SUP:31
  - call presentation classes, ADM:163–167, SET:24
    - adding, ADM:165–166
    - assigning to agents, ADM:209
    - changing, ADM:167
    - deleting, ADM:167
    - function, ADM:38
    - previewing list of, ADM:167
    - printing list of, ADM:167

- call presentation classes (continued)
  - properties of, REP:328–330
  - worksheets, SET:23–25
- Call Presentation Name field, SET:25
- Call Presentation Type field, SET:25
- Call Rate intrinsic, SCR:250
- call routing
  - illustration, SCR:22
  - methods, SCR:9
  - process, SCR:9
- call variables
  - definition, SCR:65
  - description, SCR:17
  - example, SCR:65
- CallAgePreference field, REP:302
- CallByCall field, Application view, REP:225
- call-by-call reports, REP:42, REP:470–472
- call-by-call statistics, REP:190–200, REP:470–472
  - configuring collection of, ADM:159
- caller account, configuring remote PC, INS:76
- Caller Entered Data Delimiter box, ADM:186, SUP:49
- Caller-Entered-Data Delimiter field, SET:30
- caller-entered data, REP:131
- caller-entered data delimiter, ADM:185
- CallEvent field, REP:191, REP:193–200, REP:205, REP:207–210
- CallEventName field, REP:191, REP:205
- CallForceDelayTimer field, REP:219, REP:328
- CallForceOption field, REP:219, REP:328
- CallID field, REP:191, REP:205
- calling line identification. *See* CLID
- CallRequestQueueSize field, REP:303
- CallRequestQueueSizeThreshold field, REP:303
- calls
  - not treated by IVR, REP:127
  - presented. *See* offered calls
  - types, REP:63, SUP:83
  - See also* ACD calls, DN calls, incoming calls, outgoing calls, Symposium Call Center Server calls
- Calls Abandoned After Threshold field, SUP:92
- Calls Abandoned Delay
  - field, SUP:92
  - threshold, ADM:128
- Calls Abandoned
  - field, SUP:91
  - threshold, ADM:128
- Calls Abdnd Aft Threshold threshold, ADM:128
- Calls Answd Aft Threshold threshold, ADM:128, ADM:132
- Calls Answd Dly At Skillset threshold, ADM:129
- Calls Answered After Experiencing Delay field, SUP:106
- Calls Answered After Threshold field, SUP:92, SUP:97, SUP:106
- Calls Answered Delay At Skillset field, SUP:93
- Calls Answered Delay
  - field, SUP:93, SUP:97
  - threshold, ADM:129
- Calls Answered field, SUP:92, SUP:97, SUP:99, SUP:106
- Calls Answered threshold
  - application thresholds, ADM:129
  - nodal thresholds, ADM:130
  - skillset thresholds, ADM:132
- Calls Given Terminate threshold, ADM:129
- Calls Given Termination Treatment field, SUP:93
- Calls Not Treated After Threshold field, SUP:98
- Calls Not Treated Delay field, SUP:98
- Calls Not Treated field, SUP:97
- Calls Offered
  - field, SUP:93, SUP:99, SUP:106
  - threshold, ADM:129, ADM:130
- Calls per hour
  - field, SET:47
  - parameter, ADM:156
- Calls Transferred Out field, REP:118
- Calls Waiting field
  - application statistics, SUP:94
  - IVR statistics, SUP:98
  - nodal statistics, SUP:99
  - skillset statistics, SUP:106
- Calls Waiting threshold
  - application thresholds, ADM:129
  - nodal thresholds, ADM:130
  - skillset thresholds, ADM:132
- CallsAbandoned field, REP:48
  - ApplicationStat views, REP:111
  - CDNStat views, REP:130
  - DNISStat views, REP:134

- CallsAbandonedAftThreshold field
  - ApplicationStat views, REP:111
  - DNISStat views, REP:134
- CallsAbandonedDelay field
  - ApplicationStat views, REP:112
  - DNISStat views, REP:134
- CallsAbandonedDelayAtDest field, REP:152, REP:159
- CallsAnswered field, REP:48
  - AgentByApplicationStat views, REP:74
  - AgentBySkillset Stat views, REP:78
  - AgentPerformance views, REP:91
  - ApplicationStat views, REP:112
  - CDNStat views, REP:130
  - DNISStat views, REP:135
  - IVRPortStat views, REP:142
  - SkillsetStat views, REP:174
- CallsAnsweredAfterThreshold field, REP:174
- CallsAnsweredAftThreshold field
  - ApplicationStat views, REP:112
  - DNISStat views, REP:135
- CallsAnsweredDelay field
  - ApplicationStat views, REP:113
  - DNISStat views, REP:135
  - SkillsetStat views, REP:175
- CallsAnsweredDelayAtSkillset field, REP:113
- CallsConferenced field, REP:9, REP:142
- CallsConferencedIn field, REP:113
- CallsConferencedOut field, REP:114
- CallsGivenBroadcast field, REP:114
- CallsGivenDefault field, REP:114, REP:135
- CallsGivenForceBusy field, REP:115, REP:136
- CallsGivenForceDisconnect field, REP:115, REP:136
- CallsGivenForceOverflow field, REP:115, REP:136
- CallsGivenHostLookup field, REP:115
- CallsGivenIVR field, REP:116
- CallsGivenMusic field, REP:116
- CallsGivenNACD field, REP:116
- CallsGivenRAN field, REP:117
- CallsGivenRouteTo field, REP:117, REP:136
- CallsNACDOut field, REP:117, REP:137
- CallsNotTreated field, REP:147
- CallsNotTreatedAftThreshold field, REP:148
- CallsNotTreatedDelay field, REP:148
- CallsOffered field, REP:48, REP:59
  - AgentPerformance views, REP:91
  - ApplicationStat views, REP:118
  - CDNStat views, REP:130
  - DNISStat views, REP:137
  - SkillsetStat views, REP:175
- CallsReachNonISDN field, REP:137, REP:169
- CallsReturnedToQ field, REP:91
- CallsReturnedToQDueToTimeout field, REP:92
- CallsTerminated field, REP:131
- CallsTransferred field, REP:9, REP:142
- CallsTransferredIn field, REP:118
- CallsWithDigitsCollected field, REP:131
  - canceling backups, ADM:298, ADM:306
  - capabilities
    - changing for agents, ADM:214
    - changing for desktop users, ADM:56
    - changing for supervisors, ADM:200
- Category field, REP:234
- cdinst.exe program, ADM:340
- CDN, SUP:6
  - box, ADM:153
  - calls. *See* Symposium Call Center Server calls
  - data type, SCR:69
  - view, REP:232–233
- CDN field
  - CDN view, REP:232
  - CDNStat views, REP:131
  - HistoricalStatCollection view, REP:240
- CDN intrinsic, SCR:261
- CDN Name
  - box, ADM:80
  - field, SET:18
- CDN Number
  - box, ADM:80
  - field, SET:18
- CDN Properties report, REP:502–504
- CDN statistics, REP:129–132, REP:658–664
  - entity relationships, REP:347
- CDN Statistics report, REP:658–661
- CDNCallsConfTo Other field, REP:93
- CDNCallsConfToCDN field, REP:92
- CDNCallsConfToDN field, REP:92
- CDNCallsConfToIncalls field, REP:92
- CDNCallsTransferredToCDN field, REP:93
- CDNCallsTransferredToDN field, REP:93

- CDNCallsTransferredToIncalls field, REP:93
- CDNCallsTransferredToOther field, REP:94
- CDNName field, REP:131
- CDNs, ADM:77–83, ADM:114, REP:129
  - acquiring, ADM:82
  - adding, ADM:79–81
  - changing, ADM:83
  - configuring, MSL:60, DMS:60
  - configuring in controlled mode, MSL:55, DMS:55
  - configuring in default mode, MSL:55, DMS:55
  - configuring on server, MSL:62, DMS:62
  - deacquiring, ADM:82
  - definition, SET:18
  - deleting, ADM:83
  - field, SET:48
  - function, ADM:38
  - parameter, ADM:156
  - prerequisites, ADM:87
  - previewing list of, ADM:83
  - printing list of, ADM:83
  - properties, REP:232–233
  - reports, REP:502–504, REP:658–664
  - verifying configuration, MSL:89, DMS:89
  - worksheet, SET:18
- CDNStat view, REP:129–132
- Change Priority commands
  - in agent, SCR:140
  - in skillset, SCR:143
- changes, saving, SCR:100
- changing
  - access classes, ADM:34
  - activated scripts, SCR:31
  - activity codes, ADM:111
  - Administrator password, ADM:65–66
  - agent properties, SUP:27–34
  - agent skillset priorities, ADM:233–236
  - agent to skillset assignments, ADM:240
  - agent to supervisor assignments, ADM:227
  - agents, ADM:214
  - call presentation classes, ADM:167
  - capabilities of agents, ADM:214
  - capabilities of desktop users, ADM:56
  - capabilities of supervisors, ADM:200
  - CDNs, ADM:83
  - columns, SUP:75
  - changing (continued)
    - computer name, INS:44, INS:252
    - date, INS:41
    - database aliases, REP:37–38
    - desktop users, ADM:56
    - DNISs, ADM:117
    - event preferences, ADM:273
    - event severity, ADM:269–270
    - formulas, ADM:148
    - music routes, ADM:89
    - NGenDesign password, ADM:66–67
    - NGenDist password, ADM:66–67
    - NGenSys password, ADM:67–68
    - passwords, ADM:54, ADM:64–70
    - pcANYWHERE32 passwords, ADM:69–70
    - phonesets, ADM:96
    - RAN routes, ADM:89
    - real-time display definitions, SUP:79
    - real-time displays, SUP:79
    - report properties, SUP:153
    - scheduled backups, ADM:298
    - site name, SUP:150–151
    - size of event log, ADM:259–261
    - skillset assignments, SUP:33–34, SUP:54–55
    - skillset global properties, ADM:185–187
    - skillsets, ADM:190
    - supervisors, ADM:200
    - swap file size, INS:336
    - switch type, INS:131
    - threshold classes, ADM:125
    - time, INS:41
    - time zone, INS:41
    - variable attributes, SCR:82
    - voice ports, ADM:105
    - workgroup name, INS:44
  - channels, nicomsetup, INS:263
  - characters, limits in scripts, SCR:88
  - character-separated value, SUP:156
  - checking
    - available memory, INS:182
    - computer name, INS:314
    - disk partition information, INS:312
    - drive letter assignments, INS:329
    - PEP level, INS:321
    - RAM size, INS:315
    - server software version, INS:320

- checking (continued)
  - swap file location, INS:317
  - Windows NT version, INS:313
- child scripts, REP:227
- ChildComment field, REP:227
- ChildName field, REP:227
- ChildStatus field, REP:227
- ChildUserFirstName field, REP:228
- ChildUserLastName field, REP:228
- Choose SQL Table dialog box, REP:32, REP:37
- circular dependencies, SCR:44, SCR:118
- CLAN, SUP:7
  - changing IP address on server, INS:256
  - configuring TCP/IP, INS:52
  - isolating, INS:70
  - ping, INS:70–71
  - resolving a failed ping test, INS:288–289
  - testing network connection, INS:70
- Class field
  - Formula view, REP:237
  - RealTimeTemplate view, REP:280
  - ScriptVariableProperties view, REP:296
- clearing alarms, ADM:280–281
- CLID, SUP:11
  - data type, SCR:69
- CLID intrinsic, SCR:262
  - placeholders, SCR:262
  - wildcards, SCR:262
- client, SUP:6
  - components, MSL:7, DMS:7
- client PC
  - minimum hardware, INS:18
  - software platforms, INS:19
- client software
  - converting, INS:240
  - installing from distribution CD, INS:130–140
  - installing over the network, INS:141–145
  - installing PEPs, INS:141
  - platforms, INS:19
  - reinstalling, INS:246
  - uninstalling, INS:146–149
  - upgrading, INS:232
- client-server connection, troubleshooting,
  - INS:290–291
- Code field, REP:234
- CodeToMessage view, REP:234
- collected digits, REP:131
- collection
  - of historical statistics, configuring,
    - ADM:152–160
  - of real-time statistics, configuring,
    - ADM:143–144
- Collection Frequency box, SUP:140
- Column field, REP:274
- ColumnName field, REP:333
- columns
  - adding, SUP:74
  - changing, SUP:75
  - deleting, SUP:74
  - heading, SUP:75
  - moving, SUP:75
  - property page, SUP:73
- commands
  - adding, SCR:91
  - avoid unnecessary, SCR:45
  - in scripts, SCR:36
  - rules, SCR:41–43
- comma-separated value, SUP:156
- Comment box
  - formulas, ADM:146
  - skillsets, ADM:183
- Comment field
  - AccessRights view, REP:214
  - Agent view, REP:219
  - Formula view, REP:237
  - ScheduledSkillsetAssignment view, REP:288
  - ScheduledSupervisorAssignment view,
    - REP:292
  - Script view, REP:294
  - ScriptVariableProperties view, REP:296
  - Skillset view, REP:303
  - SkillsetByAssignment view, REP:308
  - Supervisor view, REP:315
  - SupervisorByAssignment view, REP:322
- comments, in scripts, SCR:38
- Comments box, ADM:234, SUP:140
  - access classes, ADM:30
  - agent to supervisor assignments, ADM:222
- Comments field
  - Agent Configuration worksheet, SET:34
  - Desktop User worksheet, SET:9
- Company Name box, SUP:140

- company\_name formula, REP:43
- completed IVR, REP:119
- components
  - client, MSL:7, DMS:7
  - server, MSL:6, DMS:6
- computer name
  - changing, INS:44, INS:252
  - checking, INS:314
  - synchronizing, INS:252
- Computer Name Sync, INS:252
- conferenced calls, REP:85
  - ACD calls, REP:86–87
  - application statistics, REP:113–114
  - consultation time, REP:94
  - DN calls, REP:94–95
  - IVR statistics, REP:147
  - reports, REP:431–437
  - Symposium Call Center Server calls, REP:92, REP:93
  - voice port statistics, REP:142
- Configuration
  - Address Table, INS:261
  - Local Machine Settings, INS:256
  - Overview, INS:254
  - Site Table, INS:264
- configuration
  - checking for server, MSL:75, DMS:75
  - DNIS sample script, MSL:93, DMS:93
  - logon failure, MSL:84, DMS:84
  - mode, at server install, INS:112, INS:173, INS:213, INS:229
  - music and RAN routes sample script, MSL:91, DMS:91
  - reports, REP:358, SUP:131
  - server, MSL:74, DMS:74
  - server and switch datafill, MSL:77, DMS:77
  - troubleshooting, MSL:99, DMS:99
  - views, REP:211–333
  - verification overview, MSL:82, DMS:82
- configuration, verifying
  - ACD, MSL:85, DMS:85
  - ACD groups and subgroups, MSL:85, DMS:85
  - agent phonesets, MSL:86, DMS:86
  - agents, MSL:88, DMS:88
  - CDNs, MSL:89, DMS:89
  - DNISs, MSL:93, DMS:93
  - configuration, verifying (continued)
    - ICM link, MSL:83, DMS:83
    - music and RAN routes, MSL:91, DMS:91
    - phoneset, MSL:86, DMS:86
    - server logon, MSL:83, DMS:83
    - supervisor, MSL:88, DMS:88
    - supervisor phoneset, MSL:87, DMS:87
- Configured field, REP:245
- Configured Value box, ADM:155, ADM:157
- configuring
  - ACD, MSL:53, DMS:53
  - ACD DN, MSL:61, DMS:61
  - ACD groups, MSL:51, DMS:51
  - ACD groups for ACD DN, MSL:53, DMS:53
  - ACD groups for agents, MSL:53, DMS:53
  - ACD groups for CDN, MSL:51, DMS:51
  - ACD subgroups, MSL:59, DMS:59
  - agent logon IDs, MSL:70, DMS:70
  - agent phoneset keys, MSL:63, DMS:63
  - agent phonesets, MSL:63, DMS:63, MSL:65, DMS:65
  - agent phonesets on the server, MSL:66, DMS:66
  - agents, SET:34
  - agents on the server, MSL:71, DMS:71
  - BGDATA, MSL:35, DMS:35
  - CDNs, MSL:60, DMS:60
  - CDNs in controlled mode, MSL:55, DMS:55
  - CDNs in default mode, MSL:55, DMS:55
  - CDNs on server, MSL:62, DMS:62
  - CLAN TCP/IP, INS:52
  - CUSTNTWK, MSL:44, DMS:44
  - desktop users, SET:9
  - DHCP, INS:53
  - Dial-Up Networking connection profile, ADM:344–346, INS:85–86
  - DNISs on server, MSL:62, DMS:62
  - DNs, MSL:60, DMS:60
  - ELAN TCP/IP, INS:49
  - event viewer, INS:43
  - historical statistics collection, ADM:152–160
  - logon, MSL:31, DMS:31
  - logon IDs, MSL:70, DMS:70
  - NMS, ADM:266
  - pcANYWHERE32 on the server, INS:73–87
  - pcANYWHERE32 on client PC, ADM:342–343

- configuring (continued)
  - phoneset keys, agent, MSL:63, DMS:63
  - phoneset keys, supervisor, MSL:68, DMS:68
  - phonesets, agent, MSL:63, DMS:63
  - phonesets, agent on the server, MSL:66, DMS:66
  - phonesets, supervisor, MSL:68, DMS:68
  - phonesets, supervisor on the server, MSL:69, DMS:69
  - RAN and music routes, MSL:50, DMS:50
  - RAS, INS:39, INS:56
  - RAS modem, INS:60
  - real-time statistics collection, ADM:143–144
  - SCAICOMS, MSL:34, DMS:34
  - SCAIGRP, MSL:37, DMS:37
  - SCAIPROF, MSL:42, DMS:42
  - SCAISSRV, MSL:39, DMS:39
  - server, MSL:49, DMS:49
  - server logon, MSL:28, DMS:28
  - SNMP, ADM:264–266, INS:38
  - supervisor phoneset keys, MSL:68, DMS:68
  - supervisor phonesets, MSL:68, DMS:68
  - supervisor phonesets on the server, MSL:69, DMS:69
  - supervisors, SET:33
  - supplementary DNs, MSL:61, DMS:61
  - swap file, INS:40
  - switch, ADM:6, MSL:25, DMS:25
  - switch resources, MSL:48, DMS:48
  - Symposium Call Center Server, ADM:7–8
  - Windows NT, INS:23–72
- confirming report schedules, SUP:152
- connected sessions, ADM:59–61
  - function, ADM:38
- connecting to the server, REP:23–26
- connection
  - establishing a Dial-Up networking, ADM:349–350
  - terminating a Dial-Up Networking, ADM:350
  - to server, troubleshooting, ADM:366
- Connection Information/Network Address box, REP:25
- connection profile
  - adding, ADM:345, INS:85
  - configuring Dial-Up Networking, ADM:344–346, INS:85–86
- Connection Service box, REP:24
- connection to the server, defining, REP:23–26
- consistency check
  - on a 1003t, ADM:323
  - on a 702t, ADM:309–310
- Consultation threshold, ADM:126
- ConsultationTime field, REP:94
- controlled directory number. *See* CDN
- controlled DN. *See* CDN
- controlled mode
  - configuring CDNs, MSL:55, DMS:55
- controller, problems with, ADM:368
- controlling server with pcANYWHERE32, ADM:351–352
- conventions, script formatting, SCR:36–42
- converting
  - client software, INS:240
  - server pre-conversion process, INS:191
  - server software, INS:174
  - Symposium Call Center Server, INS:205
- copying
  - from other applications, SCR:98–99
  - sample scripts, SCR:95
  - sections of scripts, SCR:98–99
- Create Report Expert window, REP:30
- CreateDeleteAccess field, REP:214
- CreateDeleteAgentAccess field, REP:214
- CreateDeleteAllAgentAccess field, REP:214
- creating
  - database aliases, REP:35–36
  - scripts, SCR:88
  - user-created reports, REP:29–34, REP:39–40
  - user-defined reports, SUP:138–149
  - See also* adding, defining
- Critical event severity level, ADM:249
- Crosstab
  - Application Performance report, REP:466–468
  - CDN Performance report, REP:662–664
  - DNIS Performance report, REP:665–668
  - Skillset Performance report, REP:690–692
- Crystal Reports, INS:126
- cumulation of statistics, REP:62, REP:186
- cumulative data fields, SUP:82
- CUSTNTWK
  - configuring, MSL:44, DMS:44
  - updating, MSL:44, DMS:44

Customer LAN, SUP:7  
 customer-supplied equipment, INS:18  
 customized formulas  
   for Expected Wait Time, SCR:215  
   adding in Crystal Reports, REP:43–45  
 customized reports  
   skills needed to create, REP:15  
*See also* expert reports

## D

dActionCodeStat, REP:67–71  
 dAgentByApplicationStat view, REP:72–76  
 dAgentBySkillsetStat view, REP:77–82  
 dAgentPerformanceStat view, REP:83–107  
 Daily  
   box, ADM:157  
   field, SET:48  
 daily  
   maintenance and backups, ADM:287  
   views, REP:60  
 dApplicationStat view, REP:108–128  
 data checklist, INS:18  
 data collection  
   and Answered Call Count, SCR:209  
   and Average Speed Answer, SCR:212  
 Data collection interval  
   box, ADM:144  
   field, SET:45  
 data  
   fields, types, SUP:82  
   range, SUP:136, SUP:142–144  
   sources, defining, REP:39–40  
   types list, SCR:69–70  
   types of, REP:4  
 Data Range property page, SUP:143  
 Data Set Name, REP:3  
 database, ADM:314, INS:159, INS:265, REP:3–5  
   aliases, changing, REP:37–38  
   aliases, creating, REP:35–36  
   backing up, ADM:286, INS:344  
   events, ADM:262  
   restoring, INS:265, INS:345  
   structure, INS:174  
   views, REP:4, REP:20, REP:32–34

Database alias and Timestamp box, REP:42  
 Database Restore utility, INS:265  
 Database View Definitions report, REP:22,  
   REP:505–508  
 Databases box, REP:37  
 Date  
   box, ADM:225, ADM:238  
   changing, INS:41  
   data type, SCR:69  
   intrinsic, SCR:242  
   viewing system, ADM:15  
 Day  
   box, ADM:225, ADM:238  
   data type, SCR:69  
 Day of month data type, SCR:69  
 Day of Month intrinsic, SCR:244  
   exact days, SCR:245  
   range of days, SCR:244  
 Day of Week intrinsic, SCR:240  
 DaysofAgentLogin field, REP:243  
 DaysOfCallByCall field, REP:243  
 DaysOfDaily field, REP:244  
 DaysOfInterval field, REP:244  
 DaysofIVRPortLogin field, REP:244  
 DaysOfSkillsetState field, REP:244  
 dCDNStat view, REP:129–132  
 dDNISStat view, REP:133–140  
 deacquiring  
   CDNs, ADM:82  
   phonesets, ADM:95  
   voice ports, ADM:104  
 deactivated script, SCR:116  
 deactivating, SCR:32  
   scripts, SCR:115–119  
   reports, SUP:160  
 decision making  
   with call intrinsics, SCR:205  
   with skillset intrinsics, SCR:204  
   with time intrinsics, SCR:204  
   with traffic intrinsics, SCR:205  
 default  
   access classes, ADM:28  
   activity code, SUP:47  
   activity codes, ADM:111  
   expected wait time, SCR:214  
   mode, configuring CDNs for, MSL:55, DMS:55

- default (continued)
  - treatment, REP:114, REP:123, REP:135
  - user accounts, ADM:64
- Default Skillset, ADM:175, SUP:46
  - box, ADM:186, SUP:49
  - field, SET:30
  - defining, ADM:185–187
- default values
  - booleans, SCR:208
  - expected wait time, SCR:214
  - integers, SCR:208
  - skillset intrinsics, SCR:208
  - skillsets, SCR:208
- defaulting calls, SCR:11
- defining
  - data sources, REP:39–40
  - See also* adding, creating
- Definition
  - box, ADM:146
  - field, REP:237
- Delay Before Interflow field, SUP:94
- delays, abandoned call
  - application statistics, REP:110, REP:112, REP:119, SUP:92
  - DNIS statistics, REP:134, REP:138
  - reports, REP:454–457, REP:617–619
  - skillset statistics, REP:176, REP:177–178
- delays, answered call
  - application statistics, REP:110, REP:113, REP:120, SUP:93
  - at skillset, REP:113, REP:120
  - DNIS statistics, REP:135, REP:139
  - reports, REP:458–461, REP:620–622
  - skillset statistics, REP:175, REP:176, SUP:106, SUP:108
- delays, untreated call, SUP:98
  - IVR statistics, REP:148
- deleting
  - access classes, ADM:34
  - activity codes, ADM:111
  - agent to skillset assignments, ADM:241
  - agent to supervisor assignments, ADM:228
  - agents, ADM:215
  - associated supervisors, SUP:34
  - call presentation classes, ADM:167
  - CDNs, ADM:83
  - deleting (continued)
    - columns, SUP:74
    - DNISs, ADM:117
    - event preferences, ADM:273
    - expired statistics, ADM:152
    - formulas, ADM:148
    - music routes, ADM:89
    - phonesets, ADM:96
    - RAN routes, ADM:89
    - real-time display definitions, SUP:79
    - reports, SUP:154
    - scheduled backups, ADM:298
    - scripts, SCR:122
    - skillset assignments, SUP:33–34, SUP:54–55
    - skillsets, ADM:190
    - supervisors, ADM:201
    - temporary files, INS:129
    - threshold classes, ADM:125
    - users, ADM:57
    - variables, SCR:82–83
    - voice ports, ADM:105
  - Department field, REP:220, REP:315
    - Agent Configuration worksheet, SET:34
    - Desktop User worksheet, SET:9
    - Supervisor Configuration worksheet, SET:33
  - dependent entities, REP:338
  - Description box, ADM:295
  - desktop password, resetting, ADM:54–55
  - Desktop User worksheet, SET:9
  - desktop users, ADM:45–57, REP:214–217
    - adding, ADM:47–50
    - changing, ADM:56
    - changing capabilities of, ADM:56
    - configuring, SET:9
    - deleting, ADM:57
    - locking out, ADM:51–52
    - logging off, ADM:61
    - previewing list of, ADM:56
    - printing list of, ADM:56
    - printing list of logged-on, ADM:60
    - resetting password for, ADM:54–55
    - restoring access to server for, ADM:52–53
    - viewing list of logged-on, ADM:60
  - detailed historical statistics. *See* event statistics
  - Device Name box, ADM:293
  - DHCP client PCs, configuring, INS:53

- Diagnostic tools, Windows NT, ADM:12
- Dial Intercom key, ADM:140, SUP:70
- Dialed DN intrinsic, SCR:266
- Dialed Number Identification Service. *See* DNIS
- dial-up connection, ADM:18, ADM:19, INS:154
- Dial-Up Networking, ADM:18, ADM:336, INS:154
  - connection profile, creating, ADM:344–346, INS:85–86
  - establishing a connection with, ADM:349–350
  - installing, ADM:344
- Direct Call intrinsic, SCR:267
- directory number. *See* DN
- disabling collection of call-by-call statistics, ADM:159
- Disconnect command, SCR:145, REP:115, REP:136
- disconnect treatment
  - ApplicationStat views, REP:115, REP:124
  - DNISStat views, REP:136
- disconnecting logged-on desktop users, ADM:61
- Disk Administrator utility, ADM:12
- disk partition information, checking, INS:312
- disk space
  - checking, INS:189
  - requirements, calculating, ADM:159
- display
  - statistics, SET:12
  - threshold classes, SCR:287
  - thresholds, ADM:121
- Display Languages property page, INS:272
- DisplayTypeName field, REP:271
- division expression, SCR:278
- dIVRPortStat view, REP:141–145
- DMI
  - installing, INS:96, INS:198
  - uninstalling, INS:123
- DMI View, INS:266
- DMS checks, Windows NT, INS:26
- DMS password
  - ICM security, MSL:29, DMS:29
  - logon parameters, MSL:79, DMS:79
- DMS switch
  - configuration dialog box, INS:108, INS:169, INS:225
  - See also* switch
- DN, SUP:5
  - calls, REP:65, SUP:85, SUP:104
  - reports, REP:389–397
  - data type, SCR:69
  - field, REP:303
- DNCallsConfToACDDN field, REP:94
- DNCallsConfToCDN field, REP:94
- DNCallsConfToDN field, REP:95
- DNCallsConfToOther field, REP:95
- DNCallsTransferredToACDDN field, REP:95
- DNCallsTransferredToCDN, REP:96
- DNCallsTransferredToDN field, REP:96
- DNCallsTransferredToOther field, REP:96
- DNInCalls field, REP:96
- DNInCallsTalkTime field, REP:97
- DNIS
  - box, ADM:154
  - data type, SCR:70
  - intrinsic, SCR:268
- DNIS field
  - DNIS view, REP:235
  - DNISStat views, REP:138
  - HistoricalStatCollection view, REP:240
- DNIS Name
  - box, ADM:116
  - field, SET:19
- DNIS Number
  - box, ADM:116
  - field, SET:19
- DNIS Properties report, REP:509–511
- DNIS reports
  - configuration, REP:509–511
  - statistics, REP:665–668, REP:674–678
- DNIS statistics, REP:133–140, REP:665–668, REP:674–678
  - entity relationships, REP:347
  - report, REP:674–678
- DNIS view, REP:235
- DNISName field, REP:138
- DNISs, ADM:113–117, REP:133, SET:19, SUP:11
  - adding, ADM:115–116
  - changing, ADM:117
  - configuring on server, MSL:62, DMS:62
  - deleting, ADM:117
  - field, SET:47
  - function, ADM:38

## DNISs (continued)

- parameter, ADM:156
- previewing list of, ADM:117
- printing list of, ADM:117
- properties, REP:235
- threshold classes, REP:236
- verifying configuration of, MSL:93, DMS:93
- verifying configuration, sample script, MSL:93, DMS:93
- worksheet, SET:19

DNISStat views, REP:133–140

DNISThresholdTemplate view, REP:236

DNOutCalls field, REP:98

DNOutCallsTalkTime field, REP:98

DNS, configuring, INS:53

## DNSs

- configuring, MSL:60, DMS:60
- supplementary, MSL:61, DMS:61

dongle, INS:94, INS:106

DOS, reinstalling, INS:22

dRANMusicRouteStat view, REP:165–167

drive letter assignments, checking, INS:329

drivers, installation tips, ADM:369

dSkillsetStat view, REP:172–179

DSN, REP:3

DUN. *See* Dial-Up Networking

Duration field, REP:188

Dynamic Host Control Protocol. *See* DHCP

**E**

eAgentLoginStat view, REP:187–189

eCallbyCallStat views, REP:190–200

editing. *See* changing

eIVRPortLoginStat view, REP:201–202

ELAN, SUP:7

- changing IP address on server, INS:256
- isolating, INS:70
- NIC, configuring TCP/IP, INS:49
- ping, INS:70–71
- resolving a failed ping test, INS:288–289
- testing network connection, INS:70

Embedded LAN. *See* ELAN

Emergency Help function, ADM:38

Emergency key, ADM:192

emergency notification of supervisors, MSL:100, DMS:100

emergency repair disk

- creating, INS:217
- updating, INS:68–69

Emergency threshold, ADM:126

empty agent name, REP:51

End box, ADM:225, ADM:238, SUP:146

End date and time box, SUP:143, SUP:166

End time field

- Agent to Skillset Assignment worksheet, SET:40

- Agent to Supervisor Assignment worksheet, SET:41

ending pcANYWHERE32 session, ADM:352

eNetCallByCallStat views, REP:203–210

entities, REP:338

entity relationships

- activity code statistics, REP:343
- agent by application statistics, REP:344
- agent by skillset statistics, REP:345
- agent performance statistics, REP:346
- application statistics, REP:346
- CDN statistics, REP:347
- diagrams, REP:335–355
- DNIS statistics, REP:347
- IVR port statistics, REP:347
- IVR statistics, REP:348
- RAN/music routes statistics, REP:349
- skillset statistics, REP:350

Equal expression, SCR:281

ERD, REP:335–355

error code 40593, ADM:252

error messages, interpreting, SCR:112–114

ErrorCode field

- ScheduledSkillsetAssignment view, REP:288
- ScheduledSupervisorAssignment view, REP:292
- SkillsetByAssignment view, REP:308
- SupervisorByAssignment view, REP:322

errors, resolving, SCR:111

ES service, INS:294

Estimated Revenue By Agent report, REP:438–440

Event Browser, ADM:244, ADM:250–258  
function, ADM:39

event code 40593, ADM:71  
 Event Code box, ADM:270  
 Event Handler  
   command, SCR:173  
   rules, SCR:42  
 event logs  
   changing size of, ADM:259–261  
   default size, ADM:260  
 event preferences, ADM:267–273  
   adding, ADM:269–270  
   changing, ADM:273  
   deleting, ADM:273  
   function, ADM:39  
   printing all, ADM:273  
   printing list of, ADM:273  
   printing selected, ADM:273  
 event statistics, REP:5, REP:185–210  
   when cumulated, REP:186  
 Event Viewer, Windows NT, ADM:12,  
   ADM:262–263  
   settings, INS:43  
 EventData field, REP:192, REP:205  
 events, ADM:248  
   adding, SCR:92  
   changing severity of, ADM:269–270  
   filtering, ADM:256–258  
   printing, ADM:256  
   printing list of, ADM:255  
   saving list of, ADM:254–255  
   sorting, ADM:251  
   throttling, ADM:271–272  
 EventType field, REP:188, REP:201  
 example script, SCR:58–60  
 Execute command, SCR:128  
   rules, SCR:42  
 Execute Script command, SCR:129  
 ExecuteAccess field, REP:214  
 ExecuteAgentAccess field, REP:215  
 ExecuteAllAgentAccess field, REP:215  
 Expected Wait Time intrinsic, SCR:213  
   conditions that increase, SCR:214  
   customized formulas, SCR:215  
   default, SCR:214  
 Expected Wait Time threshold, ADM:132  
 Expected Waiting Time field, SUP:106

expert reports  
   creating, REP:29–34, REP:39–40  
   skills needed to create, REP:16  
 expired statistics, purging, ADM:152  
 Export command, SCR:107  
 Export report to the following format button,  
   SUP:147  
 exporting scripts, SCR:107  
 expressions  
   example, SCR:16  
   in scripts, SCR:36  
   *See also* logical expressions; mathematical  
   expressions; relational expressions  
 Extension box, ADM:225, ADM:238, SUP:146  
 external calls  
   incoming, REP:97  
   outgoing, REP:98–99

## F

failed responses, RAN Response Fail, SCR:174  
 Fast Transfer key, REP:85  
 Feature Report utility, INS:267  
   Display Languages property page, INS:272  
   Features property page, INS:271  
   overview, INS:267  
   Switch Information property page, INS:269  
   System property page, INS:268  
   Voice Prompt Languages property page,  
     INS:273  
 Features property page, INS:271  
 Field field  
   ApplicationThresholdTemplate view, REP:230  
   SkillsetThresholdTemplate view, REP:251,  
     REP:311  
   SummaryThresholdTemplate view, REP:313  
 FieldID field  
   SkillsetThresholdTemplate view, REP:251,  
     REP:311  
   SummaryThresholdTemplate view, REP:313  
   UserThresholdTemplate view, REP:331  
 FieldName field, REP:271  
 fields  
   selecting, REP:32–34  
   types, REP:55, REP:506

- filtering
  - events, ADM:256–258
  - real-time displays, SUP:77–78
- filters, SUP:141–142
- FilterStatus field, REP:267
- firewall, ICM security, MSL:29, DMS:29
- First business day of the week
  - box, ADM:158
  - field, SET:49
- first command rule, SCR:41
- FirstDayOfWeek field, REP:244
- force busy treatment
  - ApplicationStat views, REP:115, REP:124
  - DNISStat views, REP:136
- force disconnect treatment
  - ApplicationStat views, REP:115, REP:124
  - DNISStat views, REP:136
- force overflow treatment
  - ApplicationStat views, REP:115, REP:124
  - DNISStat views, REP:136
- foreground, configuring Alarm Monitor to appear in, ADM:278
- foreign keys, REP:339
- Format
  - box, SUP:74, SUP:75
  - field, REP:237, REP:274
- formatting
  - backup tapes, ADM:304
  - conventions, SCR:36–42
  - optional multiple drives, INS:66–67
- Formula
  - property page, REP:44
  - view, REP:237–238
- Formula Editor dialog box, REP:45
- Formula Name box, ADM:146
- Formula Properties report, REP:512–514
- FormulaID field, REP:238, REP:274
- formulas, ADM:145–148, SUP:69
  - adding, ADM:145–147
  - changing, ADM:148
  - deleting, ADM:148
  - function, ADM:39
  - printing list of, ADM:148
  - properties, REP:237–238
  - reports, REP:512–514
- FTP access, ICM security, MSL:29, DMS:29

- full backups, ADM:285

## G

- Generate report with the following collection
  - frequency box, SUP:166
- Get Response command, SCR:198
- Give Busy command, SCR:146, REP:115, REP:136
- Give Music command, SCR:148, REP:116
  - with Wait, SCR:149
- Give Overflow command, SCR:150, REP:115, REP:136
- Give RAN command, SCR:152, REP:117
- Give Ringback command, SCR:154
- Give Silence command, SCR:156
- GivenName field
  - AccessRights view, REP:215
  - Agent view, REP:220
  - Script view, REP:294
  - Supervisor view, REP:315
- global settings, skillset, SET:28
  - changing, ADM:185–187
  - viewing, SUP:48–50
- global variables
  - definition, SCR:64
  - description, SCR:17
  - example, SCR:64
- Greater Than expression, SCR:282
- Greater Than or Equal expression, SCR:282
- Grouping field, REP:296
- grouping
  - servers by location, ADM:20
  - SMI systems, INS:156
- GroupName field, REP:215
- groups for phonesets, MSL:53, DMS:53

## H

- hard drives, formatting multiple, INS:66–67
- hardware, client PC, INS:18
- HDC service, INS:293
- HDM service, INS:293
- head-cleaning kit, ADM:288
- help, Alarm Monitor, ADM:279

## Historical and Real Time Statistics Properties

- report, REP:515–522
- historical reports, REP:358, SUP:131
- historical statistics, REP:5, REP:57–183
  - Collection Properties report, REP:12
  - Duration Properties report, REP:12
  - function, ADM:39
  - purging expired, ADM:152
  - selecting, to be collected, ADM:152–160
  - storage duration for, REP:5
  - Storage Properties report, REP:12
  - See also* event statistics
- historical statistics collection, ADM:150–160
  - configuring, ADM:152–160
  - properties, REP:239–246
  - report, REP:515–522
  - worksheet, SET:47–49
- HistoricalStatCollection view, REP:239–242
- HistoricalStatDuration view, REP:243–244
- HistoricalStatStorage view, REP:245–246
- HoldTime field, REP:100
- hook-flash transfer, REP:59
- host lookup treatment, REP:115
- hot fix, INS:36, INS:163, INS:197
- Hotline key, ADM:140, SUP:70
- HyperTerminal, ADM:354
  - configuring, ADM:354

## I

- iActivityCodeStat, REP:67–71
- iAgentByApplicationStat view, REP:72–76
- iAgentBySkillsetStat view, REP:77–82
- iAgentPerformanceStat view, REP:83–107
- iApplicationStat view, REP:108–128
- ICAM DEfinition method, REP:337
- ICCM\_PREVIEW, REP:4, REP:24, REP:25
- ICCM\_PREVIEW\_DSN, REP:39
- iCDNStat view, REP:129–132
- ICM link verification, MSL:83, DMS:83
- ICM security
  - DMS password, MSL:29, DMS:29
  - firewall, MSL:29, DMS:29
  - FTP access, MSL:29, DMS:29
  - linkset name, MSL:29, DMS:29

## ICM security (continued)

- MAP terminal access, MSL:29, DMS:29
- packet filtering, MSL:29, DMS:29
- remote host IP address, MSL:29, DMS:29
- trusted host, MSL:29, DMS:29
- IDEF method, REP:337
- IDEF1X, REP:337
- identifying relationships, REP:341
- Idle Agent
  - Count intrinsic, SCR:218
  - intrinsic, SCR:217
- Idle threshold, ADM:126
- idle time preference, ADM:172, ADM:173
  - configuring, ADM:185–187
- IdleAgentsPriority field, REP:303
- iDNISStat view, REP:133–140
- IDs
  - configuring for agent logon, MSL:70, DMS:70
  - configuring for logon, MSL:70, DMS:70
- If-Then-Else-End If command, SCR:132
  - rules, SCR:43
- If-Then-End If command, SCR:130
  - rules, SCR:43
- iIVRPortStat view, REP:141–145
- Import a User-created Crystal Report dialog box, REP:42
- Import command, SCR:104
- importing
  - sample scripts, SCR:104
  - scripts, SCR:104
  - user-created reports, REP:41–42
- in service
  - agents, SUP:103
  - time, REP:173
- inbound calls. *See* incoming calls
- Incalls key, transfers and conferences to, REP:85
- Include intervals between field, SUP:144
- incoming calls, REP:96–98
- increasing wait time, SCR:214
- indenting in scripts, SCR:38
- independent entities, REP:338
- Information event severity level, ADM:249
- Input Server Name box, REP:25
- Insert Fields priority sheet, REP:43

- installation
  - problems, INS:284–287
  - tips, PCI, ADM:369
- installing
  - Acrobat Reader during client upgrade, INS:234
  - client software from distribution CD, INS:130–140
  - client software over the network, INS:141–145
  - Dial-Up Networking, ADM:336, ADM:344
  - DMI, INS:96, INS:198
  - MAS server software, INS:99, INS:201
  - pcANYWHERE32 on the client, ADM:340–341
  - pcANYWHERE32 on the server, ADM:338, ADM:359–361
  - PEPs, INS:119–120, INS:141
  - RAS, INS:37
  - Remote Access Service, ADM:336
  - SDK, INS:150–151
  - server software, INS:96–113
  - Service Update packs, INS:119–120
  - SNMP, INS:37
  - Symposium Call Center Server software, INS:103, INS:332
  - Windows NT Service Pack 3, INS:195
- instances, REP:338
- Integer data type, SCR:70
- Integration DEFinition 1 eXtended, REP:337
- interactive voice response. *See* IVR
- interpreting error messages, SCR:112–114
- interrupted IVR sessions, REP:149
- interval
  - box, ADM:157, ADM:225, ADM:238, ADM:270, ADM:272, SUP:146
  - views, REP:60
- Interval field
  - Agent to Skillset Assignment, SET:40
  - Agent to Supervisor Assignment worksheet, SET:42
  - Historical Statistics Collection worksheet, SET:48
- Interval Filtering field, SUP:144
- IntervalDuration field, REP:276
- intervals, REP:51
  - length, REP:48
- IntervalStartTime field, REP:276
- interval-to-date mode, ADM:141, REP:276, REP:515, SUP:70, SET:44
  - field, SET:45
- intrinsic
  - adding, SCR:91
  - description, SCR:17
  - examples, SCR:204–205
  - in scripts, SCR:36
  - types, SCR:202
- inversion entries, REP:340
- IP address
  - changing ELAN, INS:256
  - changing on server, INS:256
  - master list, INS:15
- iRANMusicRouteStat view, REP:165–167
- IRQs, installation tips, ADM:369
- IS service, INS:293
- iSkillsetStat view, REP:172–179
- IsLocal field, REP:300
- isolation of CLAN and ELAN, INS:70
- ITDAgent field, REP:277
- ITDApplication field, REP:277
- ITDIVR field, REP:277
- ITDNodalCall field, REP:277
- ITDSkillset field, REP:278
- IVR, SUP:10
  - calls not treated by, REP:127
  - field, REP:240
  - reports, REP:523–528, REP:569–577
  - transferred, REP:125
  - transfers, REP:59
  - treatment, REP:116
- IVR Port First Login/Last Logout report, REP:570–571
- IVR Port Properties report, REP:523–525
- IVR port statistics, REP:141–145
  - entity relationships, REP:347
  - linkages, REP:144–145
  - logon and logoff, REP:201–202
  - report, REP:572–574
- IVR ports
  - parameter, ADM:157
  - field, SET:48
  - See also* voice ports

IVR Voice Port  
 box, ADM:158  
 field, SET:48  
 IVRAbandoned field, REP:119, REP:148  
 IVRCompleted field, REP:149  
 IVRInterrupted field, REP:149  
 IVRPort field, REP:240  
 IVRPort view, REP:247–248  
 IVRPortID field  
 eIVRPortLoginStat view, REP:202  
 IVRPort view, REP:247  
 IVRPortStat views, REP:142  
 IVRPortLogin field, REP:241  
 IVRPortName field, REP:142  
 IVRPortStat views, REP:141–145  
 IVRTerminated field, REP:119  
 IVRThresholdTemplate view, REP:251–252  
 IVRTransferred field, REP:119, REP:138

## K

keycodes, entering, INS:106, INS:208  
 keys. *See* linkages  
 keywords, list, SCR:368–370

## L

Label  
 box, SUP:74, SUP:75  
 field, REP:275  
 Language data type, SCR:70  
 Language field  
 Agent Configuration worksheet, SET:34  
 Desktop User worksheet, SET:9  
 Supervisor Configuration worksheet, SET:33  
 LastModified field, REP:294  
 Length field, REP:333  
 Length of business day  
 box, ADM:158  
 field, SET:49  
 Less Than expression, SCR:282  
 Less Than or Equal expression, SCR:283  
 Let Call Ring at Phoneset option, ADM:166

Level 1  
 box, ADM:123  
 threshold value field, SET:14  
 Level 2  
 box, ADM:123  
 threshold value field, SET:14  
 Level1 field  
 ApplicationThresholdTemplate view, REP:230  
 SkillsetThresholdTemplate view, REP:311  
 SummaryThresholdTemplate view, REP:313  
 UserThresholdTemplate view, REP:331  
 Level2 field  
 ApplicationThresholdTemplate view, REP:230  
 SkillsetThresholdTemplate view, REP:311  
 SummaryThresholdTemplate view, REP:313  
 UserThresholdTemplate view, REP:331  
 lights, troubleshooting, ADM:367  
 limits  
 and activated scripts, SCR:115  
 number of characters in scripts, SCR:88  
 Line of Business codes. *See* activity codes  
 Link LED, ADM:367  
 troubleshooting, ADM:367  
 linkage keys. *See* linkages  
 linkages, REP:61  
 activity code statistics, REP:71  
 agent by application statistics, REP:76  
 agent by skillset statistics, REP:81–82  
 agent performance statistics, REP:106  
 application statistics, REP:127–128  
 IVR port statistics, REP:144–145  
 skillset statistics, REP:179  
 linking database views, REP:61  
 linkset name, ICM security, MSL:29, DMS:29  
 lists  
 agents, SCR:208  
 formatting, SCR:44, SCR:208  
 in scripts, SCR:44  
 skillsets, SCR:208  
 syntax, SCR:44  
 LOB codes. *See* activity codes  
 LOB key, REP:67  
 local calls, collection of call-by-call statistics  
 for, ADM:159  
 local DN, SUP:5  
 Local Machine Settings, nbconfig, INS:256

- location
    - grouping servers by, ADM:20
    - standard reports, SUP:137
    - user-defined reports, SUP:137
  - locking out desktop users, ADM:51–52
  - lockout, ADM:25
  - Log command, SCR:178
    - caution, SCR:178
    - limitations, SCR:179
  - Logged Agent Count intrinsic, SCR:220
  - LoggedInTime field, REP:100, REP:143
  - logged-on agents, REP:529–532
  - logged-on desktop users
    - printing list of, ADM:60
    - viewing list of, ADM:60
  - logging of desktop users, ADM:61
  - logging on
    - phoneset, SUP:23
    - server, SUP:21–22
    - to the server, ADM:21
    - to Windows NT, INS:31
  - logical expressions, SCR:275
    - AND, SCR:275
    - example, SCR:275, SCR:277
    - in scripts, SCR:36
    - NOT, SCR:275
    - OR, SCR:275
  - login. *See* logon
  - login ID, REP:31
    - box, ADM:197, ADM:208, SUP:30
    - field, SET:33, SET:34, SET:41
  - login statistics
    - agent, REP:187–189
    - IVR port, REP:201–202
  - Login/Logout box, ADM:154
  - logoff, REP:398–400, REP:570–571
    - statistics, agent, REP:187–189
    - statistics, IVR port, REP:201–202
  - logon, REP:398–400, REP:570–571
    - agents or supervisors unable to log on, MSL:100, DMS:100
    - failure, MSL:84, DMS:84
    - IDs, configuring, MSL:70, DMS:70
    - server, configuring switch, MSL:28, DMS:28
    - statistics, agent, REP:187–189
  - logon (continued)
    - statistics, IVR port, REP:201–202
    - troubleshooting, MSL:97, DMS:97
  - logon, configuring
    - entering and editing table data, MSL:33, DMS:33
    - introduced, MSL:31, DMS:31
    - printing table data, MSL:33, DMS:33
  - logon parameters
    - Business Group, MSL:79, DMS:79
    - DMS password, MSL:79, DMS:79
    - MBG, MSL:79, DMS:79
    - Network Node, MSL:78, DMS:78
    - Service ID, MSL:79, DMS:79
    - service version, MSL:80, DMS:80
  - logout. *See* logoff
  - Logout threshold, ADM:127
  - Longest Idle Agent intrinsic, SCR:223
  - Longest Idle Agent option, SCR:163
    - description, SCR:159, SCR:163
  - Longest time in idle state since
    - last CDN/ACD call, SUP:49
    - last status change, SUP:49
    - login, SUP:49
  - Longest Wait Since
    - Last Call threshold, ADM:133
    - Login threshold, ADM:133
  - Longest Waiting Time Since
    - Last Call field, SUP:106
    - Login field, SUP:107
  - loops
    - example, SCR:53, SCR:54
    - using, SCR:52
- ## M
- mActivityCodeStat, REP:67–71
  - mAgentByApplicationStat view, REP:72–76
  - mAgentBySkillsetStat view, REP:77–82
  - mAgentPerformanceStat view, REP:83–107
  - maintaining Symposium Call Center Server, ADM:9–10
  - maintenance
    - server software, INS:159
    - server utilities, INS:249

- Maintenance function, ADM:40
- Major event severity level, ADM:249
- managing Symposium Call Center Server, ADM:9–10
- Map Skillset to ACD-DN Number
  - box, ADM:183
  - field, SET:29
- map terminal access, ICM security, MSL:29, DMS:29
- mApplicationStat view, REP:108–128
- MAS
  - database events, ADM:251
  - debug events, ADM:251, ADM:262
  - server software, installing, INS:99, INS:201
- master script
  - description, SCR:12
  - pegging of calls handled by, REP:109, SUP:90
- MAT and client software, INS:127
- MAT systems, ADM:18
- mathematical expressions, SCR:278
  - addition, SCR:278
  - division, SCR:278
  - multiplication, SCR:278
  - subtraction, SCR:279
- Max Wait Time threshold, ADM:133
- Max Waiting Time
  - field, SUP:94, SUP:107
  - threshold, ADM:129
- MaxAbandonedDelay field, REP:138, REP:154
- MaxAnsweredDelay field
  - DNISStat views, REP:139
  - SkillsetStat views, REP:176
- MaxCallsAbandonedDelay field, REP:119, REP:161
- MaxCallsAnsDelay field, REP:120
- MaxCallsAnsDelayAtSkillset field, REP:120
- MaxCallsAnsweredDelay field, REP:161
- MaxCallsAnsweredDelayAtDest field, REP:162
- maximum
  - characters in scripts, SCR:88
  - Log Size box, ADM:261
  - number of activated scripts allowed, SCR:115
  - wait Interval box, ADM:294
- MaxSkillsetAbandon field, REP:176
- MBG logon parameters, MSL:79, DMS:79
- mCDNStat view, REP:129–132
- mDNISStat view, REP:133–140
- measured value, REP:246
  - box, ADM:155
- members of access classes, viewing, ADM:32–33
- memory, checking available, INS:182
- Meridian Application Tool, ADM:18
- Microsoft hot fix, INS:36, INS:163
- Microsoft Internet Information Server, removing, INS:196
- migrating to another platform, INS:299–352
- Migration utility, INS:274
- minimum refresh rate, SUP:72
  - for Agent Real-time Displays box, ADM:144
  - for Agent Real-time Displays field, SET:46
  - for other Real-time Displays box, ADM:144
  - for Other Real-time Displays field, SET:46
- Minor event severity level, ADM:249
- MinRefreshRate field, REP:278
- MinShortCallDelay field, REP:304, REP:312
- mIVRPortStat view, REP:141–145
- MLSM service, INS:293
- mode, nbconfig, INS:256
- modem
  - configuring for RAS, INS:60
  - port, configuring, ADM:355
- Modes field, SET:45
- modifying. *See* changing
- Month
  - box, ADM:225, ADM:238
  - data type, SCR:70
- Month of Year intrinsic, SCR:246
  - exact month, SCR:247
  - range of months, SCR:246
- monthly
  - box, ADM:157
  - field, SET:48
  - views, REP:61
- months, ranges of, SCR:246
- MonthsOfMonthly field, REP:244
- Most Logged Agents
  - intrinsic, SCR:225
  - option, SCR:162
- moving
  - columns, SUP:75
  - swap file, INS:341

moving (continued)  
 window mode, ADM:141, REP:276, REP:515,  
 SUP:70  
 window mode definition, SET:44  
 mRANMusicRouteStat view, REP:165–167  
 MS DOS, reinstalling, INS:22  
 Msg field, REP:234  
 mSkillsetStat view, REP:172–179  
 MSL-100 switch. *See* switch  
 multiple filters, SUP:141  
 multiplication expression, SCR:278  
 music  
 data type, SCR:70  
 Give Music command, SCR:148  
 on hold, SUP:16  
 treatment, REP:116  
 music route statistics, REP:165–167, REP:679–681  
 entity relationships, REP:349  
 music routes, ADM:85–89  
 adding, ADM:87–88  
 changing, ADM:89  
 deleting, ADM:89  
 field, SET:48  
 parameter, ADM:156  
 previewing list of, ADM:89  
 printing list of, ADM:89  
 reports, REP:679–681  
 statistics, REP:165–167  
 verifying configuration, MSL:91, DMS:91  
 verifying configuration sample script, MSL:91,  
 DMS:91  
 Music/RAN Route box, ADM:154  
 Music/RAN Route Name  
 box, ADM:88  
 field, SET:20  
 Music/RAN Route Number  
 box, ADM:88  
 field, SET:20  
 Music/RAN Route Statistics report, REP:679–681  
 Music/RAN Routes  
 function, ADM:40  
 worksheet, SET:20  
 MWAgent field, REP:278  
 MWApplication field, REP:278  
 MWNodalCall field, REP:279  
 MWSkillset field, REP:279

## N

NACD out  
 ApplicationStat views, REP:117, REP:125  
 DNISStat views, REP:137  
 NACD treatment, REP:116  
 name, INS:252  
 Name box, ADM:234, SUP:72  
 access classes, ADM:29  
 call presentation classes, ADM:165  
 skillsets, ADM:183  
 Name field  
 ActivityCode view, REP:218  
 Application view, REP:225  
 ApplicationThresholdTemplate view, REP:230  
 CDN view, REP:232  
 DNIS view, REP:235  
 DNISThresholdTemplate view, REP:236  
 Formula view, REP:238  
 IVRPort view, REP:247  
 RealTimeTemplate view, REP:280  
 Script view, REP:294  
 ScriptVariableProperties view, REP:296  
 SkillsetThresholdTemplate view, REP:312  
 SummaryThresholdTemplate view, REP:314  
 SwitchPort view, REP:324  
 UserThresholdTemplate view, REP:331  
 Views view, REP:333  
 naming variables, SCR:71  
 nbbkp\_ci.exe utility, ADM:296, ADM:300–306  
 NDLOAM service, INS:293  
 Network Adapters Information, INS:280  
 network connection, INS:70–71  
 troubleshooting problems with, INS:288–289  
 New Name box, SUP:150  
 new standard reports, REP:12  
 NGenDesign account, ADM:64  
 changing password for, ADM:66–67  
 password, INS:114–117  
 NGenDist account, ADM:64  
 changing password for, ADM:66–67  
 passwords, INS:114–117  
 NGenSys account, ADM:64  
 changing password for, ADM:67–68  
 password, INS:116  
 nicomsetup utility, INS:263

- night service mode, ADM:176, SUP:44
    - putting skillset into, ADM:188–189
  - NightServiceType field, REP:304
  - NMS, configuring, ADM:266
  - nodal
    - box, ADM:143
    - real-time display, SUP:116–122
    - template, SUP:122
    - threshold class, REP:313–314
    - thresholds, ADM:130
    - statistics, SUP:99–100
    - statistics data collection option, SUP:100
  - Nodal Consolidated Application
    - Delay Before Abandon report, REP:617–619
    - Delay Before Answer report, REP:620–622
    - Performance report, REP:623–626
  - Nodal Threshold Classes function, ADM:40
  - NodeID field, REP:192
  - Nodes
    - field, SET:48
    - parameter, ADM:156
  - nonidentifying relationships, REP:341
  - non-ISDN trunks, SUP:91
    - ApplicationStat views, REP:109, REP:122, REP:126
    - CDNStat views, REP:129
    - DNISStat views, REP:137
  - non-primary key attributes, REP:339
  - Not Equal expression, SCR:281
  - NOT expression, SCR:275
  - Not Ready
    - agents, SUP:103
    - report, REP:368–370
    - threshold, ADM:127
  - NotReadyTime field
    - Agent Performance views, REP:101
    - IVRPortStat views, REP:143
  - NROSDN field, REP:220, REP:328
  - Number box, ADM:272
  - NumBestNodes field, REP:253
  - NumRetries field, REP:326
- O**
- OAM service, INS:293
  - objectives, defining for scripts, SCR:21
  - ObjectKey field, REP:215
  - ObjectName field, REP:215
  - objects, displaying backup, ADM:301–303
  - OccupancyTime field, REP:182
  - Occurrences field, REP:70
  - ODBC, REP:3
  - ODBC\_ICCM\_PREVIEW\_DSNS, REP:31
  - ODBC-compliant applications, REP:20
    - creating reports in, REP:39–40
  - offered calls
    - abandoned, REP:106
    - agent performance statistics, REP:91
    - application statistics, REP:118, SUP:93
    - CDN statistics, REP:130
    - DNIS statistics, REP:137
    - nodal statistics, SUP:99
    - skillset statistics, REP:175
  - Oldest Call intrinsic, SCR:227
  - One of the intervals starts at
    - box, ADM:144
    - field, SET:45
  - online Help, ADM:253
  - opening
    - real-time displays, SUP:76
    - Script Editor, SCR:90
    - Script Variables window, SCR:68
  - operations, order of, SCR:284
  - operators, adding, SCR:92
  - OR expression, SCR:275
  - order of operations, SCR:284
    - example, SCR:284
    - parentheses, SCR:284
  - Original Supervisor field, SET:41
  - Other supervisors associated with this agent
    - field, SET:35
  - out of service
    - intrinsic, SCR:229
    - modes, SUP:43
    - putting skillsets, ADM:188–189
    - skillsets, ADM:176–177, SCR:48
  - outbound calls. *See* outgoing calls
  - outgoing calls, REP:98–99
  - OutOfServiceTimer field, REP:262, REP:301
  - output options, SUP:147–148
    - property page, SUP:147

## overflow treatment

- ApplicationStat views, REP:115, REP:124

- DNISStat views, REP:136

- Give Overflow command, SCR:150

- Owner field, REP:295

**P**

- packet filtering, ICM security, MSL:29, DMS:29

- paging file, INS:40, INS:186

- Paper size box, SUP:147

- Parameter field, REP:245

- parent scripts, REP:227

- ParentComment field, REP:228

- parentheses

- in expressions, SCR:284

- in scripts, SCR:36

- rules, SCR:42

- ParentName field, REP:228

- ParentStatus field, REP:228

- ParentUserFirstName field, REP:228

- ParentUserLastName field, REP:229

- passwords, SUP:22, REP:31

- changing, ADM:54

- changing NGenDist and NGenDesign, INS:114–117

- changing NGenSys, INS:116

- changing Windows NT administrator, INS:32–34

- guidelines for, ADM:65

- maintaining, ADM:64–70

- retry count, ADM:49

- retry lockout, ADM:25

- pcANYWHERE32, ADM:338, ADM:358

- changing caller passwords, INS:83

- changing passwords, ADM:69–70

- configuring, INS:73–87

- configuring on client PC, ADM:342–343

- controlling server with, ADM:351–352

- ending session, ADM:352

- installing on the client, ADM:340–341

- installing on the server, ADM:359–361

- reinstalling during conversion, INS:215

- restarting server with, ADM:353

- pcANYWHERE32 (continued)

- setting to automatic, INS:76

- uninstalling during conversion, INS:184

- PCI installation tips, ADM:369

- PCLoginName field, REP:216, REP:315

- pegging

- statistics, SET:12

- thresholds, ADM:120, REP:109, SUP:103

- threshold classes, SCR:287

- PEPs

- checking for installed, INS:321

- installing, INS:119–120

- installing on server and client, INS:141

- listing, INS:266

- uninstalling from client, INS:146

- Per Unit \$ box, SUP:142

- Performance box, ADM:154

- Performance Monitor tool, ADM:12

- phonesets, ADM:91–97

- ACD groups configuration, MSL:53, DMS:53

- acquiring, ADM:95

- adding, ADM:93–94

- changing, ADM:96

- configuring for agent on the server, MSL:66, DMS:66

- configuring for agents, MSL:65, DMS:65

- configuring for supervisor, MSL:68, DMS:68

- configuring for supervisor on the server, MSL:69, DMS:69

- deacquiring, ADM:95

- deleting, ADM:96

- function, ADM:40

- keys, configuring for agent, MSL:63, DMS:63

- keys, configuring for supervisor, MSL:68, DMS:68

- logging on, SUP:23

- previewing list of, ADM:96

- printing list of, ADM:96

- properties of, REP:324–325

- troubleshooting, MSL:98, MSL:99, DMS:98, DMS:99

- verifying agent configuration, MSL:86, DMS:86

- verifying configuration, MSL:86, DMS:86

- verifying supervisor configuration, MSL:87, DMS:87

- worksheet, SET:21

- ping
  - resolving a failed test, INS:288–289
  - testing network connection, INS:70–71
- placeholders
  - CLID, SCR:262
  - description, SCR:262
  - rules, SCR:262
- planning scripts, SCR:19–36
- Platform Recovery disk, ADM:286, INS:162, INS:219
  - creating, INS:113, INS:183, creating, INS:308
- platform, migrating to another, INS:299–352
- PortAddress field, REP:324
- ports, SUP:5
  - nicomsetup, INS:263
- Position ID field, SUP:86
- position IDs, ADM:94, ADM:101, REP:529–532
- Position In Queue intrinsic, SCR:229
- PositionID field, REP:188, REP:324
- PPP connection, ADM:18, ADM:19, INS:154
- predefined values, server configuration, MSL:78, DMS:78
- presentation sequence, ADM:172–175
- presented calls
  - application statistics, SUP:93
  - nodal statistics, SUP:99
  - See also* offered calls
- presenting calls, SUP:45–46
- preventing access to the server, ADM:51–52
- previewing lists of
  - access classes, ADM:34
  - activity codes, ADM:111
  - agent to skillset assignments, ADM:240
  - agent to supervisor assignments, ADM:227
  - agents, ADM:214
  - call presentation classes, ADM:167
  - CDNs, ADM:83
  - desktop users, ADM:56
  - DNISs, ADM:117
  - event preferences, ADM:273
  - events, ADM:255
  - formulas, ADM:148
  - logged-on desktop users, ADM:60
  - music routes, ADM:89
  - phonesets, ADM:96
  - RAN routes, ADM:89
  - real-time display definitions, SUP:79
  - reports, SUP:154
  - skillsets, ADM:190
  - supervisors, ADM:200
  - supervisors, ADM:200
  - threshold classes, ADM:125
  - voice ports, ADM:105
- previewing reports, SUP:164–167
- Previous interval field, SUP:144
- primary keys, REP:339
  - attributes of, REP:339
- primary scripts, SCR:13
  - pegging of calls handled by, REP:109, SUP:90
- Primary supervisor this agent reports to field, SET:35print job interruptions, SUP:146
- Print report with following options button, SUP:147
- Printer box, SUP:147
- printing
  - all alarms, ADM:276
  - all event preferences, ADM:273
  - all events, ADM:256
  - selected event preferences, ADM:273
  - standard and ad hoc reports, SUP:164–167
- printing lists of
  - access classes, ADM:34
  - activity codes, ADM:111
  - agent to skillset assignments, ADM:240
  - agent to skillset priorities, ADM:240
  - agent to supervisor assignments, ADM:227
  - agents, ADM:215
  - call presentation classes, ADM:167
  - CDNs, ADM:83
  - desktop users, ADM:56
  - DNISs, ADM:117
  - event preferences, ADM:273
  - events, ADM:255
  - formulas, ADM:148
  - logged-on desktop users, ADM:60
  - music routes, ADM:89
  - phonesets, ADM:96
  - RAN routes, ADM:89
  - real-time display definitions, SUP:79
  - reports, SUP:154
  - skillsets, ADM:190
  - supervisors, ADM:200
  - threshold classes, ADM:125
  - voice ports, ADM:105
- Priority data type, SCR:70

## Priority field

ScheduledSkillsetAssignment view, REP:289

SkillsetByAgent view, REP:306

SkillsetByAssignment view, REP:309

Priority for this skillset field, SET:39

Priority In Queue intrinsic, SCR:233

priority. *See* call priority, skillset priority

Private line key, ADM:140, SUP:70

privileges, ADM:35–44

## properties

activity code, REP:218, REP:474–476

agent, SUP:27–34, REP:219–224, REP:480–485

agent to skillset assignment, REP:288–290,  
REP:308–310

agent to supervisor assignment, REP:291–293,  
REP:321–323

application, REP:225–226, REP:533–536,  
REP:608–610, SCR:287

call presentation class, REP:328–330

CDN, REP:232–233, REP:502–504

DNIS, REP:235, REP:509–511

formula, REP:237–238, REP:512–514

historical statistics collection, REP:239–246,  
REP:515–522

IVR port, REP:247–248, REP:523–525

phoneset, REP:324–325

real-time display definition, SUP:79,  
REP:274–275, REP:280–281, REP:541–543

real-time statistics collection, REP:276–279,  
REP:515–522

reports, changing, SUP:153

script, REP:294–295

script variable, REP:296–299

skillset, REP:302–305, REP:553–557

supervisor, REP:315–318, REP:558–561

pulled back calls, REP:147–148

Purchased field, REP:245

Purchased Value box, ADM:155

purging expired statistics, ADM:152

putting skillsets out of service, ADM:188–189

**Q**

querying the status of a user's connection,  
ADM:60

## Queue To Agent command

by agent ID, SCR:158

using longest idle agent, SCR:158

## Queue To commands

agent, SCR:158

skillset, SCR:161

Queue To NACD script command, REP:116

## Queue To Skillset command

most logged in agents, SCR:161

Queued Call Count intrinsic, SCR:235

queuing sequence, ADM:172–175

Quit command, SCR:134

**R**

## RAID

backups, ADM:287

drives, rebuilding, ADM:328

RAM size, checking, INS:315

RAN, SUP:15

data type, SCR:70

Give RAN command, SCR:152

RAN Response Fail, failed responses, SCR:174

## RAN Route

box, ADM:186, SUP:49

field, SET:30

for system default skillset, defining,  
ADM:185–187

RAN route statistics, REP:165–167, REP:679–681

entity relationships, REP:349

RAN routes, ADM:85–89

adding, ADM:87–88

changing, ADM:89

configuring, MSL:50, DMS:50

deleting, ADM:89

field, SET:48

parameter, ADM:156

previewing list of, ADM:89

printing list of, ADM:89

reports, REP:679–681

treatment, REP:117

## ranges

of days, SCR:244

of months, SCR:246

using, SCR:55

- RANMusicRoute field, REP:241
- RAS
- configuring TCP/IP for, INS:56
  - setting to automatic, INS:39
  - verifying installation of, INS:37
- raw data, REP:359
- RDC service, INS:293
- ReadAccess field, REP:216
- ReadAgentAccess field, REP:216
- ReadAllAgentAccess field, REP:216
- Real Time Statistics Properties report, REP:12
- Real Time Template Properties report, REP:541–543
- real-time display definitions
- adding, SUP:71–75
  - changing, SUP:79
  - deleting, SUP:79
  - previewing list of, SUP:79
  - printing list of, SUP:79
  - properties, REP:274–275, REP:280–281
  - reports, REP:541–543
  - templates, SUP:115–123
  - See also* real-time displays
- Real-time Display Properties property sheet, SUP:72
- real-time displays, ADM:138, SUP:12
- and agent keys, ADM:140, SUP:70
  - changing, SUP:79
  - filtering, SUP:77–78
  - function, ADM:41
  - opening, SUP:76
  - sorting, SUP:77
  - types, ADM:138, SUP:68
  - viewing, SUP:76
  - See also* real-time display definitions
- real-time statistics, ADM:141–144, SUP:81–109
- Configuration worksheet, SET:45–46
  - function, ADM:41
- real-time statistics collection, ADM:141–144
- configuring, ADM:143–144
  - properties, REP:276–279
  - reports, REP:515–522
- RealTimeColumn view, REP:274–275
- RealTimeStatCollection view, REP:276–279
- RealTimeTemplate view, REP:280–281
- recorded announcement routes. *See* RAN routes
- recorded announcements. *See* RAN
- referencing scripts, variables, SCR:80
- Refresh Rate box, SUP:72
- refresh rates, ADM:142, ADM:144
- RefreshRate field, REP:280
- registry maintenance, INS:275
- reinstalling
- client software, INS:246
  - DOS, INS:22
  - pcANYWHERE32, INS:215
  - server software, INS:219
- relational expressions
- Equal, SCR:281
  - example, SCR:281
  - Greater Than, SCR:282
  - Greater Than or Equal, SCR:282
  - Less Than, SCR:282
  - Less Than or Equal, SCR:283
  - limitations, SCR:280
  - Not Equal, SCR:281
- relationships
- between entities, REP:341
  - between scripts, REP:227–229
- Release 3.0, REP:6–13
- Remote Access Service, ADM:336, ADM:358
- remote
- control connection, ADM:342
  - control session, starting, ADM:351–352
  - control session, terminating, ADM:352
  - DN, SUP:5
  - host IP address, ICM security, MSL:29, DMS:29
  - login, ADM:69
  - PC caller account, configuring, INS:76
  - restart of server, ADM:353–356
  - tasks, ADM:335
- Remove From commands
- agent, SCR:165
  - skillset, SCR:167
- removing
- agents from skillsets, SUP:33–34, SUP:54–55
  - See also* deleting
- renaming scripts, SCR:120
- Report Gallery window, REP:30
- Report Listener, SUP:161
- Report Name box, SUP:140
- report\_interval formula, REP:43

- report\_title formula, REP:43
- report\_user formula, REP:43
- reporting supervisors, ADM:192, ADM:218, REP:84, SUP:12
  - and ACD subgroups, ADM:212
  - See also* supervisors
- reports, SUP:13
  - activating, SUP:159
  - activity code, REP:361–370, REP:442–444
  - agent, REP:371–440, REP:529–532
  - application, REP:441–468, REP:499–501, REP:693–696
  - call-by-call, REP:470–472, REP:581–583
  - CDN, REP:658–664
  - changing properties of, SUP:153
  - confirming schedule of, SUP:152
  - deactivating, SUP:160
  - deleting, SUP:154
  - DNIS, REP:665–668, REP:674–678
  - IVR, REP:523–528, REP:569–577
  - music and RAN route, REP:679–681
  - previewing, SUP:164–167
  - previewing list of, SUP:153
  - printing, SUP:164–167
  - printing list of, SUP:154
  - resource, REP:657–687
  - scripts, REP:547–552
  - skillset, REP:553–557, REP:689–700
  - standard, REP:2, REP:357–700
  - types, REP:2, SUP:130
  - See also* configuration reports, historical reports, standard reports, user-created reports, and user-defined reports
- reports and PPP connections, ADM:18, INS:154
- Reports function, ADM:41
- Reports–Agent Performance function, ADM:41
- Reports–Call by Call function, ADM:41
- Reports–Other function, ADM:41
- requirements
  - installation, customer-supplied, INS:18
  - installation, software, INS:21
  - migration, INS:305
  - upgrade, INS:162
- ReservedForCall field, REP:102
- ReservedTime field, REP:102
- resetting the desktop password, ADM:54–55
- resolving validation errors, SCR:111
  - CDN, REP:658–664
  - DNIS, REP:665–668, REP:674–678
- resources
  - acquiring, ADM:74–75
  - identifying, SCR:21
  - resource acquisition, SUP:7
  - resource reports, REP:657–687
  - state of acquisition, definition, SET:16
- response, Get Response command, SCR:198
- restarting server, ADM:13–14
  - remotely, ADM:353–356
- restoring
  - access to the server, ADM:52–53
  - database, INS:265, INS:345
- restricting access to the server, ADM:51–52
- retry lockout, ADM:25
- RetryTimer field, REP:326
- Return Call to Queue After option, ADM:166
- return value, description, SCR:202
- returned to queue, REP:50, REP:91, REP:92
- ReturnedToQ field, REP:50
- ReturnedToQDueToTimeout field, REP:50
- ReturnToQueueMode field, REP:220, REP:329
- ReturnToQueueOnNoAnswer field, REP:220, REP:329
- ReturnToQueueWaitInterval field, REP:221, REP:329
- ringback, Give Ringback command, SCR:154
- RingTime field, REP:102
- role names, REP:340
- round robin routing table, REP:254
- Route Call
  - command, SCR:169, REP:117, REP:136
  - treatment, REP:117, REP:126, REP:136
- Row field, REP:271
- rules, SCR:41–43
  - Event Handler, SCR:42
  - execute, SCR:42
  - first commands, SCR:41
  - general, SCR:42
  - If-Then-Else-End If, SCR:43
  - If-Then-End If, SCR:43
  - parentheses, SCR:42
  - placeholders, SCR:262
  - section, SCR:42

rules (continued)  
 variables, SCR:42  
 Where-equals, SCR:43  
 wildcards, SCR:262  
 Run Report dialog box, SUP:165  
 running  
 agent to skillset assignments, ADM:239  
 agent to supervisor assignments, ADM:226

## S

sample scripts  
 advanced commands and, SCR:292  
 copying, SCR:95  
 description, SCR:292  
 DNIS, MSL:93, DMS:93  
 getting started with, SCR:292–300  
 importing, SCR:104  
 music and RAN route, MSL:91, DMS:91  
 using, SCR:95

saving  
 activated scripts, SCR:100–101  
 changes, SCR:100  
 list of events, ADM:254–255  
 scripts, SCR:100

### SCAICOMS

configuring, MSL:34, DMS:34  
 updating, MSL:34, DMS:34

### SCAIGRP

configuring, MSL:37, DMS:37  
 updating, MSL:37, DMS:37

### SCAIPROF

configuring, MSL:42, DMS:42  
 updating, MSL:42, DMS:42

### SCAISSRV

configuring, MSL:39, DMS:39  
 updating, MSL:40, DMS:40

ScaleFrom field, REP:275

ScaleTo field, REP:275

SCCS\_Database, ADM:293

SCCS\_Full, ADM:293

### Schedule

box, ADM:225, ADM:238  
 property page, SUP:145

Schedule Date box, SUP:145

Schedule Selection box, SUP:145

scheduled backups  
 changing, ADM:298  
 deleting, ADM:298

ScheduledSkillsetAssignment view, REP:288–290

ScheduledSupervisorAssignment view,  
 REP:291–293

Scheduler function, ADM:42

### schedules

activating, SUP:159  
 and site name, SUP:150  
 confirming, SUP:152  
 deactivating, SUP:160  
 defining, SUP:144–146

### scheduling

agent to skillset assignments, ADM:237–238  
 agent to supervisor assignments, ADM:224–225  
 backups, ADM:291–295

### script

elements, adding, SCR:91, SCR:92  
 expressions. *See* logical expressions;  
 mathematical expressions; relational  
 expressions  
 field, REP:298  
 script rules. *See* rules  
 variables. *See* variables  
 view, REP:294–295

Script By Script Variable report, REP:13

Script Command Reference page, description,  
 SCR:27

### Script Editor

description, SCR:27, SCR:92  
 opening, SCR:90

### script formatting

agent lists, SCR:208  
 blank lines, SCR:38  
 commands, SCR:36  
 comments, SCR:38  
 conventions, SCR:36–42  
 indenting, SCR:38  
 intrinsics, SCR:36  
 lists, SCR:44  
 logical expressions, SCR:36  
 parentheses, SCR:36  
 section names, SCR:37  
 skillset lists, SCR:208

- Script Manager, SCR:26
- Script Variable By Script report, REP:12, REP:547–549
- Script Variable properties
  - attributes, SCR:82
  - general, SCR:80
- Script Variable Properties report, REP:550–552
- Script Variables function, ADM:42
- Script Variables window, SCR:67
  - opening, SCR:68
- script writing
  - conventions, SCR:36–42
  - flowchart, SCR:19
  - tips, SCR:44–57
- ScriptID field, REP:295
- scripts, SUP:90
  - activating, SCR:115–119
  - adding advanced commands, SCR:91
  - adding commands, SCR:91
  - adding elements, SCR:91, SCR:92
  - adding events, SCR:92
  - adding intrinsics, SCR:91
  - adding operators, SCR:92
  - adding variables, SCR:92
  - call flow, SCR:9
  - copying sections, SCR:98–99
  - creating, SCR:88
  - deactivating, SCR:115–119
  - deleting, SCR:122
  - exporting, SCR:107
  - function, ADM:42
  - importing, SCR:104
  - keyword list, SCR:368–370
  - master, SCR:12
  - objectives, SCR:21
  - planning, SCR:19–36
  - primary scripts, SCR:13
  - properties, REP:294–295
  - relationships between, REP:227–229
  - renaming, SCR:120
  - reports, REP:547–552
  - saving, SCR:100–101
  - tools, SCR:26
  - types, SCR:12–15
  - validating, SCR:110, INS:112, INS:173, INS:213, INS:229
- ScriptStatus field, REP:298
- ScriptType field, REP:298
- ScriptVariableProperties view, REP:296–297
- ScriptVariables view, REP:298–299
- SDK
  - installing, INS:150–151
  - uninstalling, INS:128
- SDMCA service, INS:293
- SDP service, INS:293
- secondary DN
  - box, ADM:94, SUP:30
  - monitoring problems, MSL:99, DMS:99
- secondary script, pegging of calls handled by, REP:109, SUP:91
- SecondaryDN field, REP:325
- Seconds data type, SCR:70
- Section command, SCR:136
  - rules, SCR:42
- section
  - names of, in scripts, SCR:37
  - using, SCR:55
- security, ADM:23–71
  - auditing, ADM:71
  - keylock device, INS:94, INS:106
  - log, ADM:252
  - worksheets, SET:5–9
- Select Threshold class for this Agent box, ADM:210, SUP:32
- selecting
  - historical statistics to be collected, ADM:152–160
  - views and fields, REP:32–34
- selection criteria, SUP:141–142
  - property page, SUP:141
- Send Info command, SCR:193
- Send Request command, SCR:195, REP:115
- Separator box, SUP:148
- Serial Ports function, ADM:42
- Server Entry box, REP:24
- Server Manager, ADM:12
- Server Performance Monitor function, ADM:43
- Server Settings function, ADM:43
- server software
  - configuration mode, INS:112, INS:173, INS:213, INS:229
  - converting, INS:174, INS:205

- server software (continued)
  - entering the keycode, INS:106, INS:208
  - installing, INS:96–113, INS:332
  - installing PEPs, INS:141
  - maintenance, INS:159, INS:249
  - reinstalling, INS:219
  - uninstalling, INS:122
  - upgrading, INS:160
  - upgrading Windows NT, INS:191
- servers, SUP:6, SUP:21
  - adding, ADM:18–20
  - and user-defined reports, SUP:137
  - checking configuration, MSL:75, DMS:75
  - components, MSL:6, DMS:6
  - configuration and switch datafill, MSL:77, DMS:77
  - configuration and switch datafill relationship table, MSL:77, DMS:77
  - configuration overview, MSL:74, DMS:74
  - configuring, MSL:49, DMS:49
  - configuring CDNs, MSL:62, DMS:62
  - configuring DNISs, MSL:62, DMS:62
  - connection, troubleshooting checklist, ADM:366
  - controlling access to, ADM:51–53
  - does not monitor activity on secondary DN, MSL:99, DMS:99
  - grouping by location, ADM:20
  - locking users out of, ADM:51–52
  - logging on to, ADM:21, SUP:21–22
  - logging users off of, ADM:61
  - mode, INS:254
  - predefined configuration values, MSL:78, DMS:78
  - restarting, ADM:13–14
  - restarting remotely, ADM:353–356
  - restoring access to, ADM:52–53
  - shutting down, ADM:13–14
  - software version, checking, INS:320
  - troubleshooting, MSL:99, DMS:99
  - troubleshooting connection to, ADM:367
  - unable to acquire phonesets, MSL:99, DMS:99
  - user accounts on, ADM:64
  - verifying the connection to, REP:23–26
  - See also* Symposium Call Center Server
- Service ID, logon parameters, MSL:79, DMS:79
- service level, REP:50, SUP:3
- service level threshold, REP:50
  - box, ADM:116
  - field, SET:19
  - threshold, ADM:130, ADM:133
- Service Pack 3
  - installing, INS:195
  - verifying, INS:35
- Service Update packs, installing, INS:119–120
- service version, logon parameters, MSL:80, DMS:80
- ServiceLevelThreshold field
  - Application view, REP:225
  - ApplicationThresholdTemplate view, REP:231
  - DNIS view, REP:235
- ServiceLevelThreshold field
  - DNISThresholdTemplate view, REP:236
  - Skillset view, REP:305
  - SkillsetThresholdTemplate view, REP:312
- services, INS:293
  - troubleshooting problems with, INS:292–294
- SERVORD utility, ADM:93, ADM:192
- sessions, ADM:59–61
- Set Alias dialog box, REP:35
- Set Location dialog box, REP:37
- setting TZ system variable, INS:42
- setting up the server, ADM:7–8
  - configuring Windows NT, INS:89
  - installing server software, INS:89
  - preparing for setup, INS:89
- severity, ADM:249
  - box, ADM:270
  - of events, changing, ADM:269–270
- ShortCall threshold, ADM:130–133
- ShortCallsAnswered field, REP:79, REP:102
- Show available agents box, ADM:222, ADM:235
- Shutdown utility, INS:277
- shutdown, improper, ADM:13
- shutting down server, ADM:13–14
- signed integers, REP:21
- silence, Give Silence command, SCR:156
- Simple Network Management Protocol. *See* SNMP
- Site field
  - ActivityCodeStat views, REP:70
  - AgentByApplicationStat views, REP:74

## Site field (continued)

- AgentBySkillset Stat views, REP:79
- AgentPerformance views, REP:103
- ApplicationStat views, REP:123
- CDNStat views, REP:132
- DNISStat views, REP:139
- eAgentLoginStat view, REP:189
- eCallByCallStat view, REP:192
- eIVRPortLoginStat view, REP:202
- IVRPortStat views, REP:143
- RANMusicRouteStat views, REP:166
- SkillsetStat views, REP:177

## Site Name field

- agent statistics, SUP:86
- application statistics, SUP:95
- IVR statistics, SUP:98
- skillset statistics, SUP:107
- nodal statistics, SUP:100

site name, changing, SUP:150–151

site\_id formula, REP:43

## SiteID field

- ActivityCodeStat views, REP:70
- AgentByApplicationStat views, REP:75
- AgentBySkillset Stat views, REP:79
- AgentPerformance views, REP:103
- ApplicationStat views, REP:123
- CDNStat views, REP:132
- DNISStat views, REP:139
- eAgentLoginStat view, REP:189
- eCallbyCallStat views, REP:192
- eIVRPortLoginStat view, REP:202
- IVRPortStat views, REP:143
- RANMusicRouteStat views, REP:166
- SkillsetStat views, REP:177

size of event log, changing, ADM:259–261

skill-based routing, SUP:9, SUP:43, ADM:171

skills required, ADM:3, REP:15–16

## skillset

- box, ADM:154
- calls, SUP:105
- data type, SCR:70
- properties, SET:35
- view, REP:302–305
- worksheets, SET:27–30

Skillset Abandoned After Threshold field, SUP:108

Skillset Abandoned Delay field, SUP:108

Skillset Abandoned field, SUP:107

skillset assignments, REP:486–488, REP:489–492  
changing, SUP:33–34, SUP:54–55

Skillset By Application report, REP:693–696

## Skillset field

- AgentBySkillset views, REP:80
- HistoricalStatCollection view, REP:242
- Skillset view, REP:305
- SkillsetStat views, REP:177

Skillset Global Settings worksheet, SET:30

Skillset ID field, SUP:108

skillset intrinsics, SCR:208–234

- agent lists, SCR:208

- decision making with, SCR:204

- default values, SCR:208

- description, SCR:208

- skillset lists, SCR:208

Skillset Name field, SUP:108

- Agent to Skillset Assignment worksheet, SET:39

- Skillssets worksheet, SET:29

Skillset Performance report, REP:697–700

skillset priority, ADM:172

Skillset Properties report, REP:553–557

skillset real-time display template, SUP:124–125

skillset real-time displays, SUP:124–125

- filtering, SUP:77

Skillset State field, SUP:108

skillset statistics, REP:172–179, REP:689–700,  
SUP:103–109

- by agent, REP:77–82

- data collection option, SUP:109

- entity relationships, REP:350

- linkages, REP:179

Skillset Statistics box, ADM:143

Skillset Threshold Classes function, ADM:43

- skillset thresholds, ADM:130–134
- SkillsetAbandon field, REP:177
- SkillsetAbandonAftThreshold field, REP:178
- SkillsetAbandonDelay field, REP:177
- SkillsetByAgent field, REP:242
- SkillsetByAgent view, REP:306–307
- SkillsetByAssignment view, REP:308–310
- SkillsetID field
  - AgentBySkillset Stat views, REP:80
  - ScheduledSkillsetAssignment view, REP:289
  - Skillset view, REP:305
  - SkillsetByAgent view, REP:306
  - SkillsetByAssignment view, REP:309
  - SkillsetStat views, REP:178
- SkillsetName field
  - ScheduledSkillsetAssignment view, REP:289
  - SkillsetByAssignment view, REP:309
- skillsets, ADM:169–190, SUP:9, SUP:42
  - adding, ADM:182–184
  - agents assigned to, REP:306–307
  - assigning agents to, ADM:211
  - assignments, REP:308–310
  - changing, ADM:190
  - changing agent priorities for, ADM:233–236
  - definition, ADM:162
  - delays at, REP:113, REP:120
  - deleting, ADM:190
  - description, SET:28, ADM:170
  - field, SET:47
  - function, ADM:43
  - in service, REP:173
  - lists, SCR:208
  - measured value for, ADM:156
  - out of service, SCR:48
  - parameter, ADM:156
  - previewing list of, ADM:190
  - printing list of, ADM:190
  - properties, REP:302–305
  - putting out of service, ADM:188–189
  - reports, configuration, REP:553–557
  - reports, statistic, REP:385–388, REP:689–700
  - statistics by agent, REP:77–82
  - threshold classes, REP:311–312
  - viewing global settings for, SUP:48–50
  - viewing properties of, SUP:51–53
  - worksheet, SET:29
- Skillssets to Add box, ADM:211
- SkillsetStat views, REP:172–179
- SkillsetState field
  - HistoricalStatCollection view, REP:242
  - ScheduledSkillsetAssignment view, REP:289
  - SkillsetByAgent view, REP:306
  - SkillsetByAssignment view, REP:309
- SkillsetThresholdTemplate view, REP:311–312
- SMI systems, adding, ADM:18–20
- SMI window, ADM:22
- SMI Workbench, ADM:17–22
  - adding a system, INS:154
  - logging on for first time, INS:157
- SMonW, INS:292
- SNMP, ADM:248
  - configuring, ADM:264–266, INS:38
  - verifying installation of, INS:37
- software configuration, INS:27
- Software Development Kit. *See* SDK
- software troubleshooting checklist, ADM:365
- sorting real-time displays, SUP:77
- space requirements, calculating, ADM:159
- Specify full path and report name box, REP:42
- Specify the full path and file name box, SUP:148
- SQL Tables box, REP:37
- SQL-compliant applications, REP:20
  - creating reports in, REP:39–40
- SQLEDIT window, REP:25
- StaleDataRatio field, REP:253
- standard real-time displays, ADM:138, SUP:68
- standard reports, REP:2, REP:357–700, SUP:130, INS:174
  - location of, SUP:137
  - new in Release 3.0, REP:12
  - printing, SUP:164–167
  - skills needed to use, REP:15
- Standard\_Agent\_By\_Supervisor\_Display, SUP:117
- Standard\_Application\_Display, SUP:119–120
- Standard\_Nodal\_Display, SUP:122
- Standard\_Skillset\_Display, SUP:124–125
- Start box, ADM:225, ADM:238, ADM:294, SUP:145
- Start date
  - and time box, SUP:143, SUP:166
  - field, SET:40

- Start time field
  - Agent to Skillset Assignment worksheet, SET:40
  - Agent to Supervisor Assignment worksheet, SET:41
- starting
  - backups, ADM:305
  - Report Listener, SUP:161
- startup utility, INS:278
- State field, SUP:87
- state
  - of acquisition of a resource, SET:16
  - timers, agent, REP:83
- statistics
  - agent, SUP:86–89
  - agent by application, REP:72–76
  - agent by skillset, REP:77–82
  - agent login and logout, REP:187–189
  - agent performance, REP:83–107
  - application, REP:108–128, SUP:90–96
  - call-by-call, REP:190–200
  - CDN, REP:129–132
  - DNIS, REP:133–140
  - groups, ADM:139, ADM:151
  - IVR, REP:146–150, SUP:97–98
  - IVR port, REP:141–145, REP:572–574
  - IVR port login and logout, REP:201–202
  - music route, REP:165–167
  - nodal, SUP:99–100
  - RAN route, REP:165–167
  - real-time, SUP:81–109
  - skillset, REP:172–179, REP:689–700, SUP:103–109
  - when cumulated, REP:62
  - See also* historical statistics, real-time statistics
- Statistics Collection worksheets, SET:43–49
- Statistics to be collected field, SET:45
- status
  - of a user's connection, querying the, ADM:60
  - of backup, ADM:296–297, ADM:305
- Status field
  - CDN view, REP:232
  - IVRPort view, REP:248
  - ScheduledSkillsetAssignment view, REP:289
- Status field (continued)
  - ScheduledSupervisorAssignment view, REP:292
  - Script view, REP:295
  - ScriptVariableProperties view, REP:297
  - SkillsetByAssignment view, REP:309
  - SupervisorByAssignment view, REP:322
  - SwitchPort view, REP:325
- stopping backups, ADM:298, ADM:306
- storage duration, REP:5
- String data type, SCR:70
- subscripts, activation, SCR:31
- subsystem link problem troubleshooting, MSL:97, DMS:97
- subtraction expression, SCR:279
- summarized historical statistics. *See* historical statistics
- SummaryThresholdTemplate view, REP:313–314
- supervisor
  - access class, ADM:28
  - agent performance by, REP:411–416
  - assignments, REP:477–479, REP:493–495
  - view, REP:315–318
- Supervisor Configuration worksheet, SET:33
- Supervisor ID field, SUP:88
- Supervisor Name field, SUP:89
- supervisor phoneset keys, configuring, MSL:68, DMS:68
- supervisor phonesets, ADM:92, ADM:192, ADM:204
  - configuring, MSL:68, MSL:69, DMS:68, DMS:69
  - verifying configuration, MSL:87, DMS:87
- supervisor properties, SET:35
  - report, REP:558–561
- Supervisor User ID field, SUP:89
- SupervisorAgentAssignment view, REP:319–320
- SupervisorByAssignment view, REP:321–323
- SupervisorGivenName field
  - AgentPerformanceStat views, REP:103
  - ScheduledSupervisorAssignment view, REP:292
  - SupervisorAgentAssignment view, REP:320
  - SupervisorByAssignment view, REP:322

- SupervisorID field
  - ScheduledSupervisorAssignment view, REP:293
  - SupervisorByAssignment view, REP:323
- SupervisorLogin field, REP:103
- supervisors, ADM:191–201, REP:84, SUP:12
  - adding, ADM:194–197
  - assigned agents, REP:319–320
  - assigning agents to, ADM:212–213, ADM:221–223
  - changing, ADM:200
  - changing capabilities of, ADM:200
  - configuring, SET:33
  - definition, ADM:192
  - deleting, ADM:201
  - emergency notification, MSL:100, DMS:100
  - previewing list of, ADM:200
  - printing list of, ADM:200
  - properties, REP:315–318
  - reporting, ADM:192
  - reports, REP:558–561
  - unable to log on, MSL:100, DMS:100
  - viewing agents assigned to, ADM:198–199
  - See also* associated supervisors, reporting supervisors
- SupervisorSurName field
  - AgentPerformanceStat views, REP:103
  - ScheduledSupervisorAssignment view, REP:293
  - SupervisorAgentAssignment view, REP:320
  - SupervisorByAssignment view, REP:323
- SupervisorTelsetLoginID field, REP:320
- SupervisorUserID field
  - AgentPerformanceStat views, REP:104
  - SupervisorAgentAssignment view, REP:320
- supplementary DNSs, ADM:114
- suppressing events, ADM:271–272
- SurName field
  - AccessRights view, REP:216
  - Agent view, REP:221
  - Script view, REP:295
  - Supervisor view, REP:316
- suspicious activity, ADM:71
- swap file, INS:40
  - changing size of, INS:336
  - checking location of, INS:317
  - swap file (continued)
    - moving, INS:186, INS:341
    - usage, INS:295
- switch, SUP:5
  - changing type, INS:131
  - configuring, ADM:6
  - configuring datafill and server, MSL:77, DMS:77
  - configuring resources, MSL:48, DMS:48
  - datafill and server configuration relationship table, MSL:77, DMS:77
  - DMS configuration dialog box, INS:108, INS:169, INS:225
  - M1 options dialog box, INS:108, INS:169, INS:225
  - resources, SET:16
  - resources, configuring, ADM:73
  - troubleshooting, MSL:97, DMS:97
- Switch administration worksheets, SET:15–22
- Switch Information tab, INS:269
- Switch Resource function, ADM:43
- SwitchID field
  - Agent view, REP:221
  - IVRPort view, REP:248
  - Supervisor view, REP:316
  - SwitchPort view, REP:325
- SwitchPort view, REP:324–325
- SwitchPortAddress field
  - Agent view, REP:221
  - IVRPort view, REP:248
  - Supervisor view, REP:316
- SwitchPortName field
  - Agent view, REP:221
  - IVRPort view, REP:248
  - Supervisor view, REP:316
- Sybase Open Client, REP:4
  - and client software, INS:127
- Sybase Server, REP:4
- Symposium Call Center Server
  - calls, REP:63, SUP:83
  - components, INS:5
  - connecting to from SMI, INS:157
  - database, REP:3–5
  - description, INS:5
  - software, installing, INS:103, INS:332

## Symposium Call Center Server (continued)

- upgrading from Release 1.0, INS:240

- See also* server

## Symposium Call Center Server logon

- parameters

- Business Group, MSL:79, DMS:79

- DMS password, MSL:79, DMS:79

- MBG, MSL:79, DMS:79

- Network Node, MSL:78, DMS:78

- Service ID password, MSL:79, DMS:79

- service version, MSL:80, DMS:80

## synchronizing

- computer name, INS:252

- times, ADM:15, REP:203

## system default skillset, ADM:175

- defining, ADM:185–187

## System field, REP:246

## System Information utility, INS:279

## System log, ADM:252

System Management Interface Workbench. *See*

- SMI workbench

## System Monitor window, INS:292

## System property page, INS:268

## System Value box, ADM:156

## System\_Application, REP:173, REP:178

## System\_Default\_Activity\_Code, ADM:111

**T**

## table data

- entering and editing, MSL:33, DMS:33

- printing, MSL:33, DMS:33

## tables, joining, REP:52

## talk time, REP:75, REP:80

- ACD calls, REP:87

- DN calls, REP:97, REP:98, REP:99

- DNIS statistics, REP:139

- IVR port statistics, REP:144

## TalkTime field

- AgentByApplicationStat views, REP:75

- AgentBySkillset views, REP:80

- AgentPerformanceStat views, REP:104

- DNISStat views, REP:139

- IVRPortStat views, REP:144

## Tandberg MLR1 QIC tape drive, ADM:288

## tape

- drives, ADM:288

- rotation, ADM:288

## TCP/IP

- configuring CLAN NIC, INS:52

- configuring ELAN NIC, INS:49

- configuring RAS, INS:56

- saving settings, INS:59

- testing ELAN and CLAN connections, INS:70

## telephony network, SUP:5

## Telephony/Port Address box, ADM:94, ADM:101,

- ADM:197

## Telephony/Port Address field, SET:33

- Phonesets worksheet, SET:21

- Voice Ports worksheet, SET:22

## TelsetLoginID field

- Agent view, REP:222

- eCallbyCallStat views, REP:193

- eNetCallByCallStat views, REP:206

- Supervisor view, REP:317

## TelsetShowReserve field, REP:222, REP:329

## temp directory, checking, INS:129

## Template field, REP:329

## TemplateID field

- Agent view, REP:222

- Application view, REP:226

- ApplicationThresholdTemplate view, REP:231

- DNISThresholdTemplate view, REP:235,

- REP:236

- RealTimeColumn view, REP:275, REP:280

- SkillsetThresholdTemplate view, REP:312

- SummaryThresholdTemplate view, REP:314

- Supervisor view, REP:317

- UserTemplate view, REP:329

## TemplateName field, REP:222, REP:301, REP:317

## temporary files, deleting, INS:129

## Terminal Name box, ADM:94, ADM:101

## Terminal Name field

- Phonesets worksheet, SET:21

- Voice Ports worksheet, SET:22

## terminated calls, REP:131

## testing the network connection, INS:70–71

## TFA service, INS:293

## TFE service, INS:293

## third-party IVR application, REP:141, REP:146

## Threshold box, ADM:270

## Threshold Class

- field, SET:29
- name field, SET:14
- Threshold Class box, ADM:183
- threshold classes, ADM:119–125, ADM:179, SUP:47
  - adding, ADM:122–124
  - agent, REP:226, REP:331–332
  - application, REP:109, REP:230–231
  - assigning to agents, ADM:210
  - changing, ADM:125
  - definition, SCR:287, SET:12
  - deleting, ADM:125
  - display, SCR:287
  - DNIS, REP:236
  - example, SCR:287
  - nodal, REP:313–314
  - pegging, SCR:287
  - previewing a list of, ADM:125
  - printing list of, ADM:125
  - properties, REP:499–501
  - renaming, ADM:125, ADM:167
  - skillset, REP:311–312
  - worksheets, SET:11–14
- thresholds, ADM:126–134
  - adding to a threshold class, ADM:123–124
  - display, ADM:121
  - pegging, ADM:120, SUP:103
  - properties, SET:34
- ThresholdTemplateID field
  - Agent view, REP:222
  - Supervisor view, REP:317
  - UserThresholdTemplate view, REP:332
- ThresholdTemplateName field, REP:223, REP:317
- throttling events, ADM:271–272
- time comparisons, using, SCR:56
- Time data type, SCR:70
- Time field
  - ActivityCodeStat views, REP:70
  - AgentByApplicationStat views, REP:75
  - AgentBySkillset views, REP:80
  - AgentPerformanceStat views, REP:104
  - ApplicationStat views, REP:123
  - CDNStat views, REP:132
  - DNISStat views, REP:140
  - eAgentLoginStat view, REP:189
  - eCallbyCallStat views, REP:193

## Time field (continued)

- eIVRPortLoginStat view, REP:202
- eNetCallByCallStat views, REP:206
- IVRPortStat views, REP:144
- RANMusicRouteStat views, REP:166
- SkillsetStat views, REP:178
- Time In State field, SUP:89
- time intrinsics, SCR:237–247
  - decision making with, SCR:204
- Time of Day intrinsic, SCR:238
  - exact time, SCR:239
- time
  - changing, INS:41
  - synchronization, ADM:15, REP:203
  - viewing system, ADM:15
- TimeBeforeDefault field, REP:123
- TimeBeforeForceBusy field, REP:124
- TimeBeforeForceDisconnect field, REP:124
- TimeBeforeForceOverflow field, REP:124
- TimeBeforeInterflow field, REP:125
- TimeBeforeIVRTransferred field, REP:125
- TimeBeforeNACDOut field, REP:125
- timer option, SCR:199
- timers, agent state, REP:83
- Timestamp field
  - ActivityCodeStat views, REP:70
  - AgentByApplicationStat views, REP:75
  - AgentBySkillset views, REP:81
  - AgentPerformanceStat views, REP:104
  - ApplicationStat views, REP:127
  - CDNStat views, REP:132
  - DNISStat views, REP:140
  - eAgentLoginStat view, REP:189
  - eCallbyCallStat views, REP:193
  - eIVRPortLoginStat view, REP:202
  - eNetCallByCallStat views, REP:207
  - IVRPortStat views, REP:144
  - RANMusicRouteStat views, REP:167
  - SkillsetStat views, REP:178
- tips
  - callers, SCR:48
  - giving tones, SCR:50
  - high traffic, SCR:51
  - loops, SCR:52
  - most likely conditions, SCR:47
  - out of service, SCR:48

- tips (continued)
  - ranges, SCR:55
  - script writing, SCR:44–57
  - sections, SCR:55
  - time comparisons, SCR:56
  - unnecessary commands, SCR:45
  - variables, SCR:57
- Title field, REP:223, REP:317
  - Agent Configuration worksheet, SET:34
  - Desktop User worksheet, SET:9
  - Supervisor Configuration worksheet, SET:33
- To box, SUP:74, SUP:75
- tones
  - giving, SCR:50
  - using, SCR:50
- Total Active Calls intrinsic, SCR:251
- Total Answered Delay threshold, ADM:133
- Total Calls Answered Delay field, SUP:108
- Total Wait Time threshold, ADM:134
- TotalCallsAbandonedDelay field, REP:163
- TotalCallsAnsweredDelay field, REP:163
- TotalStaffedTime field, REP:81, REP:178
- traffic intrinsics, SCR:249–251
  - decision making with, SCR:205
- transferred calls, REP:85
  - ACD calls, REP:88–89
  - application statistics, REP:118
  - CDN calls, REP:93–94
  - consultation time, REP:94
  - DN calls, REP:95–96
  - IVR, REP:119, REP:125, REP:138
  - IVR port statistics, REP:142
  - IVR statistics, REP:148
  - reports, REP:431–437
- Transferred intrinsic, SCR:271
- transition mode, ADM:176, SUP:43
  - putting skillset into, ADM:188–189
- treatments, REP:448–453
  - ApplicationStat views, REP:114–117, REP:123–126
  - DNISStat views, REP:135–136
- troubleshooting
  - Activity LED, ADM:367
  - add-in adapter, ADM:368
  - agent Variable Wrap state, MSL:101, DMS:101
- troubleshooting (continued)
  - agents or supervisors unable to log on, MSL:100, DMS:100
  - calls not presented to agents, SCR:344, MSL:101, DMS:101
  - client logon, MSL:97, DMS:97
  - client-server connection, INS:290–291
  - installation problems, INS:284–287
  - link LED, ADM:367
  - network connection, ADM:367, INS:288–289
  - overview, MSL:96, DMS:96
  - phoneset dial tone, MSL:98, DMS:98
  - problems with services, INS:292–294
  - resource configuration, MSL:99, DMS:99
  - server, ADM:367
  - server cannot acquire CDNs, MSL:99, DMS:99
  - server cannot acquire phonesets, MSL:99, DMS:99
  - server connection, ADM:366
  - server not monitoring activity on secondary DN, MSL:99, DMS:99
  - server not receiving switch information, MSL:97, DMS:97
  - software checklist, ADM:365
  - subsystem link problems, MSL:97, DMS:97
  - supervisors emergency notification, MSL:100, DMS:100
- trusted host, ICM security, MSL:29, DMS:29
- TSM service, INS:293
- two-stage transfer, REP:59
- Type field, REP:297
  - CDN view, REP:232
  - ScheduledSupervisorAssignment view, REP:293
  - Script view, REP:295
  - SupervisorAgentAssignment view, REP:320
  - SupervisorByAssignment view, REP:323
  - SwitchPort view, REP:325
  - Views view, REP:333
- types
  - of calls, SUP:83
  - of data fields, SUP:82
  - of intrinsics, SCR:202

## TZ

- sample values, INS:29
- setting system time variable, INS:42
- value formula, INS:29

## U

unavailable agents, SUP:105

uninstalling

- client software, INS:146–149
- DMI, INS:123
- pcANYWHERE during conversion, INS:184
- PEPs from client PC, INS:146
- server software, INS:122
- Software Development Kit, INS:128

unnecessary commands, avoiding, SCR:45

unsolicited events

- description, SCR:174
- Event Handler, SCR:174

untreated calls, REP:147–148, SUP:97–98

UpdateRate field, REP:253

updating emergency repair disk, INS:68–69

updating. *See* changing

upgrading

- client software, INS:232
- from Release 1.0, INS:240
- server software, INS:160
- Windows NT, INS:191
- user-created reports for Release 3.0, REP:10–11

User Access Privilege report, REP:565–567

user

- accounts on server, ADM:64
- connection, querying the status of, ADM:60
- desktop status, ADM:50
- sessions, ADM:59–61

User Configuration worksheet, SET:32

- completing for agents, SET:34
- completing for desktop users, SET:9
- completing for supervisors, SET:33

user ID, SUP:22

- box, ADM:49
- field, SET:9

User Manager, ADM:12

User name field, SET:33

Agent Configuration worksheet, SET:34

Desktop User worksheet, SET:9

User Profile Editor, ADM:12

user-created reports, REP:2, SUP:130

- creating, REP:39–40
- creating in Crystal Reports, REP:29–34
- deleting, SUP:154
- importing, REP:41–42
- upgrading to Release 3.0, REP:10–11

user-defined real-time displays, ADM:138, SUP:68

user-defined reports, REP:2, SUP:130, SUP:135–148

- and server, SUP:137
- and userid of creator, SUP:137
- creating, SUP:138–149
- deleting, SUP:154
- location of, SUP:137

UserGivenName field, REP:290, REP:310

userid, SUP:137

UserID field

- ActivityCodeStat views, REP:71
- Agent view, REP:223
- AgentByApplicationStat views, REP:76
- AgentBySkillset views, REP:81
- AgentPerformanceStat views, REP:104
- eAgentLoginStat view, REP:189
- ScheduledSkillsetAssignment view, REP:290
- SkillsetByAgent view, REP:307
- SkillsetByAssignment view, REP:310
- Supervisor view, REP:318

users

- function, ADM:44
- See also* agents, desktop users, supervisors

UserSurName field, REP:290, REP:310

UserTelsetLogin field, REP:290

UserTelsetLoginID field, REP:310

UserTemplate view, REP:328–330

UserThresholdTemplate view, REP:331–332

using

- loops, SCR:52
- ranges, SCR:55
- sample scripts, SCR:95
- sections, SCR:55
- time comparisons, SCR:56
- tones, SCR:50
- variables, SCR:57

## utilities

- Computer Name Sync, INS:252
- configuration tool, INS:254
- Database Restore, INS:265
- DMI View, INS:266
- Feature Report, INS:267
- migration, INS:274
- Nbconfig, INS:254
- Network Adapters Information, INS:280
- nicomsetup, INS:263
- registry maintenance, INS:275
- Shutdown, INS:277
- startup, INS:278
- System Information, INS:279
- voice prompt languages, INS:273

**V**

- validating scripts, SCR:110, INS:112, INS:173, INS:213, INS:229
- validation
  - description, SCR:30
  - resolving errors, SCR:111
  - window, INS:103, INS:205
- Validation Options dialog box, SCR:28
- values, assigning to variables, SCR:74–78
- Variable field, REP:299
- variable wrap
  - state, MSL:101, DMS:101
  - threshold, ADM:127
- variables
  - adding, SCR:92
  - assigning a single value, SCR:74
  - assigning values to, SCR:74–78
  - changing attributes, SCR:82
  - deleting, SCR:82–83
  - description, SCR:17
  - example, SCR:17
  - naming, SCR:71
  - properties of, REP:296–299
  - referencing scripts, SCR:80
  - rules, SCR:42
  - Script Variable window, SCR:67
  - using, SCR:57
  - warning, SCR:65

## variables (continued)

- reports, REP:547–552
- See also* call variables; global variables
- VariableStatus field, REP:299
- VariableType field, REP:299
- VariableWrap field, REP:223, REP:330
- VariableWrapTime field, REP:105
- verifying
  - ACD, MSL:85, DMS:85
  - ACD groups and subgroups, MSL:85, DMS:85
  - agent phoneset configuration, MSL:86, DMS:86
  - agents configuration, MSL:88, DMS:88
  - CDNs configuration, MSL:89, DMS:89
  - connection to the server, REP:23–26
  - DNIS configuration, MSL:93, DMS:93
  - DNISs sample script, MSL:93, DMS:93
  - ICM link, MSL:83, DMS:83
  - music and RAN route configuration, MSL:91, DMS:91
  - music and RAN route sample script, MSL:91, DMS:91
  - overview, MSL:82, DMS:82
  - phoneset configuration, MSL:86, DMS:86
  - server logon to switch, MSL:83, DMS:83
  - supervisor phonesets configuration, MSL:87, DMS:87
- video
  - adapter, checking, INS:185
  - drivers, changing, INS:213
- Video mode, ADM:341
  - setting, INS:76
- View Mode box, SUP:72
- viewing
  - access class membership, ADM:32–33
  - agents assigned to a supervisor, ADM:198–199
  - backup objects, ADM:301–303
  - contents of backup tape, ADM:304
  - date, time, and time zone, ADM:15
  - global settings, SUP:48–50
  - list of logged-on desktop users, ADM:60
  - modes, ADM:141, SUP:70
  - real-time displays, SUP:76
  - skillset properties, SUP:51–53
  - time, date, and time zone, ADM:15
- ViewMode field, REP:280

- views
    - view, REP:333
    - See also* database views
  - virtual CD, INS:141
    - creating, INS:141
  - virtual memory, INS:40, INS:186
    - insufficient, INS:295
  - Voice call key, ADM:140, SUP:70
  - Voice Port Channel
    - box, ADM:103
    - field, SET:22
  - Voice Port Name
    - box, ADM:102
    - field, SET:22
  - voice ports, ADM:99–105
    - acquiring, ADM:104
    - adding, ADM:100–103
    - changing, ADM:105
    - deacquiring, ADM:104
    - definition, SET:22
    - deleting, ADM:105
    - function, ADM:44
    - previewing list of, ADM:105
    - printing list of, ADM:105
    - properties, REP:247–248
    - worksheet, SET:22
    - See also* IVR ports
  - VSM service, INS:293
- ## W
- wActionCodeStat, REP:67–71
  - wAgentByApplicationStat view, REP:72–76
  - wAgentBySkillsetStat view, REP:77–82
  - wAgentPerformanceStat view, REP:83–107
  - Wait command, SCR:137
    - restriction, SCR:134, SCR:137
  - wait time, increasing, SCR:214
  - waiting agents, SUP:103
  - waiting calls
    - application statistics, SUP:94
    - nodal statistics, SUP:99
    - IVR statistics, SUP:98
    - skillset statistics, SUP:106, SUP:109
  - waiting time, SUP:106–107
    - field, SUP:95, SUP:109, REP:105, REP:144
    - threshold, ADM:130
  - Walkaway threshold, ADM:127
  - WalkawayTime field, REP:105
  - wApplicationStat view, REP:108–128
  - wCDNStat view, REP:129–132
  - wDNISStat view, REP:133–140
  - Weekly
    - box, ADM:157
    - field, SET:48
    - views, REP:61
  - WeeksOfWeekly field, REP:244
  - Where-Equals command, SCR:180
    - rules, SCR:43
  - Width field, REP:271
  - Wildcard data type, SCR:70
  - wildcards
    - CLID, SCR:262
    - description, SCR:262
    - rules, SCR:262
  - Windows NT
    - changing Windows NT Administrator password INS:32
    - computer name, changing, INS:44
    - configuring, INS:23–72
    - date, changing, INS:41
    - DMS checks, INS:26
    - logging on to, INS:31
    - time zone, changing, INS:41
    - time, changing, INS:41
    - workgroup name, changing, INS:44
    - version, checking, INS:313
  - Windows NT Administrative Tools, ADM:12
  - Windows NT Diagnostics, ADM:12
  - Windows NT Event Viewer, ADM:12, ADM:262–263
  - Windows NT Service Pack 3, installing, INS:35, INS:195
  - WINS, configuring, INS:53
  - With Priority option, SCR:159, SCR:163
  - With Scale From box, SUP:74, SUP:75
  - wIVRPortStat view, REP:141–145
  - workgroup name, changing, INS:44

## worksheet

- Access Classes, SET:7–8
- Activity Codes, SET:17
- Agent Configuration, SET:34–35
- Agent to Skillset Assignment, SET:39–40
- Agent to Supervisor Assignment, SET:41–42
- CDNs, SET:18
- Desktop User, SET:9
- DNISs, SET:19
- Historical Statistics Collection, SET:47–49
- installation, INS:9
- Music/RAN Routes, SET:20
- Phonesets, SET:21
- Real-time Statistics Configuration, SET:45–46
- Skillset Global Settings, SET:30

## worksheet (continued)

- Skillsets, SET:29
- Supervisor Configuration, SET:33
- Threshold Class, SET:14
- User Configuration, SET:32
- Voice Ports, SET:22
- wRANMusicRouteStat view, REP:165–167
- WriteAccess field, REP:216
- WriteAgentAccess field, REP:217
- WriteAllAgentAccess field, REP:217
- writing scripts
  - conventions, SCR:36–42
  - flowchart, SCR:19
  - tips, SCR:44–57
- wSkillsetStat view, REP:172–179



How the world shares ideas.

# Reader Response Form

Nortel Networks Symposium Call Center

Server Product release 3.0

Master Index

P0916157

Tell us about yourself:

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Occupation: \_\_\_\_\_ Phone: \_\_\_\_\_

1. What is your level of experience with this product?

New user

Intermediate

Experienced

Programmer

2. How do you use this book?

Learning

Procedural

Reference

Problem solving

3. Did this book meet your needs?

Yes

No

If you answered No to this question, please answer the following questions.

4. What chapters, sections, or procedures did you find hard to understand?

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. What information (if any) was missing from this book?

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

6. How could we improve this book?

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Please return your comments by fax to (416) 597-7104, or mail your comments to Toronto Information Products, Nortel Networks, 522 University Avenue, 14th Floor, Toronto, ON, Canada, M5G 1W7.



*How the world shares ideas.*

# Reader Response Form



# Nortel Networks Symposium Call Center Server

for the DMS/MSL-100

## Master Index

Toronto Information Products  
Nortel Networks  
522 University Avenue, 14th Floor  
Toronto, Ontario, Canada  
M5G 1W7

Copyright © 2000 Nortel Networks, All Rights Reserved

Information is subject to change without notice. Nortel Networks reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

The process of transmitting data and call messaging between the Meridian 1 and the Symposium Call Center Server is proprietary to Nortel Networks. Any other use of the data and the transmission process is a violation of the user license unless specifically authorized in writing by Nortel Networks prior to such use. Violations of the license by alternative usage of any portion of this process or the related hardware constitutes grounds for an immediate termination of the license and Nortel Networks reserves the right to seek all allowable remedies for such breach.

\*Nortel Networks, the Nortel Networks logo, the Globemark, How the World Shares Ideas, and Unified Networks, DMS, IVR, Meridian 1, Meridian Mail, MSL-100, and Symposium are trademarks of Nortel Networks.

MICROSOFT, MS-DOS, POWERPOINT, WINDOWS, and WINDOWS NT are trademarks of Microsoft Corporation.

CRYSTAL REPORTS is a trademark of Seagate Software, Inc.

PCANYWHERE is a trademark of Symantec Corporation.

Publication number:	P0916157
Product release:	3.0
Document release:	Standard 1.0
Date:	April 2000

Printed in the United States of America

**NORTEL**  
**NETWORKS™**

*How the world shares ideas.*