

BELL SYSTEM PRACTICES
Teletypewriter and Data Stations

ADDENDUM P34.301
Issue 1, October, 1963
AT&TCo Standard

28-TYPE TELETYPEWRITER


TYPING UNIT, MOTOR UNIT AND BASE

WIRING DIAGRAM

1. GENERAL


1.001 This addendum supplements Section P34.301, Issue 8.

1.002 This addendum is issued to add the wiring for the
(a) 28AG and 28AH typing units, (b) 28G motor unit
and (c) 28K and 28L bases. The 28K base is for use in the wall-
mounted sets and the 28L base is for 28RO teletypewriters.




NOTES:
 1. LEADS NOT IDENTIFIED ARE RM STRAPPING WIRES, RM TUBING.


28AB, 28AD, 28AG and 28AH Typing Units



28A, 28C AND 28G MOTOR UNITS




28B AND 28D MOTOR UNITS




NOTES:

1. A TP91228 GROUND STRAP IS CONNECTED BETWEEN THE MOTOR FRAME AND A MOTOR MOUNTING SCREW
2. THE 28E MOTOR UNIT OPERATES ON 48V DC.


28E MOTOR UNIT




SIGNAL LINE
BREAK SWITCH



KEYBOARD CONNECTOR
(MALE)



MOTOR TERMINAL
BLOCK



28L Teletypewriter Base