

**BELL SYSTEM PRACTICES**  
**Teletypewriter and Data Stations**

**ADDENDUM P34.460**  
**Issue 1, June, 1959**  
**AT&TCo Standard**

## **INSTALLATION OF FUNCTION PARTS ON A 28 STUNTBX**

### **1. GENERAL**

1.001 This addendum supplements Section P34.460, Issue 1.

1.002 This addendum is issued to (a) omit reference to the TP152339 modification kit previously furnished on an interim basis, and now replaced by the TP152307 modification kit; and (b) omit reference to the TP154745 modification kit, the parts of which have been included in the TP152307 modification kit.

### **2. MODIFICATION KITS**

The following change applies to Part 2 of the section:

(a) 2.03—revised

## 2.03 Reperforator Control Modification Kit

### TP152307 Modification Kit Consists of:

<u>For</u>	<u>Modification Kit</u>	<u>Quantity</u>	<u>Part No.</u>	<u>Part</u>
(1) Control of an associated reperforator on receipt of UC-H or UC-F. When UC-H is received a contact is operated. When UC-F is subsequently received, the function associated with that character operates a latch-release bail which releases the function mechanism holding the contact operated. If it is desired to operate the contact on receipt of UC-F with release on UC-H, the UC-F function bar should be installed in the slot with the TP152298 function lever, and the UC-H function bar should be installed in the slot with the TP152299 function lever. The modification kit cannot be used in slots spanned by a latch-release bail.	TP152307.	1	TP3599	nut
	TP152307 re-	2	TP4703	function-bar spring
	places TP152399	1	TP152089	function-lever latch
	previously fur-	1	TP152298	function lever
	nished for use	1	TP152299	function lever (Note 1)
	in early 28A,	1	TP152660	spring plate
	A1 and A2 typ-	1	TP152357	stud
	ing units.	2	TP152653	function pawl
		2	TP153440	function bar (universal) (see Part 5)
		2	TP157200	function-pawl spring
		3	TP90517	function-lever spring
		1	TP157975	cable assembly
		1	TP110743	lockwasher
		1	TP157074	switch assembly
		2	TP155751	insulating sleeve
		2	TP157240	function-pawl spring
		2	TP72522	wick
	2	TP94693	wick	

## 2.03 Reperforator Control Modification Kit (Cont'd)

- (2) The parts for the TP154745 Modification Kit previously listed here have been included in the TP152307 Modification Kit.

**Note 1:** If it is desired to space on the function that operates the latch-release bail, order a TP153670 function lever in addition to the modification kit. Use the TP153670 instead of the TP152299 function lever.