


gc



TOP MTG PLT
DRILLING


TP153017 SPEED
NUT FURNISHED WITH
TP152909 AUX APPARATUS
MOUNTING RACK

TP152909 AUX APPARATUS
MOUNTING RACK (MUST BE
ORDERED SEPARATELY).

584DG SUBSCRIBER SET
FOR TWX SERVICE ONLY

150 TYPE WAVE SHAPING
SETS AS REQUIRED



28B TTY CABINET




SECT. A-A

ASSEMBLY FOR PRIVATE LINE
SERVICE WITHOUT TTY SUBSET
OR FOR ATTENDED LOCAL TWX SERVICE


FIG. 1






ASSEMBLY FOR UNATTENDED
LOCAL TWX SERVICE

FIG. 2



TTY STATION ASSEMBLY
28B TTY CABINET
PLS STATION WITHOUT TTY SUBS
ATTENDED OR UNATTENDED LOCAL TW



TOP MTG PLT
DRILLING

20C4 OR 120D2
TTY SUBSCRIBER SET
(20C4 SHOWN)

3-BAY CORD EQUIPPED
WITH HUBBELL
NO. 7484 BODY

TP153017 SPEEDNUT
FURNISHED WITH TP152909
AUX APPARATUS MOUNTING
RACK

TP152909 AUX APPARATUS
MOUNTING RACK (MUST BE
ORDERED SEPARATELY).

SECT. B-B

28B TTY CABINET

ASSEMBLY FOR UNATTENDED
LOCAL TWX SERVICE

FIG. 2

TTY STATION ASSEMBLY
28B TTY CABINET
PLS STATION WITHOUT TTY SUBSET OR
ATTENDED OR UNATTENDED LOCAL TWX STATION