


KS-5769, L3, OR
KS-5928, L7 RECTIFIER


MODIFICATION OF XRT205 OR XRT206 TABLE
(LEFT END PANEL ONLY)
FIG. 2

P-422946 BH TYPE "Z"
S.T. SCR *




120C2 TTY SUB SET
FOR UNATTENDED
SERVICE ONLY

APPARATUS MOUNTING
PANEL PER ED-71212-50
GR 8 (GRAY GREEN FINISH)
OR GR 10 (BROWN FINISH)
AS REQUIRED, FOR
UNATTENDED SERVICE ONLY





REAR VIEW



FRONT VIEW
FIG. 1


- 2 TYPE KEY UNIT (STOP-LINE-TEST), 98A DESIG STRIP & BLACK HANDLE
- 2 TYPE KEY UNIT (RECALL) WHEN RECD 98A DESIG STRIP & BLACK HANDLE
- .164-32 X 1/2 RHM SCR & HEX NUTS
- 687A3 SUB SET

MOD



MOUNTING OF SPECIAL NUT
ON OUTSIDE OF END PANELS
SECT A-A

MODIFICATION OF XRT205 OR XRT206 TABLE
(RIGHT END PANEL ONLY)
FIG. 3



NOTES:
1. ITEMS DESIGNATED * ARE PART OF ED-71212-50,
GR2, GR4, GR8 OR GR10

ATTENDED & UNATTENDED TWX SERVICE
WITH 128C2 OR 128C3 TTY SUBSCRIBER SET
ON XRT205 OR XRT206 TABLE