

LEAD INDEX


CONNECTOR CIRCUIT TITLE	INDEX LOCATION	DESIG	LOCATION			DESIG	LOCATION			DESIG	LOCATION			DESIG	LOCATION			DESIG	LOCATION			DESIG	LOCATION		
			FS	CAD	-		FS	CAD	-		FS	CAD	-		FS	CAD	-		FS	CAD	-		FS	CAD	-
MARKER CONNECTOR CKT	2A1	ZDT 11	2C9 2E2	4D3 2D0		M7 MF MON MRL	2D6 2C9 2D6	3D0 3D6 3D0		ZDT 2W 4W 11	2C6 2D0 2D0 2D0	4D7 4E1 2C2		ZDT 2a 4a 11	2C9 2B2 2B2 2E2	4D3 3D6 5D0 2D0		K(0,1,2, 4,7)	2D6 3D0		G G1 GT	1H1 1H1 2A2	1A0,DC, E3,GO 1A0,DC, E3,GO 2D0		
MASTER TEST FR CONNECTOR CKT	2G2	A(0,1,2, 4,7)	2E2	2D0		N7	2C9	4D3		L	2D0	2C2		L(0,1,2, 4,7)	2D3	3C3		L(0,1,2, 4,7)	2D6	3D0		L LCB	2A2 2F9	2D0 3D0	
MASTER TEST FR JACK, LAMP, AND KEY CKT	2H2	B(0,1,2, 4,7) BT	2E2 2D6	2D0 3D0		N7 NOB	2C9 2D6	4D3 3D0		A(0,1,2, 4,7)	2D0	2C2		A(0,1,2, 4,7)	2E2	2D0		LL(0,1,2, 4,7)	2C9	3D6		L LCB	2A2 2F9	2D0 3D0	
OFFICE TEST FR TROUBLE INDICATOR AND CONNECTOR CKT	2D8	C(0,1,2, 4,7) CGA CGB CNR CR	2E2 2C9 2C9 2D6	2D0 3D6 3D6 3D0 3D0		OBS OR	2D6 2E2	3D0 2D0		B(0,1,2, 4,7) BT	2D0 2D3	2C2 3C3		B(0,1,2, 4,7) BT	2E2 2D6	2D0 300		LT LT1 LT2 LT3	2E2 2D6 2D6 2E2	2D0 3G6 3G6 2D5		RA RB RBG	1H1 1H1 2F9	1A0,DC, E3,GO 1A0,DC, E3,GO 2D5 3G0	
ORIGINATING REGISTER CKT	2A3	CRU(0,1, 2,4,7)	2C9	4D3		PD PK	2E2 2E2	2D5 2D0		C(0,1,2, 4,7) CBS	2D0	2C2		C(0,1,2, 4,7) CBS	2E2 2E2	2D0		M(0,1,2,4, 4,7)	2C9 2D6	3D6 3D0		RA RB RBG	1H1 1H1 2F9	1A0,DC, E3,GO 1A0,DC, E3,GO 2D5 3G0	
ORIGINATING REGISTER MARKER CONNECTOR CKT, MARKER PART	2A6	CRU(0,1, 2,4,7) CTA(0-2) CTA(4,7)	2C9 2C9 2C9	4D3 3D6 4D3		PS RA	2E2 1H1	2D5 1A0,DO, E3,GO		CD(0,1,2, 4,7,10,15) CDP(0,1, 2,4,7, 10,15)	2D0	5C4		M(0,1,2,4, 4,7) M7 MF MOV MRL	2C6 2D3 2C6 2D3 2D3	4C1 3C3 4E1 3C3 3C3		C(0,1,2, 4,7) CTA(0-2) CTA(4,7)	2E2 2C9 2C9	2D0 3D6 4D3		SPLP STA STB	1E2 1H9 1H9	1A0,DC, E3,GO 3D0 3D0	
PREFERENCE CONTROL CKT FOR MARKER CONNECTOR	2A8	CU(0,1,2, 4,7) D D(0,1,2, 4,7)	2C9 2D6 2D6	4D3 3D6 2D5		RB RBG	1H1 2F9	1A0,DO, E3,GO E3,GO		RG RL RP RV1	2C9,F9 2D6 2E2 2D6	3D0,GO 3D0 2D0 3D6		CGA CGB CNR CPNT	2C6 2C6 2D3 2D0	4C1 4C1 3C3 5C4		CP(0,1, 2,4,7) CTA(0-2) CTA(4,7) CU(0,1,2, 4,7)	2E2 2C9 2C9 2C9	2D0 3D6 4D3 4D3		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		E(0,1,2, 4,7)	2D6	2D5		SCK SCN	2E2 2D6	2D0 3D0		CR CRU(0,1, 2,4,7)	2D3 2C6	3C3 4D7		CR CRU(0,1, 2,4,7)	2D3 2C6	3C3 4D7		CP(0,1, 2,4,7,10,15) CTA(0-2) CTA(4,7) CU(0,1,2, 4,7)	2E2 2C9 2C9 2C9	2D0 3D6 4D3 4D3		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		F(0,1,2, 4,7) FAC FT(0-3) FU(0,1,2, 4,7) FVD	2D6 2E2 2C9 2C9 2D6	2D5 2D0 4D3 3D6 3D0		STA STB	1H9 1H9	3D0 3D0		CTA(0-2) CTA(4,7) CU(0,1,2, 4,7)	2C6 2C6 2C6	4C1 4D7 4D7		CP(0,1, 2,4,7,10,15) CTA(0-2) CTA(4,7) CU(0,1,2, 4,7)	2E2 2C9 2C9 2C9	2D0 3D6 4D3 4D3		D D(0,1,2, 4,7)	2D6 2D6	3D6 2D5		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		G G1	1H1 1H1	1A0,DO, E3,GO 1A0,DO, E3,GO		TP	2E2	2D0		D D(0,1,2, 4,7)	2D3 2D3	4E1 2C7		D D(0,1,2, 4,7)	2D3 2D3	3C3 2C2 4E1		E(0,1,2, 4,7)	2D3	2C7		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		G(0,1,2, 4,7) GT	2D6 2A2	2D5 2D0		VF(0-4) VG(0,1,2, 4,7,10)	2C9 2C9	4D3 4D3,D7		E(0,1,2, 4,7)	2D3	2C7		E(0,1,2, 4,7)	2D3	2C7		EP(0,1, 2,4,7) CTA(0-2) CTA(4,7) CU(0,1,2, 4,7)	2D6 2C9 2C9 2C9	2D5 3D6 4D3 4D3		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		H(0,1,2, 4,7) HG(0,1,2, 4,7)	2D6 2C9	2D5 3D6		X11	2E2	2D0		F(0,1,2, 4,7) FAC	2D3 2D0	2C7 2C2		F(0,1,2, 4,7) FAC	2D3 2D0	2C7 2C2		F(0,1,2, 4,7) FAC	2C9 2C9	3D6 4D3		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		J(0,1,2, 4,7)	2D6	3D0						FT(0-3) FU(0,1,2, 4,7) FVD	2C6 2C6 2D3	4D7 4C1 3C3		FT(0-3) FU(0,1,2, 4,7) FVD	2C6 2C6 2D3	4D7 4C1 3C3		FT(0-3) FU(0,1,2, 4,7) FVD	2C6 2C6 2D3	4D7 4C1 3C3		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		K(0,1,2, 4,7)	2D6	3D0						D D(0,1,2, 4,7)	2D3 2D3	4E1 2C7		D D(0,1,2, 4,7)	2D3 2D3	3C3 2C2 4E1		D D(0,1,2, 4,7)	2D6 2D6	3D6 2D5		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		L(0,1,2, 4,7)	2A2 2D6	2D0 3D0						D D(0,1,2, 4,7)	2D3 2D3	4E1 2C7		D D(0,1,2, 4,7)	2D3 2D3	3C3 2C2 4E1		D D(0,1,2, 4,7)	2D6 2D6	3D6 2D5		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		LCB LL(0,1,2, 4,7)	2F9 2C9	3D0 3D6						D D(0,1,2, 4,7)	2D3 2D3	4E1 2C7		D D(0,1,2, 4,7)	2D3 2D3	3C3 2C2 4E1		D D(0,1,2, 4,7)	2D6 2D6	3D6 2D5		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		LT LT1 LT2 LT3	2E2 2D6 2D6 2E2	2D0 3G0 3G0 2D5						D D(0,1,2, 4,7)	2D3 2D3	4E1 2C7		D D(0,1,2, 4,7)	2D3 2D3	3C3 2C2 4E1		D D(0,1,2, 4,7)	2D6 2D6	3D6 2D5		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	
		M(0,1,2,4, 4,7)	2C9	3D6						D D(0,1,2, 4,7)	2D3 2D3	4E1 2C7		D D(0,1,2, 4,7)	2D3 2D3	3C3 2C2 4E1		D D(0,1,2, 4,7)	2D6 2D6	3D6 2D5		RG RL RP RV1	2C9 2D6 2E2 2D6	3D0 3D0 2D0 3D6	

SD-26024-01-A2

ORIGINATING REGISTER MARKER
CONNECTOR CIRCUIT
REGISTER PART

2 SD-26024-01-A2

BELL TELEPHONE LABORATORIES



SD-26024-01-B1

APP FIG 1

RELAY									
DESIG	RS					RS			
	AF20					AF13b			
OPTION	Z					Y			
CONT ARR	LOCATION					LOCATION			
	FIRST	INT	LAST	FIRST	INT	LAST	FIRST	INT	LAST
12	EM6	IC2	IC5	IC8	PB	IC1	IC4	IC7	
11	M	IC1	IC4	IC8	M	IC1	IC4	IC8	
10	EBM	IC1	IC4	IC7	F	IC2	IC5	IC8	
9									
8	EBM				EMB	IE1	IE4	IE8	
7									
6	EMB	IE1	IE4	IE8	EBM	a	a	a	
5					B	IE2	IE4	IE8	
4	EBM	IC1	IC4	IC8					
3									
2	EBM	IE2	IE4	IE8	PBEM	IC1	IC4	IC8	
1	M	IC1	IC4	IC7	M	IC1	IC4	IC7	
COIL		IF1	IF5	IF9		IF1	IF5	IF9	

NETWORK

OPT	DESIG	LOC			CODE
		FIRST	INT	LAST	
	RS	IF1	IF5	IF9	185A

RESISTOR

OPT	DESIG	LOC			CODE
		FIRST	INT	LAST	
	W	IF1	IF4	IF9	18AG
	X	IF1	IF4	IF9	18AG

APP FIG 2

RELAY																		
DESIG	RA			RB			RC											
	286H			286B			286H			286B								
OPTION	E			F			E			F								
CONT ARR	LOCATION						LOCATION						LOCATION					
	FIRST	INT	LAST	FIRST	INT	LAST	FIRST	INT	LAST	FIRST	INT	LAST	FIRST	INT	LAST			
54	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
53	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
52	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
51	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
50	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
44	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
43	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
42	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
41	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
40	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
34	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
33	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
32	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
31	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
30	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
24	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
23	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
22	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
21	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
20	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
14	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
13	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
12	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
11	2A1	2A1	2A1	2A4	2A4	2A4	1G1	1G4	1G9									
10	2D1	2D1	2D1	2A4	2A4	2A4	2C4	2C4	2C4									
04	2A1	2A1	2A1	2G7	2G7	2G7	2C4	2C4	2C4									
03	IC2	IC6	IC9	2G1	2G1	2G1	2G7	2G7	2G7									
02	IC2	IC5	IC8	2G1	2G1	2G1	2C4	2C4	2C4									
01	IC1	IC4	IC7	2G7	2G7	2G7	2C4	2C4	2C4									
00	IC1	IC4	IC8	a	a	a	2F7	2F7	2F7									
COIL	1B1	1B5	1B8	1B2	1B5	1B9	1B2	1B5	1B9									

NETWORK

OPT	DESIG	LOC			CODE
		FIRST	INT	LAST	
	RA	1B1	1B5	1B8	180A
	RE	1B2	1B5	1B8	180A

APP FIG 3

RELAY												
DESIG	RC			PE								
	286H			286B								
OPTION	E			F								
CONT ARR	LOCATION						LOCATION					
	FIRST	INT	LAST	FIRST	INT	LAST	FIRST	INT	LAST	FIRST	INT	LAST
54	2A7	2A7	2A7	2C7	2C7	2C7						
53	2A7	2A7	2A7	2C7	2C7	2C7						
52	2A7	2A7	2A7	2C7	2C7	2C7						
51	2A7	2A7	2A7	2C7	2C7	2C7						
50	2A7	2A7	2A7	2C7	2C7	2C7						
44	2A7	2A7	2A7	2C7	2C7	2C7						
43	2A7	2A7	2A7	2C7	2C7	2C7						
42	2A7	2A7	2A7	2C7	2C7	2C7						
41	2A7	2A7	2A7	2C7	2C7	2C7						
40	2A7	2A7	2A7	2C7	2C7	2C7						
34	2A7	2A7	2A7	2C7	2C7	2C7						
33	2A7	2A7	2A7	2C7	2C7	2C7						
32	2A7	2A7	2A7	2C7	2C7	2C7						
31	2A7	2A7	2A7	2C7	2C7	2C7						
30	2A7	2A7	2A7	2C7	2C7	2C7						
24	2A7	2A7	2A7	2C7	2C7	2C7						
23	2A7	2A7	2A7	2C7	2C7	2C7						
22	2A7	2A7	2A7	2C7	2C7	2C7						
21	2A7	2A7	2A7	2C7	2C7	2C7						
20	2A7	2A7	2A7	2C7	2C7	2C7						
14	2A7	2A7	2A7	2C7	2C7	2C7						
13	2B1	2B1	2B1	2C7	2C7	2C7						
12	2G4	2G4	2G4	2C7	2C7	2C7						
11	2A7	2A7	2A7	2C7	2C7	2C7						
10	2G4	2G4	2G4	2C7	2C7	2C7						
04	2G4	2G4	2G4	2C7	2C7	2C7						
03	2A7	2A7	2A7	2C7	2C7	2C7						
02	2A7	2A7	2A7	2C7	2C7	2C7						
01	2A7	2A7	2A7	2C7	2C7	2C7						
00	2G4	2G4	2G4	2C7	2C7	2C7						
COIL	1B1	1B4	1B7	1B1	1B4	1B7						

NETWORK

OPT	DESIG	LOC			CODE
		FIRST	INT	LAST	
	RD	1B0	1B4	1B7	180A

APP FIG 4

RELAY					
DESIG	RF				
	286B				
OPTION	E				
CONT ARR	LOCATION				
	FIRST	INT	LAST		
54					
53					
52					
51	2B1	2B1	2B1		
50	2B1	2B1	2B1		
44	2B1	2B1	2B1		
43	2B1	2B1	2B1		
42	2B1	2B1	2B1		
41	2B1	2B1	2B1		
40	2B1	2B1	2B1		
34					
33	2B1	2B1	2B1		
32					
31	2B1	2B1	2B1		
30	2B1	2B1	2B1		
24	2B1	2B1	2B1		
23	2B1	2B1	2B1		
22	2B1	2B1	2B1		
21	2B1	2B1	2B1		
20	2B1	2B1	2B1		
14					
13					
12					
11					
10	2B1	2B1	2B1		
04					
03					
02					
01					
00					
COIL	1B2	1B6	1B9		

NETWORK

OPT	DESIG	LOC			CODE
		FIRST	INT	LAST	
	RF	1B2	1B6	1B9	180A

DRAWING
ISSUE
18D DLE
20D

ORIGINATING REGISTER MARKER
CONNECTOR CIRCUIT
REGISTER PART

BELL TELEPHONE LABORATORIES
INCORPORATED

SD-26024-01-C1

CIRCUIT NOTES

DESIG	AMP	POTENTIAL FUSED	ONE PER
A		GRD	REG FRAME

* SEPARATE LEADS SHALL BE RUN FROM GRD BUS TO EACH END OF GRD MULTIPLE.

FEATURE OR OPTION	APP FIG	PROVIDE		QUANTITY
		APP OR WRG		
PREFERENCE RELAYS	1			1 PER ORIG REG
CONN RELAYS	2,3,4	2-WIRE	2,3	
		4-WIRE	2,3,4	
USE OF DIGIT 1 ACCESS CODE			V	
OFFICE TEST FRAME		PROVIDED	A	
		NOT PROVIDED	B	
MARKER GROUP ARRANGED FOR WIDEBAND SERVICE		NO	S	
		YES	ZD	

NETWORK VALUES		
NETWORK NO.	RESISTANCE IN OHMS	CAPACITANCE IN UF
1	150	.3
2	470	.11

CHANGED ON ISS	IF JOB RECORDS DO NOT SPECIFY	THIS OPTION WAS FURN	SEE NOTE	USE IN CIRCUIT		
				STD	A&M	MD
6B	Y OR Z	Z		Y		Z
	X	NONE	105	X		
7D	V	NONE	102, 106	V		
8D	T	NONE	107	T		
			102	APP FIG 4		
	S	NONE	108	S		
9D	R	NONE	102	R		
	L	NONE	109	Q		
10D	H	T OR NONE	110	T	N	
12D	H	J	111	H		J
	F OR E	F		E		F
	G	NONE	112	G		
	B	B	102	B		
	A OR K	K OR NONE	102	A		K
15D	ZA	NONE	113	ZA		
16D	ZB, ZC	ZB	114, 115	ZC		ZB
	ZD	NONE	102, 116	ZD		
18D	ZE	R OR NONE	102	ZE		R
			102, 108	S		
20D	ZF	NONE	117	ZF		
21D			111			J

(A&M ONLY)

- 105. OPTION X IS REQUIRED IN OFFICES ARRANGED FOR "TOUCH-TUNE" OPERATION.
- 106. OPTION V IS REQUIRED FOR USE OF DIGIT 1 ACCESS CODE.
- 107. OPTION T IS REQUIRED IN OFFICES WHERE LINE CLASS OF SERVICE IS ON A TENS UNIT BASIS.
- 108. SUBSEQUENT TO ISSUE 9D AND PRIOR TO ISSUE 18D OPTION S WAS ALWAYS PROVIDED AND REQUIRED IN OFFICES WITH BOTH 2-WIRE AND 4-WIRE NETWORKS.
- 109. PROVIDE OPTION Q FOR USE WITH THE PERSON PAID COLLECT SPECIAL FEATURE (PPCS) OR WHEN THE 4-WIRE ORIGINATING REGISTER IS ARRANGED TO HANDLE 10 DIGIT CALLS.
- 110. PRIOR TO ISSUE 10D, OPTION N WAS PART OF OPTION T. IF OPTION T IS NOT PROVIDED IN AN OFFICE WHERE THE ORIGINATING REGISTERS ARE ARRANGED TO SERVE BOTH PBX AND REGULAR CENTRAL OFFICE CUSTOMERS, OPTION N MUST BE PROVIDED.
- 110a. WHERE CONNECTORS ARE ARRANGED FOR PRIVATE LINE NETWORK (CLASS PLN) OPTION H MUST BE PROVIDED.
- 111b. PROVIDE OPTION J TO ALL CONNECTORS IN A MARKER GROUP IF ANY ONE OF THE CONNECTORS ARE SO ARRANGED.
- 112. WHERE THE MARKER GROUP IS ARRANGED FOR CENTREX WITH 4 AND 5 DIGIT DIALING OF INTERCOM CALLS, OR WHEN IDDD IS REQUIRED, OPTION G MUST BE PROVIDED.
- 113. WHEN A SECOND CONTROL DIGIT IS REQUIRED IN OFFICES ARRANGED FOR 4-WIRE OPERATION, OPTION ZA MUST BE PROVIDED.
- 114. WHERE THIS CKT SERVES AN ORIGINATING REGISTER ARRANGED FOR TOLL DIVERSION, OPTION ZC MUST REPLACE ZB.
- 115. PROVIDE OPTION ZB WHERE OPTION ZB WAS FURNISHED IN OTHER CONNECTORS.
- 116. WHERE OPTION ZD IS REQUIRED, OPTION Y MUST REPLACE OPTION Z, AND OPTION ZE MUST REPLACE OPTION R, IF PROVIDED.
- 117. WHERE 2-WIRE ORIGINATING REGISTERS ARE ARRANGED TO HANDLE 12-DIGIT CALLS, OPTION ZF MUST BE PROVIDED.

EQUIPMENT NOTES:

- 201. IN CAD 1 PROVIDE STRAP WIRE ON FRONT OF TERMINAL STRIP (RB), (FC) AND (RD) OR CONNECTING SUCCEEDING REGISTERS ON THE SAME ORIGINATING REGISTER BAY THAT ARE IN THE SAME MARKER CONNECTOR. CONNECT LOCAL CABLE LEADS BETWEEN TERMINAL STRIP (RE) OF LEFT BAY AND (RA) OF RIGHT BAY WHEN REGISTERS 3 AND 4 ARE IN THE SAME CONNECTOR. PROVIDE SWITCHBOARD CABLE FOR CONNECTING TO ORIGINATING REGISTER MARKER CONNECTOR FRAME OR OTHER ORIGINATING REGISTER FRAMES.
- 202. ON ISSUE 5A CABLE DESIGNATION FOR CABLES TO WIRE SPRING FRAMES AND CABLES TO NON-WIRE SPRING FRAMES WERE ADDED ON CAD FIGURES.
- 203. PRIOR TO ISSUE 6B (RS) RELAY CONTACT NUMBERS 2,10,5,8, AND 17 IN CADS 1 AND 5, WERE 4,12,2,6, AND 10 RESPECTIVELY.

INFORMATION NOTES:

- 301. UNLESS OTHERWISE SPECIFIED: RESISTANCE VALUES ARE IN OHMS, CAPACITANCE VALUES ARE IN MICROFARADS, VALUES PRECEDED BY THE SYMBOL + (PLUS) OR - (MINUS) ARE IN VOLTS.

DRAWING ISSUE
18D
19AC
20D

ISSUE
21D


ORIGINATING REGISTER MARKER CONNECTOR CIRCUIT REGISTER PART	SD-26024-01-D1 2
BELL TELEPHONE LABORATORIES INCORPORATED	6S

SD-26024-01-D1

A B C D E F G H J K L M N P Q R S T U V W X Y Z AA AB AC AD AE

DRAWING
ISSUE
180 154

SC I



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

18

ORIGINATING REGISTER MARKER CONNECTOR CIRCUIT REGISTER PART		②	SD-26024-01-E1
BELL TELEPHONE LABORATORIES INCORPORATED			

SD-26024-01-E1

A B C D E F G H J K L M N P Q R S T U V W X Y Z AA AB AC AD AE

CAD 4

(FOR PART OF APP FIG 2)

CAD 5

(FOR PART OF APP FIG 2)

CAD 6


(FOR PART OF APP FIG 2)

CAD 7

(FOR PART OF APP FIG 2)

DRAWING
ISSUE
1180

A
B
C
D
E
F
G
H




TO ORIG REG MKR CONN FR OF LI OR MC FR OR IR PRECEDING ORIG REG FR HAVING REGISTERS IN SAME CONN

TERMINALS SHOWN IN CAD 3

TO NON-WIRE SPRING ORIG REG MKR CONN FR
TS (RAL), (RAM) OR (RAR) ON ORIG REG FR
TO SUCCEEDING ORIG REG FR HAVING REGISTERS IN SAME CONN

TO PRT CONN CKT (OR PART)



TO ORIG REG CKT

(RA) REL 0, 1, ETC. OR 7

TO PRT CONN CKT MFR DISC OMIT WHEN DIGIT 1 ACCESS CODE IS PROVIDED

TO SUCCEEDING (RA) REL OR TO CAD 7

TO PRECEDING (RA) REL OR TO FR GRD BAR

TO CAD 15

TO CAD 2

(PS) REL

TO CAD 7

CBS

(RA) NET


(RS) REL

TO ORIG REG CKT

(RA) NET

(RA) REL 0, 1, ETC OR 7

TO ORIG REG MKR CONN FR OR LL OR MC FR OR IR PRECEDING ORIG REG FR HAVING REGISTERS IN SAME CONN



TERMINALS SHOWN IN CAD 3

TO NON-WIRE SPRING ORMC FR
TO SUCCEEDING ORIG REG FR HAVING REGISTERS IN SAME CONN

TERM. 01 SHOWN ALSO IN CAD 7

TO CRIC REG CKT


TO SUCCEEDING (RB) REL OR CAD 9

TO PRECEDING (RB) GRD A REL OR CAD 5

TO CAD 2

TO CAD 9

TO CAD 5



(RB) REL 0, 1, ETC. OR 7

A&M ONLY

(RB) NET.

(RB) REL 0, 1, ETC. OR 7

TERMINALS SHOWN IN CAD 3 & 6

SD-26024-01-G2

ORIGINALLY REGISTER MARKER CONNECTOR CIRCUIT REGISTER PART

BELL TELEPHONE LABORATORIES

SD-26024-01-G2


ISSUE 21D

CAD 8
(FOR PART OF APP FIG 2)

CAD 9
(FOR PART OF APP FIG 2)


CAD 10
(FOR PART OF APP FIG 3)

DRAWING
ISSUE
18D
20D



SD-26024-01-63


CAD II
(FOR PART OF APP FIG 3)



CAD 12
(FOR PART OF APP FIG 3)

MULT TO CAD 12 ON OTHER FR HAVING REGISTERS IN SAME CONN

TO ORIG REG MKR CONN FR OR LL OR MC IR FR OR PREC ORIG REG LINE MEMORY FR HAVING REGISTERS IN SAME CONN




CAD 13
(FOR PART OF APP FIG 3)

TO ORIG REG CKT

(RE) REL 0,1, ETC OR 7


MFR DISC

TO CAD 11




SD-26024-01-64


CAD 14
(FOR PART OF APP FIG 4)



CAD 15
(FOR PART OF APP FIG 4)



CAD 16
(FOR APP FIG 3)



SD-26024-01-65

ORIGINATING REGISTER MARKER
CONNECTOR CIRCUIT
REGISTER PART

SD-26024-01-65

BELL TELEPHONE LABORATORIES
INCORPORATED

6S