

SHEET INDEX		
CONTENTS	SHEET NO.	SHEET ISSUE NO.
SHEET INDEX		
SUPPORTING INFORMATION	A1	2
OPTION INDEX		
APPARATUS INDEX	A2	2
LEAD INDEX		
FS 1 FAN UNIT AND ALARM CIRCUIT	B1	2
APP FIG. 1	C1	2
CIRCUIT NOTES	D1	2
INFORMATION NOTES	D2	2
CAD 1, 2, 3, 4	G1	2
CAD 5, 6, 7, 8	G2	2
CAD 9	G3	2

OPTION INDEX			
APP OR WRG	RATED ON ISSUE	REF NOTES	LOCATION
Z	STD 2M		APP FIG. 1
Y	AM 2M	305	APP FIG. 1

DWG ISS	CD ISS	DWG ISS	CD ISS	DWG ISS	CD ISS
1	1				
DWG ISS	CD ISS	DATE ISSD	DRN	APP	
2B	1	10-31-91			

SUPPORTING INFORMATION		SHEET INDEX NOTES
CATEGORY	NO.	
EQUIPMENT DRAWING	J5D003BN-2 SD-5D140-01 SD-5D144-01 SD-5D144-02 SD-5D119-03 SD-5D119-02 SD-5D160-01	<ol style="list-style-type: none"> ONLY THE LATEST ISSUE, OR ISSUES IF CONCURRENT, ARE SHOWN IN THE INDEX. FOR REISSUES, A CHANGED OR NEW SHEET IS ASSIGNED THE SAME ISSUE NUMBER AS SHEET 1. THE ISSUE NUMBER OF SHEET 1 IS RECOGNIZED AS THE ISSUE NUMBER OF THE WHOLE DRAWING.

Copyright (C) 1991 AT&T
All Rights Reserved

BT13

5ESS[®] SWITCHING EQUIPMENT

**6 FAN UNIT
CIRCUIT**

DWG SIZE C2	ISSUE 2B
AT&T	SD-5D081-02
SHEET A1 9 SHEETS	

PRINTED IN U.S.A.

0 1 2 3 4 5 6 7 8 9

A
B
C
D
E
F
G
H

APPARATUS INDEX			
DESIG	LOCATION		
	FS	APP FIG.	EQPT
CIRCUIT PACK			
CP1	1F4	1	

LEAD INDEX		
DESIG	LOCATION	
	FS	CAD
CABINET LEADS		
FLED0	1H7	2B3
FLED1	1H7	2C3
FLEDR	1H7	2B3
SUCCEEDING FAN UNIT		
3BSCAN0	1H4	1B8
RSTFAN	1H4	1C8
RSTFANS	1H4	1B8
SCANR	1H4	1B8

CONNECTOR			
C1	1D5	1	
C2	1D6	1	
C3	1D7	1	
C4	1D2	1	
C5	1D3	1	
C6	1D4	1	

FAN LEADS		
ALEDA	1E8	2D1
ALEDB	1E8	2D1
ALEDC	1F8	2D1
ALEDE	1F8	2C1
ALEDF	1G8	2C1
ALEDG	1G8	2C1
ALMRTNA	1E8	2B1
ALMRTNB	1E8	2C1
ALMRTNC	1F8	2C1
ALMRTNE	1F8	2B1
ALMRTNF	1G8	2B1
ALMRTNG	1G8	2B1

FAN			
A	1C5	1	
B	1C6	1	
C	1C7	1	
E	1C2	1	
F	1C3	1	
G	1C4	1	

FUSE/FILTER PANEL		
-48A	1A5	3D1
-48B	1A6	3C1
-48C	1A7	3B1
-48E	1A2	3D5
-48F	1A3	3C5
-48G	1A4	3B5
48RTNA	1A5	3E1
48RTNB	1A6	3D1
48RTNC	1A7	3C1
48RTNE	1A2	3E5
48RTNF	1A3	3D5
48RTNG	1A4	3C5

LEDS			
DS1	1E8	1	
DS2	1E8	1	
DS3	1F8	1	
DS4	1F8	1	
DS5	1G8	1	
DS6	1G8	1	

TOP OF OR PRECEDING FAN UNIT		
3BRST1	1H2	1C3
3BSCAN0	1H1	1B3
RSTR	1H2	1B3
SCANR	1H1	1B3

SWITCH			
SW1	1F1	1	

TOP 1 OR NC		
3BRST1	1H3	1B5
3BSCAN0	1H3	1B5
RSTR	1H3	1B5
SCANR	1H3	1B5

TERMINAL STRIP			
TS0	1B4, 1D4	1	
TS1	1B1, 1D1	1	





Copyright (C) 1991 AT&T All Rights Reserved		
6 FAN UNIT	DWG SIZE	ISSUE
	C2	2B
AT&T	SD-5D081-02	SHEET A2

0 1 2 3 4 5 6 7 8 9 PRINTED IN U.S.A.

FS 1

FAN UNIT AND
ALARM CIRCUIT

TO
FUSE/FILTER
PANEL



J2
TO ICP 0
OR SMPU 0
OR TO PRECEDING
FAN UNIT
(SEE NOTE 102)

J3
TO ICP 1
OR SMPU 1
OR N.C.
(SEE NOTE 103)

J4
TO
SUCCEEDING
FAN UNIT
(SEE NOTE 104)

J7
SPARES

J6
TO
CABINET LEDES

Copyright (C) 1991 AT&T
All Rights Reserved

6 FAN UNIT

DWG SIZE	ISSUE
C2	2B
AT&T	SHEET B1

SD-5D081-02

PRINTED IN U.S.A

0 1 2 3 4 5 6 7 8 9

A
B
C
D
E
F
G
H

APP FIG. 1

CIRCUIT PACK

<u>OPT</u>	<u>DESIG</u>	<u>LOC</u>	<u>CODE</u>
	CP1	1F4	CM233A

CONNECTOR

<u>OPT</u>	<u>DESIG</u>	<u>LOC</u>	<u>CODE</u>
	C1	1D5	AMP (SEE NOTE 304)
	C2	1D6	AMP (SEE NOTE 304)
	C3	1D7	AMP (SEE NOTE 304)
	C4	1D2	AMP (SEE NOTE 304)
	C5	1D3	AMP (SEE NOTE 304)
	C6	1D4	AMP (SEE NOTE 304)

FAN

<u>OPT</u>	<u>DESIG</u>	<u>LOC</u>	<u>CODE</u>
Z	A	1C4	KS-22501 L3A
Z	B	1C5	KS-22501 L3A
Z	C	1C6	KS-22501 L3A
Z	E	1C1	KS-22501 L3A
Z	F	1C2	KS-22501 L3A
Z	G	1C3	KS-22501 L3A
Y	A	1C4	KS-23912 L1A
Y	B	1C5	KS-23912 L1A
Y	C	1C6	KS-23912 L1A
Y	E	1C1	KS-23912 L1A
Y	F	1C2	KS-23912 L1A
Y	G	1C3	KS-23912 L1A

LIGHT EMITTING DIODES

<u>OPT</u>	<u>DESIG</u>	<u>LOC</u>	<u>CODE</u>
	DS1	1E8	5490
	DS2	1E8	5490
	DS3	1F8	5490
	DS4	1F8	5490
	DS5	1G8	5490
	DS6	1G8	5490

SWITCH

<u>OPT</u>	<u>DESIG</u>	<u>LOC</u>	<u>CODE</u>
	SW1	1F1	5A-4150W1-2-2

TERMINAL STRIP

<u>OPT</u>	<u>DESIG</u>	<u>LOC</u>	<u>CODE</u>
	TS0	1B4, 1D4	EBY 15-84-2E1F-B1A
	TS1	1B1, 1D1	EBY 15-84-2E1F-B1A

Copyright (C) 1991 AT&T All Rights Reserved		
6 FAN UNIT	DWG SIZE	ISSUE
	C2	2B
AT&T	SD-5D081-02	SHEET C1

0 1 2 3 4 5 6 7 8 9

PRINTED IN U.S.A

CIRCUIT NOTES:

101.

DESIG	FUSE AMP	POTENTIAL	ONE PER
70	1 1/3	-48V	FAN
<u>BATTERY SYMBOL</u>		<u>VOLTAGE RANGE</u>	
-48V		-42.75V TO -52.5	

102. MASTER UNIT: TO IOP 0 OR TO SMPU 0 IF USED IN THE SMC CABINET.
SLAVE UNIT: FROM (J4) PREVIOUS FAN UNIT.

103. MASTER UNIT: TO IOP 1 OR TO SMPU 1 IF USED IN THE SMC CABINET.
SLAVE UNIT: NO CONNECT.

104. MASTER UNIT: TO (J2) OF THE SUCCEEDING UNIT NO CONNECT OTHERWISE.
SLAVE UNIT: TO (J2) OF THE SUCCEEDING UNIT NO CONNECT OTHERWISE.

105. THE CONNECTIONS SPECIFIED IN NOTES 102-104 APPLY TO 6 FAN UNITS INTERCONNECTIONS ONLY. IN CASE 6 FAN UNITS (SD-5D081-01) ARE INTERMIXED WITH OTHER FAN UNITS, SEE THE SWITCHING MODULE APPLICATION SCHEMATIC (SD-5D012-02) FOR INTERCONNECTION INSTRUCTIONS.

Copyright (C) 1991 AT&T
All Rights Reserved

6 FAN UNIT

DWG SIZE	ISSUE
C2	2B

AT&T

SD-5D081-02

SHEET
D1

PRINTED IN U.S.A

INFORMATION NOTES:


301. UNLESS OTHERWISE SPECIFIED:
RESISTANCE VALUES ARE IN OHMS.
CAPACITANCE VALUES ARE IN MICROFARADS.
VALUES PRECEDED BY THE SYMBOL - (PLUS)
OR - (MINUS) ARE IN VOLTS.

302. FEATURE OR OPTION	PROVIDE		
	APP FIG	APP OR WRC	QUANTITY
BASIC 6 FAN UNIT	1		1
THERMISTOR FAN	1	Y	1
STANDARD FAN	1	Z	1

303. RECORD OF FIGURES, WIRING AND APPARATUS CHANGES					
CHANGED ON ISS	IF JOB RECORDS DO NOT SPECIFY	THIS OPTION WAS FURN	SEE NOTE	USE IN CIRCUIT	
				AVAIL	ATM
2	Y		305	✓	
2	Z				✓

INFORMATION NOTES(CONT):

304. FAN ASSEMBLY



305. THERMISTOR CONTROLLED FAN
THIS FAN REQUIRES NO CHANGE IN THE WIRING OR CONNECTORS OF THE FAN UNIT. THERE IS A AMP 5 PIN CONNECTOR ON EACH FAN FOR ALL REQUIRED WIRING THE SAME AS THE OLD FAN UNIT. THE NEW KS CODE AND MANUFACTURER CODE IS AS FOLLOWS:
KS23912L1A-ROTRON PQ48S3HBDLX/031122
CC:#406667808 PAPT 6248.3T-030

306. CURRENT DRAINS
OPTION Z 2.5 AMPS
OPTION Y 2.0 AMPS

Copyright (C) 1991 AT&T
All Rights Reserved

6 FAN UNIT


AT&T	SD-5D081-02	DWG SIZE C2	ISSUE 2B
		SHEET D2	

PRINTED IN U.S.A.


0 1 2 3 4 5 6 7 8 9

A
B
C
D
E
F
G
H


CAD 1




CAD 2



CAD 3



CAD 4




Copyright (C) 1991 AT&T All Rights Reserved		
6 FAN UNIT	DWG SIZE	ISSUE
	C2	2B
AT&T	SD-5D081-02	SHEET G1


0 1 2 3 4 5 6 7 8 9

A
B
C
D
E
F
G
H


CAD 5




CAD 6



CAD 7



CAD 8




Copyright (C) 1991 AT&T All Rights Reserved		
6 FAN UNIT	DWG SIZE	ISSUE
	C2	2B
AT&T	SD-5D081-02	SHEET G2

0 1 2 3 4 5 6 7 8 9

PRINTED IN U.S.A

CAD 9

FAN POWER CONNECTION



Copyright (C) 1991 AT&T
All Rights Reserved

6 FAN UNIT		DWG SIZE	ISSUE
		C2	2B
AT&T	SD-5D081-02	SHEET G3	

PRINTED IN U.S.A.