

0 1 2 3 4 5 6 7 8 9

DWG ISS	CD ISS	DATE ISSD	DRN	APP
1	1 APPX	4-30-93		

CONTENTS	SHEET NO.	SHEET ISSUE NO.
SHEET INDEX OPTION INDEX SUPPORTING INFORMATION	A1	1
CIRCUIT NOTES	D1	1
EQUIPMENT NOTES	D2	1
EQUIPMENT NOTES (CONT.)	D3	1
INFORMATION NOTES	D4	1
CADS	GB1	1
BLOCK DIAGRAM 1	H1	1
BLOCK DIAGRAM 2	H2	1
BLOCK DIAGRAM 3	H3	1

OPTION INDEX			
APP OR WRG	RATED ON ISSUE	REF NOTES	LOCATION

A
B
C
D
E
F
G
H

A
B
C
D
E
F
G
H

SUPPORTING INFORMATION				SHEET INDEX NOTES
SYSTEM USED ON	DESIGN CONTROL	CATEGORY	NO.	
5ESS	IH			1. ONLY THE LATEST ISSUE, OR ISSUES IF CONCURRENT, ARE SHOWN IN THE INDEX. 2. FOR REISSUES, A CHANGED OR NEW SHEET IS ASSIGNED THE SAME ISSUE NUMBER AS SHEET 1. 3. THE ISSUE NUMBER OF SHEET 1 IS RECOGNIZED AS THE ISSUE NUMBER OF THE WHOLE DRAWING.

Copyright (C) 1994 AT&T
All Rights Reserved

BT13

ELECTRONIC SWITCHING SYSTEMS

5ESS[®]

INTELLIGENT NETWORK
APPLICATION SCHEMATIC

DWG SIZE C2	ISSUE 1
-----------------------	-------------------

AT&T SD-5D527-01 SHEET 9 A1

0 1 2 3 4 5 6 7 8 9 PRINTED IN U.S.A.

CIRCUIT NOTES:

101.

DESIG	FUSE AMP	POTENTIAL	ONE PER
<u>BATTERY SYMBOL</u>		<u>VOLTAGE RANGE</u>	

Copyright (C) 1994 AT&T
All Rights Reserved

INTELLIGENT NETWORK
APPLICATION SCHEMATIC

DWG SIZE
C2

ISSUE
1

AT&T


SD-5D527-01

SHEET
D1


PRINTED IN U.S.A.

EQUIPMENT NOTES:

201. ACTION POINT (ACP) TO NSCX FOR KTI



201. (CONT) NETWORK CONTROL POINT (NCP) TO NETSTAR LINK FOR KTI



Copyright (C) 1994 AT&T
All Rights Reserved

INTELLIGENT NETWORK
APPLICATION SCHEMATIC

DWG SIZE	ISSUE
C2	1


AT&T SD-5D527-01

SHEET
D2


PRINTED IN U.S.A.

EQUIPMENT NOTES:

201. (CONT) NETWORK CONTROL POINT (NCP) TO ACTION POINT (ACP) FOR KTI.



202. NETWORK CONTROL POINT (NCP) TO ACTION POINT (ACP) FOR SPAIN.



Copyright (C) 1994 AT&T All Rights Reserved		
INTELLIGENT NETWORK APPLICATION SCHEMATIC		DWG SIZE C2
		ISSUE 1
AT&T	SD-5D527-01	SHEET D3

INFORMATION NOTES:

301. UNLESS OTHERWISE SPECIFIED:
RESISTANCE VALUES ARE IN OHMS,
CAPACITANCE VALUES ARE IN MICROFARADS,
VALUES PRECEDED BY THE SYMBOL + (PLUS)
OR - (MINUS) ARE IN VOLTS.

302.

FEATURE OR OPTION	PROVIDE		QUANTITY
	APP FIG	APP OR WRG	

303.


RECORD OF FIGURES, WIRING AND APPARATUS CHANGES					
CHANGED ON ISS	IF JOB RECORDS DO NOT SPECIFY	THIS OPTION WAS FURN	SEE NOTE	USE IN CIRCUIT	
				AVAIL	DA

Copyright (C) 1994 AT&T All Rights Reserved		
INTELLIGENT NETWORK APPLICATION SCHEMATIC		DWG SIZE C2
AT&T		ISSUE 1
SD-5D527-01		SHEET D4

0 1 2 3 4 5 6 7 8 9


CAD 1

NCP TO NETSTAR




CAD 2

NCP TO UMP




CAD 3

DCE INTERFACE TO ACP



CAD 4

NCP TO CRT OR ROP




- NOTES:
1. LOOP BACK AND SOLDER TO CABLE BRAID AND COVER WITH HEAT SHRINK TUBING.
 2. SOLDER TO CABLE BRAID.

Copyright (C) 1994 AT&T All Rights Reserved		
INTELLIGENT NETWORK APPLICATION SCHEMATIC	DWG SIZE	ISSUE
	C2	1
AT&T	SD-5D527-01	SHEET GB1

0 1 2 3 4 5 6 7 8 9

BD 1

KTI INTELLIGENT NETWORK



Copyright (C) 1994 AT&T
All Rights Reserved

INTELLIGENT NETWORK
APPLICATION SCHEMATIC

DWG SIZE	ISSUE
C2	1


AT&T SD-5D527-01

SHEET
H1

PRINTED IN U.S.A.

BD 2

SPAIN INTELLIGENT NETWORK




Copyright (C) 1994 AT&T All Rights Reserved		
INTELLIGENT NETWORK APPLICATION SCHEMATIC		DWG SIZE C2
		ISSUE 1
AT&T	SD-5D527-01	SHEET H2

PRINTED IN U.S.A.

BD 3

INTELLIGENT NETWORK SIGNALING/INTERFACE CONFIGURATION
FOR STP (ITALY) PHASE 2A



Copyright (C) 1994 AT&T All Rights Reserved		
INTELLIGENT NETWORK APPLICATION SCHEMATIC		DWG SIZE C2
		ISSUE 1
AT&T	SD-5D527-01	SHEET H3

PRINTED IN U.S.A.