

## Veeam Backup for Google Cloud 4.0 Release Notes

This document provides last-minute information on Veeam Backup for Google Cloud 4.0, including system requirements, installation, as well as relevant information on technical support, documentation, online resources and so on.

The GA version of Veeam Backup for Google Cloud 4.0 is available to deploy from [Google Cloud Marketplace](#) starting from February 14th, 2023.

### See next:

- [System Requirements](#)
- [Installing Veeam Backup for Google Cloud](#)
- [Upgrading Veeam Backup for Google Cloud](#)
- [Integration with Veeam Backup & Replication](#)
- [Licensing](#)
- [Resolved Issues](#)
- [Known Issues](#)
- [Technical Documentation References](#)
- [Technical Support](#)
- [Contacting Veeam Software](#)

# System Requirements

## Hardware

### Veeam Backup for Google Cloud Appliance

e2-standard-2 is the recommended machine type for the Veeam backup appliance:

- *vCPU*: 2 cores (minimum)
- *Memory*: 8 GB (minimum)

For more information on machine types available to VM instances in Google Compute Engine, see [Google Cloud documentation](#).

## Workers

- e2-highcpu-8 is the recommended and default worker type for regular backup.
- e2-standard-4 is the recommended and default worker type for archive backup.

## Software

- Microsoft Edge (latest version), Mozilla Firefox (latest version), Google Chrome (latest version).

# Installing Veeam Backup for Google Cloud

Veeam Backup for Google Cloud is installed on a VM instance that is created in a selected Google Cloud project during the product installation. Veeam Backup for Google Cloud is available on Google Cloud Marketplace.

For the detailed step-by-step installation procedure, see the [Veeam Backup for Google Cloud User Guide](#).

## Configuring Initial Settings

Right after installation, you must perform the initial configuration of Veeam Backup for Google Cloud. As part of this configuration, you must read and accept the license agreement, prove that you are the owner of the VM instance running Veeam Backup for Google Cloud, and create a Default Administrator whose credentials you will use for your first login to Veeam Backup for Google Cloud.

For the detailed step-by-step configuration procedure, see the [Veeam Backup for Google Cloud User Guide](#).

## Upgrading Veeam Backup for Google Cloud

Veeam Backup for Google Cloud allows you to check for new product versions and available package updates, to download and to install them right from the Web UI.

To check for product updates, do the following:

1. Switch to the **Configuration** page.
2. Navigate to **Support Information > Updates**.
3. Click **Check and View Updates**.

If new updates are available, Veeam Backup for Google Cloud will display them on the **Updates** tab of the **Veeam Updater** page. To view detailed information on an update, select the check box next to the update and click **What's new?**

To download and install the product update:

1. In the **Updates are available for this system** section, select check boxes next to the necessary updates.
2. In the **Choose action** section, select the **Install updates now** option, select the **Reboot automatically after install if required** check box to allow Veeam Backup for Google Cloud to reboot the Veeam backup appliance if needed, and then click **Install Updates Now**.

# Integration with Veeam Backup & Replication

This section provides information about Google Cloud Plug-in for Veeam Backup & Replication 12.0.4.907, including system requirements and deployment, as well as relevant information on technical support, documentation, online resources and so on.

Google Cloud Plug-in for Veeam Backup & Replication is available for download starting from February 14th, 2023. You can download the plug-in at the [Veeam Backup & Replication: Download](#) page: **Additional Downloads** section, **Cloud Plug-ins** tab.

After you install Google Cloud Plug-in for Veeam Backup & Replication, you must add a Veeam Backup for Google Cloud appliance to the Veeam Backup & Replication infrastructure. For details, see the [Integration with Veeam Backup & Replication Guide](#).

## Hardware and Software Requirements

Since Google Cloud Plug-in for Veeam Backup & Replication is installed on a Veeam Backup & Replication server, system requirements for the plug-in are similar to requirements for the Veeam Backup & Replication server.

### Veeam Backup & Replication

Google Cloud Plug-in for Veeam Backup & Replication supports integration with Veeam Backup & Replication version 12.0.0.1420.

### Veeam Backup for Google Cloud

Google Cloud Plug-in for Veeam Backup & Replication supports integration with Veeam Backup for Google Cloud version 4.0.

### Google Cloud Services

The Veeam Backup for Google Cloud appliance and worker instances must have outbound internet access to numerous Google Cloud services and Google Cloud APIs. For the list of services and APIs, see the [Veeam Backup for Google Cloud User Guide](#).

# Licensing

Veeam Backup for Google Cloud is available in 2 license editions: Free and BYOL.

## Veeam Backup for Google Cloud Free Edition

Veeam Backup for Google Cloud Free Edition is fully featured and allows you to back up 10 VM instances free.

## Veeam Backup for Google Cloud BYOL Edition

Veeam Backup for Google Cloud BYOL Edition licenses can be obtained by contacting a Veeam sales representative at [Sales Inquiry](#) or by opening a license case [support ticket](#). Alternatively, BYOL licenses may be purchased from the [Veeam Online Store](#).

### NOTE

Both licensing editions use the same deployment image, deployed from Google Cloud Marketplace. The Free Edition will be automatically enabled, and the BYOL Edition will be enabled by importing the Veeam license after deployment.

For more information on Veeam licensing terms and conditions, see [Veeam End User License Agreement \(EULA\)](#).

# Resolved Issues

## Custom Settings

Any custom settings manually added or updated in Veeam Backup configuration files (such as *settings.json*) will be overwritten during upgrade and should be manually reapplied.

## Virtual Machines

The new features for VM properties specified below will not be backed up or restored:

- `threadsPerCore`
- `nicType`
- `stackType`
- `provisioningModel`
- `updateAutoLearnPolicy`
- `startRestricted`

# Known Issues

## Upgrade

- After upgrading to Veeam Backup for Google Cloud v4, creating of a full backup will be initiated by all existing policies due to changes in the format used to store backup files.
- After upgrading from version 2.0 of Veeam Backup for Google Cloud, all backup, restore and management roles will be selected for each project by default. As new roles and associated permissions are required for Cloud SQL protection, it is recommended to review the enabled roles and perform the built-in permission checks after upgrade. To do this:
  1. Log in to the Veeam Backup for Google Cloud Web UI.
  2. Switch to the **Configuration** page.
  3. Navigate to **Infrastructure > Projects & Folders**.
  4. For each registered project, click **Edit**.
  5. Select the **Specify granular roles** check box at the **Service Account** step of the wizard.
  6. Confirm the selected roles meet your requirements at the **Roles** step of the wizard, and proceed to the **Permissions** step to check permissions.

## Infrastructure

In-depth testing has been performed to optimize Veeam Backup for Google Cloud in enterprise environments. Testing established that the following issues may be experienced in very large Google Cloud environments (e.g., over 1,000 Projects):

- The region rescan process may time out due to API throttling in the Google KMS API.
- Policy creation may time out due to API throttling in the Google Resource Monitoring API.
- The Notification Bell may operate very slowly when there are over 1,000 messages to display.

Optimization and enhanced scalability continue to be a focus and will continue in future versions. For the latest recommendations on deployment sizing see the [Best Practices guide](#).

## Cost Calculator

The Google Cloud pricing model changes frequently, and there are currently some inconsistencies in the Cost Calculator pricing model as used in the Veeam Backup for Google Cloud policy wizard. These issues include the following:

- The storage price used for dual-region buckets may incorrectly use the multi-region pricing.
- The price to download the instance snapshot is not included in the cost of backup.
- Snapshot traffic prices use an incorrect data source.

These specific issues will be addressed in a future update.

Customers should note that although the cost calculator provides valuable insight into the cost of operating a policy it is not possible to account for every usage aspect and certain assumptions are necessary, therefore the costs shown are an estimate.

## Repositories

- In the **Add Repository** wizard, only Standard class, Nearline class and Archive class storage buckets will be available to select from. Buckets with Coldline class are not supported.
- In the **Add Repository** wizard, the service account used to access the project where the repository is located must reside in the same project, otherwise Veeam Backup will fail to validate the HMAC access key.

## Service Accounts

- Adding the Compute Engine default service account to Veeam Backup for Google Cloud is not supported. Attempting to register this account results in errors including *Name cannot start with digits* and *The provided email is invalid*.

## Encryption Keys

- Veeam Backup for Google Cloud may not be able to process an encrypted disk if it cannot use the service account required to access the encryption key.
- Only Global and Regional CMEK keys are supported. Multiregional CMEK keys are not supported.

## Backup

- An issue in v1.0 with retention policies could cause certain restore points to be retained longer than policy configuration dictates. The issue was resolved in v2.0. However, it only applies going forward to new restore points created after the upgrade from v1.0. To remove existing restore points, contact Veeam Support.
- If a policy targets an organization folder, then a rescan should be run after any changes to the folder (such as adding or removing projects), otherwise the policy may fail with permission errors. Note that rescan will run automatically every 24 hours.

## Restore

- As there is no production-ready ability to rename a VM instance (this capability is still in the [Google Pre-GA state](#)), it is not possible to restore a VM instance to the original location with the same name if the original VM instance still exists. In v4 a feature was added to allow restore if the original VM was manually renamed in the Google Cloud Console (using the beta API), however the policy containing the instance must be run at least once after the rename before the restore will succeed.
- Confidential VM instances require an NVMe disk interface, and it is not currently possible in Google APIs to set the disk interface when creating a VM instance. For this reason, Confidential VM instances cannot be restored.
- To back up and restore VM instances that use Shared VPC networks, permissions must be granted to the Veeam Backup service account to read the network configuration in the host project. For details on all required permissions, see the [Veeam Backup for Google Cloud User Guide](#).

- Backup and restore for PostgreSQL instances cannot use SSL-only connections. To work around this issue, complete the restore operation, and then manually enable the **Allow only SSL connections** option for the instance in the Google Cloud Console.
- Restore of PostgreSQL instances cannot use the db-f1-micro and db-g1-small machine types. If this machine type is required, create the PostgreSQL instance manually and then use database restore.

## Dashboard

- After upgrade, the **Successful Policy Tasks** widget will be empty. This is expected behavior and the widget will be populated as policies are executed.

## Veeam Backup & Replication Integration

- Veeam Backup & Replication does not show backup policy sessions that were created in Veeam Backup for Google Cloud version 1.0.
- After you register an existing Veeam Backup for Google Cloud appliance, only the last 24 hours of sessions are synchronized.
- Veeam Backup & Replication will not be able to create firewall rules automatically if a new Veeam Backup for Google Cloud appliance that you want to deploy is connected to the shared VPC network. In this case, you must create the firewall rules that allow inbound internet access from a Veeam Backup & Replication server to a new appliance beforehand.
- [Job and job session reports](#) are not supported for backup policies created in Veeam Backup for Google Cloud.
- If credentials to a standard backup repository are not specified, encrypted backups will be displayed as non-encrypted ones (there will be no key on the backup icons).
- If credentials to a standard backup repository are not specified, you will be able to perform only full VM instance restore using Veeam Backup for Google Cloud. All other features (backup copy, export disk, and so on) will be disabled.
- Veeam Backup & Replication is not able to rescan backups of SQL instances located on external repositories.
- In the Veeam Backup & Replication console, you can only delete archive repositories from the Veeam Backup & Replication infrastructure. To perform other management operations, you need to use the Web UI of the Veeam Backup for Google Cloud appliance.
- In this version, Veeam Backup Enterprise Manager does not support management of policies created in Veeam Backup for Google Cloud.
- VM disk restore to the original location is not available from the Veeam Backup & Replication console.
- File-level recovery to the original location is not available from the Veeam Backup & Replication console.
- File-level recovery using snapshots is not available from the Veeam Backup & Replication console.
- Backups and snapshots of VM instances cannot be removed from the Veeam Backup & Replication console.
- When you remove an appliance deployed by Google Cloud Plug-in for Veeam Backup & Replication version 11.0.3.616 and later or Veeam Backup for Google Cloud 3.0 and later, you can choose to remove all the associated resources from the GCP infrastructure automatically. For appliances deployed by earlier versions of the products, you must remove the resources manually as described in the [Veeam Backup for Google Cloud User Guide](#).

## REST APIs

- To review the detailed change log and breaking changes in the REST API 1.2-rev0, see the [Veeam Backup for Google Cloud REST API Reference](#).

# Technical Documentation References

If you have any questions about Veeam Backup for Google Cloud, you may use the following resources:

- [Product web page](#)
- [Veeam Backup for Google Cloud documentation](#)
- [Google Cloud Plug-In for Veeam Backup & Replication documentation](#)
- [Veeam R&D forums](#)

## Technical Support

Veeam offers email and phone technical support for customers on maintenance and during the official evaluation period. For better experience, please provide the following information when contacting Veeam Customer Support:

- Version information for the product and all infrastructure components
- Error message and/or accurate description of the problem you are having
- Log files

### TIP

To export the log files, select **Support Information** > **Download Logs** from the configuration menu, click **Download Logs**, and specify a time interval for which the logs must be collected.

To submit your support ticket or obtain additional information, please visit the [Veeam Customer Support Portal](#). Before contacting Veeam Customer Support, consider searching for a resolution on [Veeam R&D Forums](#).

## Contacting Veeam Software

At Veeam Software, we pay close attention to comments from our customers — we make it our mission to listen to your input, and to build our products with your suggestions in mind. We encourage all customers to join [Veeam R&D Forums](#) and share their feedback directly with the R&D team.

Should you have a technical or licensing issue or question, please feel free to contact our Customer Support organization directly. We have qualified technical and customer support staff available 24/7 who will help you with any inquiry that you may have.

### Customer Support

For the most up-to-date information about our support practices, business hours and contact details, please visit the [Veeam Customer Support Portal](#).

### Company Contacts

For the most up-to-date information about company contacts and office locations, please visit the [Veeam Contacts Webpage](#).