




Acer Spin 3 SP315-51-757C Charger Port Replacement

How to replace an Acer Spin 3 SP315-51-757C charger port.

Written By: Skyler Ognibene



INTRODUCTION

If you notice that your Acer Spin 3 SP315-51-757C charger port has been damaged or something has gotten stuck inside of it, it is very easy to replace. Other than for the back panel, there are no other screws holding the charger port in place. You will simply need to unplug the port from the motherboard to remove and replace it.


TOOLS:

- [iFixit Opening Picks set of 6](#) (1)
- [iFixit Opening Tools](#) (1)
- [Phillips #0 Screwdriver](#) (1)
- [Tweezers](#) (1)

PARTS:


- [Acer Spin 3 Replacement Charger Port](#) (1)

Step 1 — Back Panel



- Remove eleven Phillips #0 screws from the back panel.

Step 2



- Using an opening tool, pry open the back panel, starting at the silver screen hinges.

(i) You may need to apply more force than usual. If you don't find any success at the hinges, you can try to start at another area that looks easier to open.


(i) You can also use some plastic opening picks to help hold parts of the panel open while you work on other sides.

Step 3




- Lift the back panel off of the laptop.

Step 4 — Charger Port



- The charger port's inner cable may be covered by a manufacturer sticker, which can be easily removed.
- Using your nails or tweezers, unplug the charger port cable from the motherboard.

Step 5



- Gently lift the charger port out of its slot in the laptop casing.

To reassemble your device, follow these instructions in reverse order.