



Alcatel One Touch Pop 7 Rear Camera Replacement

This guide will show you how to replace the camera in the Alcatel One Touch Pop 7.

Written By: Riley Cooper



INTRODUCTION


If cleaning the camera lens and adjusting the camera settings does not fix the quality of pictures, you may need to replace the camera inside the Alcatel One Touch Pop 7. This guide will show you how to do so easily.



TOOLS:


- [Tweezers](#) (1)
 - [iFixit Opening Tools](#) (1)
-

Step 1 — Volume Button Assembly




- Begin working by using the plastic opening tool to remove the back cover of your Alcatel One Touch Pop 7. Opening the flap as shown in the picture will give you an easier start.

Step 2




- With the back cover removed you will now want to disconnect the battery. Use the tweezers and gently pull the wires as shown in the second picture.

Step 3



- The volume button assembly is in the top left corner of the tablet. To begin, you will have to pull the small black tab of the ZIF connector, shown in the second picture, to be able to remove the assembly. The tab is on a hinge so it should not be pulled off completely.

Step 4




- Pull the copper ribbon cable from the tab. It should be easily removed, as the ZIF connector is the only thing holding it in place.
- Next up is removing the volume button assembly. Another easy removal, simply pull the assembly away from the device and you're done with the removal process.

Step 5 — Rear Camera



- The camera is in the top left corner of the tablet. To begin removal, use the tweezers to gently disconnect the ribbon cable attached to the camera.

Step 6



- Pull the actual camera piece from the camera slot. It may stick a bit but it shouldn't be too difficult.

To reassemble your device, follow these instructions in reverse order.