



Asus EeeBook X205TA USB Port Replacement

This guide will help you replace your Asus EeeBook X205TA USB Port.

Written By: Lorena Santiago



INTRODUCTION

This guide will help you replace your Asus EeeBook X205TA trackpad in case it is worn out, damaged, or isn't working. If disposing trackpad, please follow the laws and regulations for proper disposal.

TOOLS:

- [iFixit Opening Tools](#) (1)
- [iFixit Precision Bit Driver](#) (1)
- [Phillips #2 Screwdriver](#) (1)

PARTS:

- [Asus EeeBook X205TA Replacement USB Port.](#) (1)

Step 1 — USB Port




- Unscrew all 10 screws located on the bottom of the laptop using a Phillips #2 Screwdriver.
- *i* Keep in mind that some of the screws vary in length, so keep track of which screws were placed in each hole.

Step 2



- Insert the plastic opening tool in the crevice between the back of the laptop and the rest of the case.
- Carefully pry open the case from several points.
- *i* Slowly remove the back of the laptop, revealing the parts inside.

Step 3



(i) The USB ports are located on the strip that looks like the motherboard on the left side of the laptop next to the battery.

- Unscrew the four screws using Philips #2 screwdriver located around the edge of the USB ports.
- Unplug the battery ZIF connector from the USB ports.

Step 4



- Carefully remove the USB ports from the laptop.

To reassemble your device, follow these instructions in reverse order.