



# Fujitsu Lifebook Stylistic Q584 USB port Replacement

Remove the USB port from the Fujitsu Lifebook Stylistic Q584.

Written By: Spencer Bacon




## INTRODUCTION

We will walk through removal the USB port from the Fujitsu Lifebook Stylistic Q584.

### TOOLS:

- [Phillips #00 Screwdriver](#) (1)
- [iFixit Opening Tools](#) (1)
- [Phillips #1 Screwdriver](#) (1)
- [Phillips #000 Screwdriver](#) (1)

## Step 1 — Back Case




- Remove the white sticker covering the screws (*if applicable*).
- Use the PH1 screwdriver to remove the four 2 mm screws from the the backside of the device.

## Step 2




- Insert the plastic opening tool along the seam of the back case.
- Gently slide the plastic opening tool along the entire seam popping the clips free.

## Step 3




- Carefully lift the back case and remove the smartcard ribbon from the motherboard.

## Step 4 — Inner Back Shield




- Remove the ten 3mm screws with a PH00 screwdriver from the shield.

## Step 5



- Remove the grey docking station port cover.

## Step 6



- Gently slide the plastic opening tool along the entire seam popping the clips free.

## Step 7




- Lift the shield away from the device and remove the fingerprint scanner's ribbon from the motherboard.

## Step 8 — USB port




- Remove 2mm screw with a PH1 screwdriver from USB board

## Step 9



- Disconnect USB periphery ribbon from motherboard

## Step 10



- Pull USB board up to remove.

To reassemble your device, follow these instructions in reverse order.