




# Garmin nüvi 3590 LMT Battery Replacement

Replace your dying battery to bring the power back to your GPS.

Written By: David



## INTRODUCTION

This guide will serve as a prerequisite for further guides to ensure workbench safety for the Garmin nüvi 3590 LMT.

**WARNING: Use caution when dealing with batteries and dispose of properly. DO NOT PUNCTURE.**


### **TOOLS:**

- iFixit Opening Tools (1)
- Metal Spudger (1)

### **PARTS:**

- Garmin 3590 replacement battery (3.7V, 1.24Ah, 4.6Wh) (1)

## Step 1 — Battery



- Turn the device off by pressing and holding the power button on the top left of the device.

## Step 2



- Use the plastic opening tool to separate the tabs on the black back cover of the device by leveraging the tool against the frame around the perimeter of the device.

## Step 3



- Once all of the tabs are popped out, take the back cover off.


**i** The back cover is a separate piece from the device.

## Step 4



- Using the plastic spudger, carefully remove the white tab connected to the battery from the device by pulling the tab in the opposite direction from which it is connected.

## Step 5



- Use the plastic spudger to lift the battery up and away from the device.

**⚠** Do not puncture or bend the battery. Serious health complications could occur.

To reassemble your device, follow these instructions in reverse order.