Google Pixel 2 XL SIM Card Replacement

Remove or replace the SIM card or SIM card tray in a Google Pixel 2 XL.

Written By: Adam O'Camb

This document was generated on 2019-09-23 12:38:55 AM (MST).

INTRODUCTION

Use this guide to remove the SIM card or SIM card tray in your Google Pixel 2 XL.

TOOLS:

- SIM Card Eject Tool (1)

PARTS:

- Google Pixel 2 XL SIM Card Tray (1)

This document was generated on 2019-09-23 12:38:55 AM (MST).

www.iFixit.com

Step 1 — SIM Card

- Insert a SIM card eject tool or a paperclip into the small hole in the SIM card tray, located on the left edge of the phone, opposite of the power and volume buttons.

- Press firmly to eject the tray.

Step 2

- Remove the SIM card tray from the phone.
  - (i) The SIM card will fall out of the tray easily.

- 📌 When reinserting the SIM card, ensure that it is in the proper orientation relative to the tray.

This document was generated on 2019-09-23 12:38:55 AM (MST).

To reassemble your device, follow these instructions in reverse order.

Repair didn't go as planned? Check out our [Answers community](#) for troubleshooting help.

This document was generated on 2019-09-23 12:38:55 AM (MST).

www.iFixit.com